INDEX OF AUTHORS, 1967

A

Abel, E. W., **Armitage,** D. A., and **Tyfield,** S. P. Indications of the relative base strengths of certain organometallic bases from the proton magnetic resonance dilution shift in chloroform, 554.

Abel, E. W., **Crosse,** B. C., and **Hutson,** G. V. Polynuclear organoselenium derivatives of manganese and rhenium carbonyl, 2014.

Abel, E. W., and **Jenkins,** C. R. 1,3-Dithia-2-stannacyclopentenes, 1344.

Acheson, R. J., and **Galwey,** A. K. The thermal decomposition of salts of mellitic acid. Part III. Chromic, manganous, cupric, and zinc mellitates, 1167.

The thermal decomposition of nickel terephthalate and nickel salts of other carboxylic acids, 1174.

Adams, D. M., and **Chandler,** P. J. Metal–ligand vibrations: the far-infrared spectra of some *cis*- and *trans*-platinum(IV) complexes, 1009.

Adams, D. M., **Chandler,** P. J., and **Churchill,** R. G. Far-infrared spectra of halogen-bridged systems. Part I $[M_2X_6]^{2-}$ ions of palladium and platinum, 1272.

Adams, D. M., and **Cornell,** J. B. Metal–sulphur vibrations. Part I. Far-infrared spectra of some complexes of thiourea and ethylenethiourea (imidazolidine-2-thione), 884.

Adams, D. M., and **Lock,** P. J. Far-infrared spectra and the structures of tellurium tetrachloride and tetrabromide, 145.

Copper–halogen stretching frequencies, 620.

Adams, D. M., and **Morris,** D. M. Vibrational spectra of halides and complex halides. Part I. Hexahalogenoplatinates. Part II. Hexa-chlorostannates and -plumbates. Part III. Hexahalogenotellurates, 1666, 1669, 2067.

Adams, G. P., **Carson,** A. S., and **Laye,** P. G. The heats of formation of ethylenediaminetetra-acetic acid and diethylenetriaminepenta-acetic acid, 1832.

Addison, C. C., **Amos,** D. W., **Sutton,** D., and **Hoyle,** W. H. H. Infrared and Raman spectra of compounds containing bidentate nitrato-groups, 808.

Addison, C. C., **Davis,** R., and **Logan,** N. Rhenium trioxide nitrate, 1449.

Adin, A., **Doyle,** J., and **Sykes,** A. G. The chromium(II)-catalysed dissociation of monohalogenochromium(III) complexes and the effect of non-bridging ligands on electron-transfer reactions, 1504.

Affsprung, H. E. See **Johnson,** J. R., 764, 1924.

Agrawal, M. M. See **Mehrotra,** R. C., 1026.

Alcock, N. W. The crystal and molecular structure of dimethyl-π-cyclopentadienyl(methylcyclopentadiene)-rhenium, 2001.

Allen, C. R., **Wright,** M. R., and **Wright,** P. G. Solvation energies in non-aqueous solvents, 892.

Allkins, J. R., and **Hendra,** P. J. The vibrational spectra of co-ordination compounds of formula *trans*-MX_2Y_2. Part III. Low-frequency vibrations of Group VIII complexes where X = Cl, Br, and I, and Y = Me_2S, Me_2Se, and Me_2Te, 1325.

Alner, D. J., **Greczek,** J. J., and **Smeeth,** A. G. Precise standard pH values from 0 to 60°, 1205.

Ambrose, D., **Broderick,** B. E., and **Townsend,** R. The vapour pressures above the normal boiling point and the critical pressures of some aromatic hydrocarbons, 633.

Amos, D. W. See **Addison,** C. C., 808.

Anbar, M., and **Neta,** P. Reactions of halogenoaliphatic acids with free radicals in aqueous solution. Part I. Reactions with hydrogen atoms. Part II. Reactions with aliphatic free radicals. Part III. Reactions with inorganic free radicals, 834, 837, 841.

Armitage, D. A. See **Abel,** E. W., 554.

Armstrong, D. R., and **Perkins,** P. G. The π-electronic structures of some compounds containing boron–oxygen bonds. Part I. Compounds where boron is not in a ring. Part II. Cyclic compounds, 123, 790.

The ground-state properties of the Group III trihalides, 1218.

Arnold, R., and **Hing,** L. B. S. Selectivity of carboxylic ion-exchange resin for lanthanide ions, 306.

Ashcroft, S. J., and **Mortimer,** C. T. The strength of the platinum–carbon σ-bond in the complex $(Et_3P)_2PtPh_2$, 930.

Ashcroft, S. J. See also **Beech,** G., 929.

Ašperger, S., **Flögel,** M., and **Papić,** M. Mechanism of octahedral sunstitutions in non-aqueous media. Part IV. Rates of replacement reactions in *trans*-chloroammine- and *cis*-chloroaquo-bis(ethylenediamine)cobalt(III) ions in alcoholic solutions, 110.

Atherton, N. M., and **Harding,** R. S. F. Electron spin resonance studies of γ-irradiated single crystals of aromatic compounds. Part II. Results for diphenylacetic acid and general problems of interpretation, 1490.

Atherton, N. M., **Ockwell,** J. N., and **Dietz,** R. Electron spin resonance and polarographic studies of the radical-anions of some nitrogen- and sulphur-containing heterocyclic molecules, 771.

Aylett, B. J., and **Emsley,** J. The preparation and properties of dimethylamino- and diethylaminosilane, 652.

N-Silyl derivatives of cyclic secondary amines, 1918.

B

Bagnall, K. W., and **Brown,** D. The absorption spectra of protactinium(IV) and uranium(IV) in aqueous hydrochloric acid, 275.

Baird, M. C., **Hartwell,** G. jun., and **Wilkinson,** G. Carbon disulphide complexes of vanadium, iron, cobalt, ruthenium, and iridium; the preparation of *trans*-bis(triphenylphosphine)thiocarbonylhalogeno-rhodium(I) and -rhodium(III) complexes, 2037.

Baird, M. C., **Mague,** J. T., **Osborn,** J. A., and **Wilkinson,** G. Addition reactions of tris(triphenylphosphine)chlororhodium(I); hydrido-, alkyl, and acyl complexes;

XUM

carbon monoxide insertion and decarbonylation reactions, 1347.

Baird, M. C., and **Wilkinson,** G. Carbon disulphide, carbonyl sulphide, and alkyl and aryl isothiocyanate and perfluorothioacetone complexes of nickel, palladium, platinum, rhodium, and iridium, 865.

Baker, E. H. The boiling point relation for tellurium at elevated pressures, 1558.

Baker, E. N., **Clark,** G. R., **Hall,** D., and **Waters,** T. N. The colour isomerism and structure of some copper co-ordination compounds. Part XIII. Crystal structure of bis-(*N*-ethylsalicylaldiminato)copper(II), 251.

Baker, R. T. K., **Kerr,** J. A., and **Trotman-Dickenson,** A. F. The photolysis of carbon suboxide in the presence of fluoroethylenes and alkanes, 1641.

Baker, W. A. jun. See **Rasmussen,** V., 580, 1712.

Baldwin, J. C., **Lappert,** M. F., **Pedley,** J. B., and **Treverton,** J. A. Bonding studies of organometallic compounds of boron and the Group IV elements. Part I. Heats of hydrolysis and bond energies for some trimethylsilyl derivatives, 1980.

Ball, R. D., **Hall,** D., **Rickard,** C. E. F., and **Waters,** T. N. The colour isomerism and structure of some copper co-ordination compounds. Part XIV. The crystal structure of chloroaquobis(ethylenediamine)copper(II) chloride, 1435.

Bamfield, P. The reaction of cobalt halides with *N*-arylsalicylideneimines, 804.

Bancroft, G. M., **Maddock,** A. G., **Ong,** W. K., **Prince,** R. H., and **Stone,** A. J. Mössbauer spectra of iron(III) diketone complexes, 1966.

Banerjee, S. K., **Kundu,** K. K., and **Das,** M. N. Standard potentials of silver–silver bromide electrode in ethylene glycol–water mixtures at different temperatures and related thermodynamic quantities, 161.

Autoprotolysis constants of ethylene glycol–water mixtures at different temperatures and related thermodynamic quantities, 166.

Banister, A. J., and **Padley,** J. S. The reaction of tetrasulphur tetranitride with diselenium dichloride in thionyl chloride, 1437.

Barrer, R. M., and **Dicks,** L. W. R. Chemistry of soil minerals. Part IV. Synthetic alkylammonium montmorillonites and hectorites, 1523.

Barrer, R. M., and **Whiteman,** J. L. Intracrystalline sorption of sulphur and phosphorus by some porous crystals, 13.

Mercury uptake in various cationic forms of several zeolites, 19.

Barrett, J., **Fox,** M. F., and **Mansell,** A. L. Reactions of the hydrated electron in the photochemistry of aqueous sulphate and bisulphate ions, 483.

Barrowcliffe, T., **Beattie,** I. R., **Day,** P., and **Livingston,** K. The vibrational spectra of some chloro-anions, 1810.

Bartlett, N., **Einstein,** F., **Stewart,** D. F., and **Trotter,** J. The crystal structure of $[XeF_5]^+[PtF_6]^+$, 1190.

Bartlett, N. See also **Einstein,** F. W. B., 478.

Basson, R. A. Effect of temperature on the yields of the precursors of hydrogen in the radiolysis of ethanol, 1179.

Basson, R. A., and **du Plessis,** T. A. The influence of ethylene on the radiolytic oxidation of ferrous sulphate, 778.

Basson, R. A., and **Linde,** H. J. van der. Polarity effects in the radiolysis of n-alcohols, 28.

The radiation chemistry of n-propanol. Part I. Formation of the major products, 1182.

Basu, M. K., and **Das,** M. N. Salt effects on equilibria involving ions of like charge, 169.

Batt, L., and **Cruickshank,** F. R. Interdiffusion of gases in cylindrical mixing vessels, 261.

Batwara, J. M. See **Tripathi,** U. D., 991.

Beattie, I. R., and **Chudzynska,** H. The vibrational spectra of some chloro-complexes of sulphur, selenium, and tellurium in the (4+) oxidation state, 984.

Beattie, I. R., and **Fawcett,** V. Some reactions of tin oxide chloride and titanium oxide chloride, 1583.

Beattie, I. R., **Gilson,** T., and **Cocking,** P. The vibrational spectrum of Ga_2Cl_6, 702.

Beattie, I. R., **Gilson,** T., **Livingston,** K., **Fawcett,** V., **and Ozin,** G. A. The vibrational spectra of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, 712.

Beattie, I. R. See also **Barrowcliffe,** T., 1810.

Becconsall, J. K., **Job,** B. E., and **O'Brien,** S. Proton magnetic resonance and mass spectra of some isoleptic transition-metal π-allyl complexes, 423.

Becka, L. N. See **Spinnler,** M. A., 1194.

Beech, G., **Ashcroft,** S. J., and **Mortimer,** C. T. Thermochemistry of transition-metal complexes. Part II. CoL_2Cl_2 complexes; L = pyridine, α-picoline, and triphenylphosphine, 929.

Beech, G., and **Mortimer,** C. T. Thermochemistry of transition-metal complexes. Part IV. $M(pyrazine)_2Cl_2$ complexes, where M = Mn, Fe, Co, or Ni, 1115.

Beech, G., **Mortimer,** C. T., and **Tyler,** E. G. Thermochemistry of transition-metal complexes. Part I. CoL_nX_2 complexes; $n = 4$ or 2; L = pyridine, α-, β-, γ-picoline, quinoline, and aniline; X = Cl. Br, I. Part III. ML_nX_2 complexes, where M = Mn, Fe, or Ni; L = pyridine, α-, β-, or γ-picoline, aniline, or quinoline; $n = 2$ or 4; and X = Cl, Br, or I, 925, 1111.

Bennett, J. E., **Mile,** B., and **Thomas,** A. Trapped electrons produced by the deposition of alkali-metal atoms on ice solid alcohols at 77°K. Part I. Optical spectra and electron spin resonance spectra. Part II. Chemical reactions during thermal and photolytic bleaching, 1393, 1399.

Bennett, J. M. See **Speakman,** K., 1052.

Bennett, M. A., **Chatt,** J., **Erskine,** G. J., **Lewis,** J., **Long,** R. F., and **Nyholm,** R. S. Metal complexes of unsaturated tertiary phosphines and arsines. Part II. Reactivity of co-ordinated ligands, 501.

Bennett, M. A., **Erskine,** G. J., and **Nyholm,** R. S. Metal complexes of unsaturated tertiary phosphines and arsines. Part IV. Bromination of chelate complexes of platinum(II) formed by olefinic tertiary arsines, 1260.

Beretka, J., and **Ridge,** M. J. Dehydration products of aluminium hydroxides, 2106.

Berrett, R. R., and **Fitzsimmons,** B. W. The Mössbauer effect and chemistry. Part I. Spectra of octahedral *cis–trans*-isomers and related compounds, 525.

Bhandari, A. M., and **Kapoor,** R. N. Organic compounds of uranium. Part III. Reactions of uranium pentaalkoxides with acetyl chloride, 1618.

Birchall, J. M., **Bowden,** F. L., **Haszeldine,** R. N., and **Lever,** A. B. P. Polyfluoroarenes. Part IX. Decafluorotolan: synthesis, properties, and use as an organometallic ligand, 747.

Bird, C. W., and **Briggs,** E. M. Organometallic intermediates. Part II. The preparation and structure of some diphenylcyclopropenone complexes, 1004.

Bird, P. H., and **Wallbridge,** M. G. H. The co-ordination and cleavage reactions of aluminium borohydride with ligands containing elements from Groups V and VI, 664.

Blundell, T. L., and **Powell,** H. M. The crystal and molecular structure of $[Pd(TPAS)Cl]ClO_3,C_6H_6$ [TPAS = *o*-phenylenebis-(*o*-dimethylarsinophenylmethylarsine)]: the stereochemistry of a pentaco-ordinate palladium complex ion, 1650.

Blurton, K. F., and **Riddiford,** A. C. A modification of the diaphragm cell technique for measurement of the diffusion coefficient of an electroactive species in the presence of supporting electrolyte, 1076.

Boell, G. R. See **Ridge,** M. J., 594.

Bogucki, R. F. See **Langer,** H. G., 1516.

Bonamico, M., and **Dessy,** G. The crystal structure of aluminosiloxanes: *X*-ray analysis of dibromotrimethylsiloxyaluminium, 1786.

Bonati, F., **Cenini,** S., and **Ugo,** R. Interaction of tin(II) halides with compounds having mercury–metal bonds, 932.

Boorman, P. M., **Greenwood,** N. N., **Hildon,** M. A., and **Whitfield,** H. J. The structure of tungsten pentachloride, 2017.

Borčić, S. See **Randić,** M., 586.

Bott, H. L., and **Poë,** A. J. The *trans*-effect in octahedral complexes. Part II. Anation reactions of some *trans*-Rh $en_2L(OH_2)^{2+}$ complexes, 205.

Bowden, F. L. See **Birchall,** J. M., 747.

Bowers, P. G. Unimolecular photodissociation of keten, 466.

Bradley, D., and **Wilkinson,** J. The radiolysis of liquid acetonitrile, 531.

Bradley, D. C., and **Hammersley,** P. A. Titanium tetramercaptides and dialkylaminotitanium(IV) mercaptides, 1894.

Bradley, D. C., and **Prevedorou-Demas,** C. Metal oxide trialkysilyloxide polymers. Part IV. Titanium oxide triethylsilyloxide polymers, 43.

Bramley, R., **Figgis,** B. N., and **Nyholm,** R. S. Nuclear magnetic resonance in transition-metal complexes, 861

Brazier, J. N., and **Woolf,** A. A. The reactivity of fluorosulphuric acid with metals, 99.

Brier, P. N., **Chalmers,** A. A., **Lewis,** J., and **Wild,** S. B. Chemistry of polynuclear compounds. Part IX. Infrared spectra of some mercury–metal carbonyl complexes, 1889.

Brierley, M., and **Geary,** W. J. Co-ordination polymers of chelated heterocyclic dienols, 321.

Transition-metal complexes of the 1,2-dipyridylethylene isomers. Part I. Copper(II), nickel(II), and cobalt(II) derivatives of the symmetrically substituted isomers, 963.

Briggs, E. M. See **Bird,** C. W., 1004.

Brisden, B. J., **Edwards,** D. A., **Machin,** D. J., **Murray,** K. S., and **Walton,** R. A. Magnetic and spectral studies on tungsten(V) chloride and bromide and several oxyhalide and halide complexes of molybdenum(V) and tungsten(V), 1825.

Broadbent, D., **Dollimore,** D., and **Dollimore,** J. The thermal decomposition of oxalates. Part IX. The thermal decomposition of the oxalate complexes of iron, 451.

Broderick, B. E. See **Ambrose,** D., 633.

Brookes, P. R., and **Shaw,** B. L. Nuclear magnetic resonance studies on metal complexes. Part V. Dimethylphenylphosphine and dimethylphenylarsine complexes of rhodium(III), 1079.

Brooks, E. H., and **Glockling,** F. Palladium hydride complexes, 1030.

Broomhead, J. A., and **Kane-Maguire,** L. A. P. The synthesis and characterisation of diacidobis(ethylenediamine)ruthenium(III) complexes and related compounds, 546.

Brown, C. J. The crystal structure of 1-(*p*-chlorophenyl)-5-isopropylbiguanide hydrochloride (" Paludrine "), 60.

The crystal structure of α,4-dibromo-α-(4-methyl-2-nitrophenylazo)acetanilide, 405.

Brown, D., **Easey,** J. F., and **Holah,** D. G. *X*-Ray single-crystal and powder diffraction results for cæsium heptafluoroprotactinate(V), 1979.

Brown, D., **Easey,** J. F., and **Jones,** P. J. Protactinium(V) iodides, 1698.

Brown, D., and **Jones,** P. J. Some anhydrous hexahalogeno-complexes of quadrivalent protactinium, 243.

Some bromo-complexes of quinquevalent protactinium, niobium, and tantalum, 247

The protactinium(IV) halides, 719.

Brown, D., **Kettle,** S. F. A., and **Smith,** A. J. The crystal structure of potassium heptafluoroprotactinate(V) and bonding in ML_9 complexes, 1429.

Brown, D. See also **Bagnall,** K. W., 275.

Brown, D. A., and **Fitzpatrick,** N. J. Molecular-orbital theory of organometallic compounds. Part VIII. A comparison of the 4*d* and 5*d* radial wave functions of the second and third transition series. Part IX. The metal–hydrogen bond in complex hydrides of the transition metals, 316, 1793.

Brown, D. H., **Dixon,** K. R., **Livingston,** C. M., **Nuttall,** R. H., and **Sharp,** D. W. A. The infrared spectra of hexahalogenometallates(IV), 100.

Brown, M. P., **Heseltine,** R. W., and **Johnson,** D. W. Studies of aminoboranes. Part I. Reactions involving transfer of hydrogen from *N*-monoalkyl-substituted aminoboranes and amine–boranes to dimethylaminoborane, 597.

Bruce, M. I., and **Stone,** F. G. A. Chemistry of the metal carbonyls. Part XL. Carbonylation of ruthenium trichloride, 1238

Bryan, R. F. Metal–metal bonding in co-ordination complexes. Part I. The crystal and molecular structure of triphenyltin tetracarbonyltriphenylphosphinemanganese. Part III. The crystal structure of cyclopentadienyldicarbonyliron triphenyltin, 172, 192

Byran, R. F., and **Weber,** H. P. The crystal structure of triphenylstannoxytetraphenylcyclopentadienyl tricarbonylmanganese, 843.

Bryan, R. F. See also **Weber,** H. P., 182.

Buckingham, A., and **Gasser,** R. P. H. Complex formation in dimethyl sulphoxide. Part II. Mercuric iodide and potassium iodide, 1964.

Bunbury, D. St. P. See **Kakabadse,** G. J., 576.

Burbridge, C. D., and **Goodgame,** D. M. L. Di-2-pyridylamine complexes of iron(II), 694.

Burbridge, C. D., **Goodgame,** D. M. L., and **Goodgame,** M. Orbital splittings for some high-spin tetragonal complexes of iron(II) from Mössbauer and electronic spectra, 349.

Burden, F. R., and **Millen,** D. J. Cubic anharmonic potential constants from vibration–rotation interaction constants. Application to carbonyl sulphide and hydrogen cyanide molecules, 1212.

XUM

Burgess, J. Kinetics of reactions of ferroins having ionisable substituents, **431.**

Kinetics of reactions of Schiff base complexes of iron(II). Part II. Reactions of substituted tris-[*N*-(2-pyridylmethylene)aniline] complexes with bases and with hydrogen peroxide, **955.**

Burgess, J., and **Prince,** R. H. Kinetics of acid fission of substituted tris-[*N*-(2-pyridylidene)aniline]iron(II) complexes, **434.**

Burnett, M. G., **Connolly,** P. J., and **Kemball,** C. The reaction of potassium pentacyanocobaltate(II) with hydrogen, **800.**

Burns, R. G. See **Clark,** M. G., **1034.**

Bush, M. A., **Lindley,** P. F., and **Woodward,** P. The crystal structure of 2-chloro-1,3-dithia-2-stibacyclopentane, **221.**

Bush, M. A., and **Woodward,** P. The crystal and molecular structure of bis(dicarbonyl-π-cyclopentadienyliron)dichlorogermane, $Cl_2Ge[\pi\text{-}C_5H_5Fe(CO)_2]_2$, **1833.**

C

Calderazzo, F., **Lucken,** E. A. C., and **Williams,** D. F. The ^{55}Mn nuclear magnetic resonance spectra of alkyl- and acyl-manganesepentacarbonyls and related compounds, **154.**

Callingham, M. See **Headridge,** J. B., **684.**

Campbell, C., and **Turner,** J. J. Surface reactions: the infrared spectra of $Br^{16}O_3^-$, $Br^{16}O_2{}^{18}O^-$, $Br^{16}O^{18}O_2^-$, and $Br^{18}O_3^-$, **1241.**

Campbell, M. J., and **Grzeskowiak,** R. Some copper(II) complexes of thiosemicarbazide, **396.**

Campbell-Ferguson, H. J., and **Ebsworth,** E. A. V. Adducts of the halogenosilanes. Part II. Physical properties and structures, **705.**

Candlin, R., and **Harding,** M. M. The crystal structure of bis(histidino)cadmium dihydrate, **421.**

Cannon, R. D., **Chiswell,** B., and **Venanzi,** L. M. Some complexes of cobalt(II), nickel(II), and palladium(II), with multidentate ligands and the ligand field strength of co-ordinated ethers and sulphides, **1277.**

Carrick, A., and **Glockling, F.** Mass and abundance data for polyisotopic elements, **40.**

Carson, A. S. See **Adams,** G. P., **1832.**

Carter, O. L., **McPhail,** A. T., and **Sim,** G. A. Metal–carbonyl and metal–nitrosyl complexes. Part IV. The crystal and molecular structure of tricarbonylchromium-*o*-toluidine. Part V. The crystal and molecular structure of the tricarbonylchromium derivative of methyl benzoate, **228, 1619.**

Optically active organometallic compounds. Part I. Absolute configuration of (−)-1,1′-dimethylferrocene-3-carboxylic acid by *X*-ray analysis of its quinidine salt, **365.**

Casson, D., and **Dunn,** A. S. Activity coefficients of vinyl acetate in aqueous solution, **201.**

Catterall, R., **Symons,** M. C. R., and **Tipping,** J. W. Unstable intermediates. Part XLIV. Solvated electrons: further studies of solutions of the alkali metals, including sodium in amines, by use of electron spin resonance and optical spectroscopy, **1234.**

Cavell, R. G., and **Dobbie,** R. C. A convenient and efficient preparation of trifluoromethyl-phosphorus and -arsenic hydrides, **1308.**

Cenini, S. See **Bonati,** F., **932.**

Chakrabarty, M. R. See **Lepley,** A. R., **1626.**

Chalmers, A. A., **Lewis,** J., and **Whyman,** R. Low-frequency infrared spectra of some phosphine-substituted Group VI metal carbonyls, **1817.**

Chalmers, A. A. See also **Brier,** P. N., **1889.**

Chambers, D. B., **Glockling,** F., and **Weston,** M. Mass spectra of organo-stannanes and -plumbanes, **1759.**

Chambers, G. See **Park,** P. J. D., **646.**

Chan, S. C. Octahedral cobalt(III) complexes of the chloropentammine type. Part VIII. Temperature dependence of activation energies in the hydrolysis of chloropentammine-, *cis*-chloroamminebis(ethylenediamine)- and *cis*-chlorotriethylenetetramine-cobalt(III) cations, **291.**

The association of hydroxide ion with tris(ethylenediamine)cobalt(III) and tris(ethylenediamine)chromium(III) cations in dioxan–water and dioxan–deuterium oxide mixtures, **2103.**

Chan, S. C., **Cheng,** C. Y., and **Leh,** F. Octahedral cobalt(III) complexes of the chloropentammine type. Part X. Effect of replacing chlorine by bromine on the reactivity of some *cis*-chloroaminebis(ethylenediamine)cobalt(III) cations, **1586.**

Chan, S. C., **Chik,** C. L., and **Hui,** B. Preparation, properties, and reactions of *trans*-chloro- and *trans*-bromoisothiocyanatobis(±-propylenediamine)cobalt(III) cations, **607.**

Chan, S. C., and **Leh,** F. Octahedral cobalt(III) complexes of the chloropentammine type. Part VII. The role of haloalkylamines as influencing ligands in hydrolytic reactions of the bis(ethylenediamine)cobalt(III) system. Part IX. The acid hydrolysis of *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) nitrate. Part XI. The preparation, properties, and reactions of some chloroaminebis(ethylenediamine)cobalt(III) salts containing unidentate aminoalkanols as influencing ligands, **288, 573, 1730.**

Ligand reactions. Part I. The release of covalent halogen from some *cis*-aquo- and *cis*-hydroxo-(halogenoalkylamine)bis(ethylenediamine)cobalt(III) cations, **908.**

Deuterium isotope effect in octahedral substitutions. Part III. Liberation of chloride ions from some *cis*-chloro(amine)bis(ethylenediamine)cobalt(III) cations in neutral, acidic, and basic solutions, **2010.**

Chan, S. C., and **Leung,** P. Y. The hydrolysis of some nitroamminecobalt(III) complexes in aqueous solution, **2089.**

Chandler, P. J. See **Adams,** D. M., **1009, 1272.**

Charbonneau, G.-P., and **Trotter,** J. The crystal structure of 1,2,4-trichloro-3,5,6-trimethylbenzene, **2032.**

Chatt, J., **Johnson,** N. P., and **Shaw,** B. L. Halogenocarbonyl complexes of iridium(I) containing tertiary phosphines and tertiary arsines, **604.**

Chatt, J. See also **Bennett,** M. A., **501.**

Cheng, C. Y. See **Chan,** S. C., **1586.**

Chik, C. L. See **Chan,** S. C., **607.**

Chiswell, B. See **Cannon,** R. D., **1277.**

Christensen, J. J. See **Izatt,** R. M., **1301, 1304.**

Christian, S. D. See **Johnson,** J. R., **764, 1924.**

Chudzynska, H. See **Beattie,** I. R., **984.**

Churchill, R. G. See **Adams,** D. M., **1272.**

Clark, G. R. See **Baker,** E. N., **251.**

Clark, J. P., **Langford,** V. M., and **Wilkins,** C. J. Metal–ligand frequencies in the spectra of tin complexes with triphenylphosphine oxide and triphenylarsine oxide, **792.**

Clark, M. G., and **Burns,** R. G. Electronic spectra of Cu^{2+} and Fe^{2+} square planar co-ordinated by oxygen in in $BaXSi_4O_{10}$, 1034.
Clark, R. J. H., and **Errington,** W. Fluoro-complexes of the Group IVA elements: metal–halogen vibrational frequencies, 258.
Clark, R. J. H., and **Greenfield,** M. L. Ethylenediamine and propylenediamine complexes of titanium(III), vanadium(III), and chromium(III), 409.
Clark, R. J. H., **Nyholm,** R. S., and **Taylor,** F. B. The magnetic susceptibility of some tetrahedral tetrahalogenoferrate(II) complexes, 1802.
Clark, R. J. H., and **Taylor,** F. B. Low-frequency infrared spectra of iron(III) halide complexes, 693.
Cleare, M. J., and **Griffith,** W. P. Infrared spectra of isotopically substituted nitro-, nitrito-, and nitrosyl complexes, 1144.
Coard, L. C., and **Powell,** R. E. Anhydrous copper(II) nitrate as an oxidising agent, 296.
Coates, G. E., and **Fishwick,** A. H. Aminoberyllium alkyls, $RBeNR'_2$: their association and reactions with pyridine and with 2,2′-bipyridyl, 1199.
Coates, G. E., and **Ridley,** D. Some amino-alkylmagnesium complexes: evidence for three-co-ordinate magnesium, 56.
Coates, G. E., and **Roberts,** P. D. Some t-butyl and t-butoxy-derivatives of zinc, 1233.
Coates, G. E., **Roberts,** P. D., and **Downs,** A. J. Vibrational spectra and molecular structures of di-t-butylberyllium and di-t-butylzinc, 1085.
Coates, G. E., and **Tranah,** M. Some phenylberyllium complexes, 236.
Phenylberyllium hydride–trimethylamine: some observations on alkylberyllium hydrides, 615.
Cocking, P. See **Beattie,** I. R., 702.
Connolly, P. J. See **Burnett,** M. G., 800.
Connor, J. A., **Haszeldine,** R. N., **Leigh,** G. J., and **Sedgwick,** R. D. Organosilicon chemistry. Part II. The thermal decomposition of hexamethyldisilane, the $Me_3Si–SiMe_3$ bond dissociation energy, and the ionisation potential of the trimethylsilyl radical, 768.
Cook, D. J., **Dawes,** J. L., and **Kemmitt,** R. D. W. Some mercury halide–cobalt and –rhodium compounds, 1547.
Cooper, D., **Haszeldine,** R. N., and **Newlands,** M. J. Polyfluoroalkyl compounds of silicon. Part VIII. Reactions of silanes with vinyl fluoride and with 1-chloro-2-fluoroethylene, 2098.
Cooper, R. L., and **Green,** M. L. H. Some bis-π-cyclopentadienyl halides of molybdenum, tungsten, and rhenium, 1155.
Cope, V. W., **Miller,** R. G., and **Fraser,** R. T. M. Titanium(III) ion as a reductant in electron-transfer reactions, 301.
Corain, B., and **Poë,** A. J. Iodoplatinate(II) species in aqueous solution, 1318.
The hydrolysis of hexaiodoplatinate(IV), 1633.
Cornell, J. B. See **Adams,** D. M., 884.
Cotton, J. D. **Knox,** S. A. R., **Paul,** I., and **Stone,** F. G. A. Chemistry of the metal carbonyls. Part XXXIX. Organotin(carbonyl)iron complexes, 264.
Couch, D. A., **Elmes,** P. S., **Fergusson,** J. E., **Greenfield,** M. L., and **Wilkins,** C. J. Chemistry of selenium and tellurium tetrahalides: ionisation of the chlorides and bromides in solution and the constitution of their adducts, 1813.
Counsell, J. F., and **Martin,** J. F. The entropy of tetragonal germanium dioxide, 560.
Coxon, G. E., **Palmer,** T. F., and **Sowerby,** D. B. Cyclic inorganic compounds. Part IV. The mass spectra of some bromophosphonitriles, 1568.
Coxon, G. E., and **Sowerby,** D. B. Cyclic inorganic compounds. Part III. Hexameric bromophosphonitrile, 1566.
Cradock, S., and **Ebsworth,** E. A. V. Germyl chemistry. Part I. A convenient synthesis of germyl iodide and diiodogermane. Part II. Exchange reactions of silyl and germyl halides, 12, 1226.
Cradock, S., **Ebsworth,** E. A. V., **Davidson,** G., and **Woodward,** L. A. Germyl chemistry. Part III. Trigermylphosphine, 1229.
Cragg, R. H., and **Greenwood,** N. N. Addition of amine–boranes to isocyanates to form urea–borane complexes, 961.
Cragg, R. H., **Lappert,** M. F., and **Tilley,** B. P. Chloroboration and allied reactions of unsaturated compounds. Part VI. Thiaboration, and other aspects of boron–sulphur chemistry, 947.
Crosse, B. C. See **Abel,** E. W., 2014.
Cruickshank, F. R. See **Batt,** L., 261.
Currie, M., **Speakman,** J. C., and **Curry,** N. A. The crystal structures of the acid salts of some dibasic acids. Part I. A neutron-diffraction study of ammonium (and potassium) tetroxalate, 1862.
Curry, N. A. See **Currie,** M., 1862.
Curtis, N. F., and **House,** D. A. Transition-element complexes with aliphatic Schiff bases. Part IX. Heterocyclic complexes of nickel(II) formed by reaction of mixtures of diaminoethane and 1,2- or 1,3-diaminopropane-nickel complexes with acetone, 537.
Curtis, N. F. See also **Powell,** H. K. J., 1441.

D

Dainton, F. S., **Gibbs,** A. R., and **Smithies,** D. Radiation chemistry of 6M-sulphuric acid, 33.
Dale, D. The *X*-ray crystallographic determination of the structure of di-[3-methyl-1(or 5)-phenyl-5(or 1)-*p*-tolylformazyl]nickel(II), 278.
Daly, J. J. The crystal structure of trisodium nitriloacetate monohydrate, 1708.
The crystal and molecular structure of triphenylphosphoranylidenethioketen, 1913.
Daly, J. J., and **Sneeden,** R. P. A. The crystal and molecular structure of dichlorotris(tetrahydrofuran)-*p*-tolylchromium(III), 736.
Daly, J. J., and **Wheatley,** P. J. The crystal and molecular structure of nitrilotrimethylene triphosphonic acid, 212
Dalziel, J. A. W., **Holding,** A. F. le C., and **Watts,** B. E. Addition compounds of triphenylphosphine sulphide with mercury(II) and copper(I) halides, 358.
Dance, I. G., **Lewis,** J., and **Lions,** F. Mono-chelate complexes of pyridine-2-aldehyde 2′-pyridylhydrazone, 565.
Das, M. N. See **Banerjee,** S. K., 161, 166, **Basu,** M. K., 169, and **Rudra,** L., 630.
Dave, J. S., and **Lohar,** J. M. Mixed liquid crystals: additive effect of terminal polar groups in Schiff bases, 1473.
Davidson, G. See **Cradock,** S., 1229.

Davies, C. G., and **Donaldson,** J. D. Basic tin(II) sulphates, 1790.
Davies, G. See **Wells,** C. F., 1858.
Davies, G. R., **Mais,** R. H. B., and **Owston,** P. G. The crystal and molecular structure of *trans*-bis(triethylphosphine)di(phenylethynyl)nickel, 1750.
Davis, R. See **Addison,** C. C., 1449.
Dawes, J. L. See **Cook,** D. J., 1547.
Day, P., and **Sanders,** N. The spectra of complexes of conjugated ligands. Part I. Charge-transfer in phenanthroline complexes: energy shifts on substitution. Part II. Charge transfer in substituted phenanthroline complexes: intensities, 1530, 1536.
Day, P., and **Smith,** D. W. Charge transfer in mixed-valance solids. Part I. Crystal spectra of chlorocuprates(I, II), 1045.
Day, P. See also **Barrowcliffe,** T., 1810.
Deacon, G. B., **Green,** J. H. S., and **Kynaston,** W. The chemistry of organothallium compounds. Part III. Far-infrared spectra of halogenobis(pentafluorophenyl)-thallium(III) compounds, 158.
Dean, P. A. W., and **Evans,** D. F. Spectroscopic studies of inorganic fluoro-complexes. Part I. The ^{19}F nuclear magnetic resonance and vibrational spectra of hexafluorometallates of Groups IVA and IVB, 698.
Denning, R. G., **Hartley,** F. R., and **Venanzi,** L. M. Platinum complexes with unsaturated amines. Part III. The thermodynamics of formation of complexes $(CH_2{:}CH{\cdot}[CH_2]_n{\cdot}LR_2R')^+PtCl_3^-$(L = N, P, and As; n = 1 and 2). Part IV. The thermodynamics of formation of complexes with some *C*-substituted allylammonium cations. Part VIII. The ultraviolet spectra of platinum–olefin complexes of the type $[(ol)PtCl^3]^-$ (ol = olefin), 324, 328, 1322.
Denning, R. G., and **Venanzi,** L. M. Platinum complexes with unsaturated amines. Part VII. Stability constants for the formation of complexes $(ol^+)PtBr_3^-$, and the thermodynamics of formation of $(H_2C{:}CH{\cdot}CH_2{\cdot}NH_3^+)PtBr_3^-$, 336.
Dessy, G. See **Bonamico,** M., 1786.
Diamantis, A. A., **Weigold,** H., and **West,** B. O. The co-ordination of salicylideneimines with transition-metal ions. Charge-transfer spectra of cobalt(II) complexes, 1281.
Dicks, L. W. R. See **Barrer,** R. M., 1523.
Dietz, R. See **Atherton,** N. M., 771.
Dijkstra, A. J., **Kerr,** J. A., and **Trotman-Dickenson,** A. F. Reactions of difluoroamino-radicals. Part III. Addition to olefins. Part IV. Addition to vinyl halides, 105, 864.
Ditchfield, R., **Jensen,** M. A., and **Murrell,** J. N. Effect of substituents on methane $^{13}C{-}H$ and silane $^{29}Si{-}H$ coupling constants, 1674.
Dixon, K. R. See **Brown,** D. H., 100.
Dixon, W. T. A molecular orbital theory of proton spin–spin constants, 1879.
Dobbie, R. C. See **Cavell,** R. G., 1308.
Dolcetti, G. See **Peloso,** A., 1944.
Dollimore, D., **Dollimore,** J., and **Perry,** P. D. The thermal decomposition of oxalates. Part VIII. Thermogravimetric and *X*-ray analysis study of the decomposition of aluminium oxalate, 448.
Dollimore, D. See also **Broadbent,** D., 451.
Dollimore, J. See **Broadbent,** D., 451, and **Dollimore,** D., 448.
Donaldson, J. D., and **Senior,** B. J. Fluorostannates(II): the non-transition-metal(II) derivatives of the complex tin(II) fluoride ions, 1821.
Donaldson, J. D. See also **Davies,** C. G., 1790.
Donbrow, M., **Molyneux,** P., and **Rhodes,** C. T. Potentiometric studies on solubilisation in non-ionic micellar solutions. Part II. Solubilisation of benzoic acid and the hydroxybenzoic acids and location of the solubilisates, 561.
Downs, A. J. See **Coates,** G. E., 1085.
Dowsing, R. D., and **Gibson,** J. F. Electron spin resonance in some molybdenum(V) halogen-complexes, 655.
Doyle, J., and **Sykes,** A. G. One-equivalent reactions in the reduction of the decammine-μ-amidodicobalt(III) complex with vanadium(II), 795.
Doyle, J. See also **Adin,** A., 1504.
Duckworth, M. W., **Fowles,** G. W. A., and **Greene,** P. T. Five-co-ordinate complexes, 1592.
Duke, B. J., and **Gibb,** T. C. Numerical estimation of Mössbauer spectra parameters, 1478.
Dunlop, J. H., **Gillard,** R. D., and **Payne,** N. C. Optically active co-ordination compounds. Part X. Kinetic stereoselectivity and absolute configuration in some complexes of cobalt(III), 1469.
Dunn, A. S. See **Casson,** D., 201.
du Plessis, T. A. See **Basson,** R. A., 778.

E

Easey, J. F. See **Brown,** D., 1698, 1979.
East, R. L., and **Phillips,** L. Pressure-dependence of the gas-phase pyrolysis of the s-butoxyl radical at 150—190°, 1939.
Eatough, D. See **Izatt,** R. M., 1301, 1304.
Ebsworth, E. A. V., **Rocktäschel,** G., and **Thompson,** J. C. The reactions of some silylamines with carbon dioxide and related molecules, 362.
Ebsworth, E. A. V., and **Thompson,** J. C. The preparation and properties of some silyl esters., 69.
Ebsworth, E. A. V. See also **Campbell-Ferguson,** H. J., 705, and **Cradock,** S., 12, 1226, 1229.
Edgar, K., **Johnson,** B. F. G., **Lewis,** J., **Williams,** I. G., and **Wilson,** J. M. Mass spectra of inorganic molecules. Part III. Some transition-metal carbonyl halide and thiol compounds, 379.
Edwards, A. J., **Mouty,** M. A., and **Peacock,** R. D. The monofluoroselenates(VI), 557.
Edwards, D. A. See **Brisdon,** B. J., 1825.
Eilbeck, W. J., and **Holmes,** F. Heterocyclic chelating agents. Part II. Metal complexes of 2-(2-pyridyl)imidazole, 1777.
Eilbeck, W. J., **Holmes,** F., **Phillips,** G. G., and **Underhill,** A. E. Heterocyclic chelating agents. Part I. Metal complexes of 4-2′-pyridylimidazole, 1161.
Eilbeck, W. J., **Holmes,** F., and **Underhill,** A. E. Cobalt(II), nickel(II), and copper(II) complexes of imidazole and thiazole, 757.
Einstein, F., **Trotter,** J., and **Williston,** C. The crystal structure of β-dimethyltellurium di-iodide, 2018.
Einstein, F. See also **Bartlett,** N., 1190.
Einstein, F. W. B., **Luth,** H., and **Trotter,** J. The crystal and molecular structure of *cis*-1,2-difluorovinylpentacarbonylmanganese, 89.
Einstein, F. W. B., **Rao,** P. R., **Trotter,** J., and **Bartlett,** N. The crystal structure of gold trifluoride, 478.

XUM

Einstein, F. W. B., and **Trotter,** J. The crystal structure of $Me_2AsC{=}C(AsMe_2){\cdot}CF_2{\cdot}CF_2[Fe(CO)_3]_2$, 824.
Elder, M., **Ferguson,** J. E., **Gainsford,** G. J., **Hickford,** J. H., and **Penfold,** B. R. Potassium pentachlorohydroxytechnetate(IV), 1423.
Ellis, A. J. Partial molal volumes of $MgCl_2$, $CaCl_2$, $SrCl_2$, and $BaCl_2$ in aqueous solution to 200°, 660.
Elmes, P. S. See **Couch,** D. A., 1813.
Emsley, J. See **Aylett,** B. J., 652, 1918.
Ercolani, C., and **Neri,** C. Phthalocyanines of metals of the first transition series. Part I. Nitrosyl derivatives: synthesis and properties, 1715.
Errington, W. See **Clark,** R. J. H., 258.
Erskine, G. J. See **Bennett,** M. A., 501, 1260.
Evans, D. F. A simple Gouy–Rankine balance for measuring magnetic susceptibilities of solid paramagnetic substances, 1670.
Evans, D. F., and **Khan,** M. S. Studies on Grignard reagents. Part I. Fluorine nuclear magnetic resonance spectra of fluoroaryl Grignard reagents. Part II. *NNN'N'*-Tetraethylethylenediamine Grignard adducts, 1643, 1648.
Evans, D. F. See also **Dean,** P. A. W., 698.

F

Farago, M. E., **James,** J. M., and **Trew,** V. C. G. The magnetic moments of some nickel ethylenediamine complexes, 728.
Complexes of nickel(II) with ethylenediamine and perchlorate or tetraphenylborate, 820.
Fawcett, V. See **Beattie,** I. R., 712, 1583.
Feakins, D., **Lawrence,** K. G., and **Tomkins,** R. P. T. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part VI. The solubility product of silver chloride in 10 and 43·12% methanol–water mixtures, and a comparison of Ag^+ with d^0 cations. Part VIII. The solubility product of silver chloride in a 20% (w/w) dioxan–water mixture, 753, 1909.
Feakins, D., and **Tomkins,** R. P. T. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part VII. Standard e.m.f.s of the cell $H_2|HX|AgX{-}Ag$ (X = Br or I) in 20·22, 33·40, 50·50, 68·33, and 90·00% (w/w) methanol–water mixtures at 25°; the behaviour of hydrogen electrodes in these media, 1458.
Ferguson, J. E., **Robinson,** B. H., and **Wilkins,** C. J. Complex formation by molybdenum(II) chloride, 486.
Fergusson, J. E. See also **Couch,** D. A., 1813, **Elder,** M., 1423, and **Hickford,** J. H., 113.
Fernández-Prini, R., and **Prue,** J. E. Salt cryoscopy: the depression of the sodium sulphate decahydrate transition temperature by dissolved solutes, 1974.
Figgis, B. N., **Lewis,** J., **Mabbs,** F. E., and **Webb,** G. A. The magnetic behaviour of cubic field $^5T_{2g}$ terms in lower symmetry, 442.
Figgis, B. N. See also **Bramley,** R., 861.
Fink, W., and **Wheatley,** P. J. An *X*-ray diffraction determination of the structure of *N*-ethyl-2,2,4,4,6,6-hexaphenyl-3-azacyclotrisiloxane, 1517.
Fishwick, A. H. See **Coates,** G. E., 1199.
Fitzpatrick, N. J. See **Brown,** D. A., 316, 1793.
Fitzsimmons, B. W., **Hewlett,** C., **Hills,** K., and **Shaw,** R. A. Phosphorus–nitrogen compounds. Part XXIV. Studies on the alcoholysis and hydrolysis of geminal phenylchlorocyclotriphosphazatrienes. Some "cyclotriphosphazadienes" and a "cyclotriphosphazene," 679.
Fitzsimmons, B. W. See also **Berrett,** R. R., 525.
Fletcher, J. M., **Gardner,** W. E., **Fox,** A. C., and **Topping,** G. *X*-Ray, infrared, and magnetic studies of α- and β-ruthenium trichloride, 1038.
Flint, C. D., and **Goodgame,** M. Magnetic and spectral studies including metal–ligand vibrations of thiourea complexes of some salts of divalent metals with oxyanions, 1718.
Flögel, M. See **Ašperger,** S., 110.
Forrest, J. G., and **Prout,** C. K. The crystal and molecular structure of ammonium vanadyl (+)-tartrate monohydrate, 1312.
Fowles, G. W. A., and **Frost,** J. L. Complexes of tungsten(VI) oxyhalides with neutral donor ligands, 671.
Fowles, G. W. A., and **Greene,** P. T. Complexes of vanadium(III) chloride and bromide with pyridine, 2,2'-bipyridyl, and 1,10-phenanthroline, 1869.
Fowles, G. W. A., and **Russ,** B. J. Hexahalogenometallates(III) of titanium, vanadium, and chromium, 517.
Fowles, G. W. A. See also **Duckworth,** M. W., 1592.
Fox, A. C. See **Fletcher,** J. M., 1038.
Fox, M. F. See **Barrett,** J., 483.
Fox, W. M., **McRae,** J. A., and **Symons,** M. C. R. Unstable intermediates. Part XLVI. Electron spin resonance spectra of iminoxy and nitroxide radicals formed by interaction between nitrogen dioxide and carbonyl compounds, 1773.
Fraser, G. W., **Mercer,** M., and **Peacock,** R. D. The preparation and properties of tungsten chloride fluorides, 1091.
Fraser, K. A., and **Harding,** M. M. The crystal and molecular structure of bis(histidino)nickel(II) monohydrate, 415.
Fraser, R. T. M., **Lee,** R. N., and **Hayden,** K. The europium(II) ion reduction of nitrite and nitropentaamminecobalt(III) ions, 741.
Fraser, R. T. M. See also **Cope,** V. W., 301.
Frey, H. M., and **Lister,** D. H. The thermal unimolecular isomerisation of hepta-1,2,6-triene, 26.
The thermal unimolecular decomposition of 1-methylcyclohexa-1,4-diene, 509.
The thermal unimolecular decomposition of 3-methylcyclohexa-1,4-diene, 1800.
Friedman, L., and **Wetter,** W. P. Purification of thionyl chloride, 36.
Frost, J. L. See **Fowles,** G. W. A., 671.

G

Gainsford, G. J. See **Elder,** M., 1423.
Galwey, A. K. See **Acheson,** R. J., 1167, 1174, and **Sheriff,** R. A. F., 1705.
Gans, P. Reaction of nitric oxide with cobalt(II) ammine complexes and other reducing agents, 943.
Gard, J. A. See **Speakman,** K., 1052.
Gardner, W. E. See **Fletcher,** J. M., 1038.
Garner, C. D., **Sutton,** D., and **Wallwork,** S. C. The crystal structures of anhydrous nitrates and their complexes. Part IV. Tin(IV) nitrate, 1949.
Gasser, R. P. H. See **Buckingham,** A., 1964.
Geary, W. J. See **Brierley,** M., 321, 963.

Gee, W., **Holden,** J. B., **Shaw,** R. A., and **Smith,** B. C. Phosphorus–boron compounds. Part IV. The partial bromination and iodination of 1,1,3,3,5,5-hexaphenylcyclotriphosphinoborine, **1545.**

Gerloch, M., and **Mabbs,** F. E. The crystal and molecular structure of *NN'*-bis(salicylideneiminato)iron(III) chloride as a five-co-ordinate monomer, **1598.**

The crystal and molecular structure of chloro-(*NN'*-bis-salicylidene-ethylenediamine)iron(III) as a hexaco-ordinate, **1900.**

Getty, R. R., **Kerr,** J. A., and **Trotman-Dickenson,** A. F. The reactions of alkyl radicals. Part XII. The additions of methyl, ethyl, and isopropyl radicals to allene. Part XIII. The additions of methyl, isopropyl, and t-butyl radicals to propyne and the isomerisation of alkenyl radicals, **979, 1360.**

Gibb, T. C., **Greatrex,** R., **Greenwood,** N. N., and **Thompson,** D. T. The Mössbauer spectra of some phosphorus- and sulphur-bridged derivatives of di-iron enneacarbonyl, **1663.**

Gibb, T. C. See also **Duke,** B. J., **1478.**

Gibbons, C. S., and **Trotter,** J. The structure of 1,5-diphenyltricyclo[2,1,0,$0^{2,5}$]pent-3-yl *p*-bromobenzoate, **2027.**

Gibbs, A. R. See **Dainton,** F. S., **33.**

Gibson, D., **Lewis,** J., and **Oldham,** C. Metal β-diketone complexes. Part IV. Acid derivatives of some platinum–carbon bonded acetylacetone complexes, **72.**

Gibson, J. F. See **Dowsing,** R. D., **655.**

Gillard, R. D. Reactions of cobalt(III) complexes. Part I. A possible mechanism for base hydrolysis and other reactions of cobalt(III) complexes, **917**

Gillard, R. D., and **Harrison,** P. M. Optically active co-ordination compounds. Part XII. Some mixed complexes of L-amino-acids and ethylenediamine with cobalt(III), **1657.**

Gillard, R. D., **Harrison,** P. M., and **McKenzie,** E. D. Optically active co-ordination compounds. Part IX. Complexes of dipeptides with cobalt(III), **618.**

Gillard, R. D. See also **Dunlop,** J. H., **1469,** and **Ugo,** R., 2078.

Gillespie, R. J., and **Malhotra,** K. C. The disulphuric acid solvent system. Part I. Cryoscopic and conductimetric measurements on the system H_2SO_4–SO_3 and solutions of some metal sulphates, **1994.**

Gilson, T. See **Beattie,** I. R., **702, 712.**

Glasser, L., **Hall,** P. G., and **Liebenberg,** D. D. Dielectric properties of lead iodide, **295.**

Glockling, F., and **Hooton,** K. A. Organosilyl and organogermyl complexes of platinum(II), **1066**

Glockling, F., and **Light,** J. R. C. Alkylation of germanium halides by aluminium alkyls, **623.**

Glockling, F. See also **Brooks,** E. H., **1030, Carrick,** A., **40,** and **Chambers,** D. B., **1759.**

Goddard, D. R., and **Nwankwo,** S. I. Metal complexes involving the heavier donor atoms. Part I. Stabilities of metallic complexes of semicarbazide diacetic acid and thiosemicarbazide diacetic acid, **1371.**

Goddard, D. R., **Nwankwoo,** S. I., and **Staveley,** L. A. K. Metal complexes involving the heavier donor atoms. Part II. Enthalpy and entropy of formation of metallic complexes of semicarbazidediacetic acid and thiosemicarbazidediacetic acid, **1376.**

Goggin, P. L. See **Goodfellow,** R. J., **1897.**

Gold, V., and **Lowe,** B. M. Measurement of solvent isotope effects with the glass electrode. Part I. The ionic product of D_2O and D_2O–H_2O mixtures, **936.**

Gomwalk, U. D., and **McAuley,** A. Reactions of metal complexes in solution. Part III. The acid-catalysed aquation of *trans*-dinitrobis-(αα-bipyridyl)cobalt(III) nitrate and the *trans–cis*-isomerisation of the nitroaquobis-(αα-bipyridyl)cobalt(III) ion, **1796.**

Goodall, D. C. Cobalt(II), rhodium(III), and iridium(III) complexes of 1,2-dithiocyanatoethane, **203.**

Some spiroheterocyclic sulphide complexes, **1387.**

Goodall, D. C. See also **Howell,** I. V., **395.**

Goodfellow, R. J., **Goggin,** P. L., and **Venanzi,** L. M. The skeletal stretching frequencies of some bridged platinum and palladium chloro-complexes, **1897.**

Goodgame, D. M. L., **Goodgame,** M., and **Weeks,** M. J. Isomerism and unusual magnetic behaviour of some benzimidazole complexes of nickel(II), **1125.**

Tetrahedral complexes of nickel(II) with benzimidazole, **1676.**

Goodgame, D. M. L., and **Hitchman,** M. A. Preparation and spectroscopic studies of some compounds with $M(NO_2)_4^{2-}$ anions, **612.**

Goodgame, D. M. L. See also **Burbridge,** C. D., **349, 694.**

Goodgame, M. See **Burbridge,** C. D., **349, Flint,** C. D., **1718,** and **Goodgame,** D. M. L., **1125, 1676.**

Govil, G. Nuclear magnetic resonance coupling constants in *p*-benzoquinones, **1416.**

Nuclear spin coupling constants between non-bonded ^{13}C and ^{1}H, **1420.**

Greatrex, R. See **Gibb,** T. C., **1663.**

Greczek, J. J. See **Alner,** D. J., **1205.**

Green, J. H. S. See **Deacon,** G. B., **158.**

Green, M. Electromeric effects during the base hydrolysis of cobalt(III)–ammine complexes, **762.**

Green, M., and **Hancock,** R. I. The stereochemistry of the reaction of bicyclo[2,2,1]heptadienepalladium chloride with methoxide anions, **2054.**

Green, M., and **Thorp,** D. M. The chlorination of quinquevalent phosphorus esters, **731.**

Green, M. L. H., **Ishaq,** M., and **Whiteley,** R. N. Studies on some substituted methyl derivatives of iron, molybdenum, and tungsten, **1508.**

Green, M. L. H., and **Lindsell,** W. E. Studies on some π-cyclopentadienyl halides of molybdenum and tungsten, **686.**

Some bis-π-cyclopentadienyl-molybdenum and -tungsten complexes with sulphur or oxygen ligands, **1455.**

Green, M. L. H. See also **Cooper,** R. L., **1155.**

Greene, P. T. See **Duckworth,** M. W., **1592,** and **Fowles,** G. W. A., **1869.**

Greenfield, M. L. See **Clark,** R. J. H., **409,** and **Couch,** D. A., **1813.**

Greenwood, N. N., and **Hunter,** G. Complexes of 1,2-bis-(isopropylseleno)ethane with palladium(II) and platinum(II) halides, **1520.**

Greenwood, N. N., **Perkins,** P. G., and **Twentyman,** M. E. Heats of sublimation of the triphenyl derivatives of boron, aluminium, gallium, and indium, **2109.**

Greenwood, N. N., and **Robinson,** B. H. The site of co-ordination in boron trihalide adducts of ureas and thioureas, **511.**

Greenwood, N. N., and **Ruddick,** J. N. R. The Mössbauer spectra, structure, and bonding of some hexaco-ordinate compounds of tin(IV), **1679.**

Greenwood, N. N., and **Travers,** N. F. Cadmium derivatives of decaborane, **880.**

Greenwood, N. N., and Walker, J. Physical properties and structure of diethylaminodifluoroborane, **959**.
Greenwood, N. N. See also **Boorman, P. M.**, 2017, **Cragg, R. H.**, 961, and **Gibb, T. C.**, 1663.
Griffith, W. P. Vibrational spectra of metaphosphates, meta-arsenates, and metavanadates, **905**.
Griffith, W. P., and Wickins, T. D. Studies on transition-metal peroxy-complexes. Part V. Peroxyoxalates, **590**.
Raman studies on species in aqueous solutions. Part II. Oxy-species of metals of Groups VIA, VA, and IVA, **675**.
Griffith, W. P. See also **Cleare, M. J.**, 1144.
Grimvall, S., and Wengelin, R. F. The crystal structures of the acid salts of some monobasic acids. Part XI. Rubidium hydrogen diaspirinate (bisacetylsalicylate), **968**.
Grzeskowiak, R. See **Campbell, M. J.**, 396.

H

Hadži, D., Ratajczak, H., and Sobczyk, L. Hydrogen bonding in some adducts of oxygen bases with acids. Part III. Dielectric studies, **48**.
Haines, R. J., Nyholm, R. S., and Stiddard, M. H. B. Carbonyl-π-cyclopentadienyl complexes of molybdenum, **94**.
Hales, L. A. W., and Irving, R. J. Osmium carbonyl halides and their derivatives. Part I. The infrared spectra of osmium tetracarbonyl halides and related compounds. Part II. **1389**, 1932.
Halfpenny, M. T., Hartley, J. G., and Venanzi, L. M. Some penta- and hexa-co-ordinate complexes of iron(II) with a tetratertiary phosphine, **627**.
Hall, D., Ummat, P. K., and Wade, K. Boron trichloride adducts of *N*-substituted benzimidoyl chlorides: nitrilium tetrachloroborates, **1612**.
Hall, D. See also **Baker, E. N.**, 251, and **Ball, R. D.**, 1435.
Hall, P. G. See **Glasser, L.**, 295.
Hammersley, P. A. See **Bradley, D. C.**, 1894.
Hancock, R. I. See **Green, M.**, 2054.
Hanrahan, E. S. See **Lepley, A. R.**, 1626.
Harding, M. M. See **Candlin, R.**, 421, and **Fraser, K. A.**, 415.
Harding, R. S. F. See **Atherton, N. M.**, 1490.
Harris, G. S., and Inglis, F. Triphenylarsine hydroxyhalides and their derivatives, **497**.
Harris, R. K., Katritzky, A. R., Musierowicz, S., and Ternai, B. Phosphorus and proton magnetic resonance spectra of esters of pyrophosphoric and hypophosphoric acid and some derivatives, **37**.
Harrison, P. M. See **Gillard, R. D.**, 618, 1657.
Hartley, F. R., and Venanzi, L. M. Platinum complexes with unsaturated amines. Part V. Thermodynamics of formation of complexes with unsaturated alcohols. Part VI. A comparison with stability constants for some silver–olefin complexes, **330**, 333.
Hartley, F. R. See also **Denning, R. G.**, 324, 328, 1322.
Hartley, J. G. See **Halfpenny, M. T.**, 627.
Hartwell, G. jun. See **Baird, M. C.**, 2037.
Hashmi, M. A., Munro, J. D., Pauson, P. L., and Williamson, J. M. Metal derivatives of conjugated dienes. Part III. Some cyclohexa- and cyclohepta-dienyliron compounds, **240**.
Haszeldine, R. N. See **Birchall, J. M.**, 747, **Connor, J. A.**, 768, and **Cooper, D.**, 2098.
Hathaway, B. J., and Slade, R. C. The properties of nitritobis(ethylenediamine)nickelate(II) halides, **952**.
Hayden, K. See **Fraser, R. T. M.**, 741.
Hayward, G. C., and Hendra, P. J. The Raman and far-infrared spectra of some solid selenium and tellurium tetrahalides, **643**.
Headridge, J. B., Fletcher, D., and Callingham, M. Polarography of inorganic substances in anyhdrous sulpholan, **684**.
Heitler, C., Scaife, D. B., and Thompson, B. W. The oxidation of ethanol by hydrogen peroxide. Part I. Catalysis by ferric ion, **1409**.
Hende, J. H. van den. See **Siegel, L. A.**, 817.
Hendra, P. J. The Raman spectra of complex anions of formula MX_4^{n-} where M is Au^{III}, Pt^{II}, or Pd^{II}, and X is a halogen atom, **1298**.
Hendra, P. J., and Jović, Z. Infrared and Raman spectra of some complexes between thiourea and tellurium(II), **735**.
Hendra, P. J. See also **Allkins, J. R.**, 1325, **Hayward, G. C.**, 643, and **Park, P. J. D.**, 646.
Henson, R. C., Jones, J. L. W., and Owen, E. D. The mechanisms of photochemical reactions in solution. Part I. The ultraviolet photolysis of diphenylacetylene, **116**.
Heseltine, R. W. See **Brown, M. P.**, 597.
Hewkin, D. J., and Poë, A. J. Relative stabilities of halogeno-complexes. Part VI. Class (*b*) character of Pd(diethylenetriamine)$^{2+}$ and Pd(1,1,7,7-tetraethyldiethylenetriamine)$^{2+}$ and the stability of their thiocyanato- and isothiocyanato-complexes, **1884**.
Hewlett, C. See **Fitzsimmons, B. W.**, 679.
Hickford, J. H., and Fergusson, J. E. Mixed halogeno- and nitrato-chloro-complexes of trinuclear rhenium(III), **113**.
Hickford, J. H. See also **Elder, M.**, 1423.
Higginson, W. C. E. See **Hin-Fat, L.**, 298.
Hildon, M. A. See **Boorman, P. M.**, 2017.
Hill, J. O., and Irving, R. J. Standard heat of formation of tris(acetylacetonato)chromium(III) at 25° and the metal–oxygen bond energy, **1413**.
Hills, K. See **Fitzsimmons, B. W.**, 679.
Hin-Fat, L., and Higginson, W. C. E. Some observations concerning trioxalatocobaltate(III), **298**.
Hing, L. B. S. See **Arnold, R.**, 306.
Hitchman, M. A. See **Goodgame, D. M. L.**, 612.
Holah, D. G. See **Brown, D.**, 1979.
Holden, J. B. See **Gee, W.**, 1545.
Holding, A. F. le C. See **Dalziel, J. A. W.**, 358.
Holliday, A. K., and Jessop, G. N. The methylation of reactive boron–halogen compounds with tetramethyllead, **889**.
Hollyhead, J., and Lee, J. D. Determination of solubility of sodium hypophosphates, and a study of their hydrates, **923**.
Holmes, F., and Williams, D. R. Thermodynamic considerations in co-ordination. Part I. A mathematical approach to stepwise enthalpic titrations, by use of a computer. Part II. Protonations of 1,2-diaminoethane, 1,3-diaminopropane, 4(5)-aminomethylimidazole, 4(5)-2′-aminoethylimidazole, 2-aminomethylpyridine, and 2-2′-aminoethylpyridine. Part III. The copper(II) and nickel(II) complexes of 1,2-diaminoethane, 1,3-diamino-

propane, 4(5)-aminomethylimidazole, 4(5)-2′-aminoethylimidazole, 2-aminomethylpyridine, and 2-2′-aminoethylpyridine, 729, 1256, 1702.
Holmes, F. See also **Eilbeck,** W. J., 757, 1161, 1777.
Hooton, K. A. See **Glockling,** F., 1066.
House, D. A. See **Curtis,** N. F., 537.
Howard, P. B., and **Skinner,** H. A. Thermochemistry of some reactions of aqueous hydrazine. Part II. KIO_3 and HIO_3, 269.
Howell, I. V., and **Venanzi,** L. M. The oxidation of some phosphine-substituted chromium carbonyls, 1007.
Howell, I. V., **Venanzi,** L. M., and **Goodall,** D. C. Some chromium(III) complexes with multidentate ligands, 395.
Hoyle, W. H. H. See **Addison,** C. C., 808.
Hudson, A., and **Whitfield,** H. J. Mössbauer effect studies on calcium ferrites. Part I. Temperatures above the Néel point, 376.
Hughes, G. A., and **Phillips,** L. The kinetics of disproportionation–combination reactions between the isopropoxyl radical and nitric oxide, and of the pyrolysis of the O–O bond in di-isopropyl peroxide, 894.
Hughes, M. N. Kinetic study of the reaction between nitrous acid and sulphamic acid, 902.
Isomerisation of *cis*- and *trans*-aquonitrobis(ethylenediamine)cobalt(III) cations in aqueous solution, 1284.
Hughes, M. N., and **McWhinnie,** W. R. An infrared study of some chromium(III) bis(ethylenediamine) complexes, 592.
Hughes, S. R. C., and **Price,** D. H. Conductimetric studies in ketonic solvents. Part V. Quaternary ammonium salts in ethyl methyl ketone, 1093.
Hui, B. See **Chan,** S. C., 607.
Hunt, R. L., **Roundhill,** D. M., and **Wilkinson,** G. The interaction of perfluorobutadiene with iron and cobalt carbonyls, 982.
Hunter, G. See **Greenwood,** N. N., 1520.
Hunter, T. F. Infrared intensities of the ν_3 bands of methane, nitrous oxide, and acetylene, 374.
Degradation of molecular vibrational energy in wall collisions, 1804.
Hunter, T. F., and **Symons,** M. C. R. Unstable intermediates. Part XLV. Hyperfine coupling and spin-polarisation for inorganic and organic radicals, 1770.
Hutson, G. V. See **Abel,** E. W., 2014.
Hutton, R. C., and **Stephen,** W. I. Organic reagents for the precipitation of nitrate ion. Part II. Di(naphthylmethyl)amines and some derivatives of 2-naphthylmethylamine, 1426.
Hyams, I. T., **Jones,** D., and **Lippincott,** E. R. The vibrational spectra of rhenium carbonyl and rhenium carbonyl iodide, 1987.

I

Iball, J., and **Morgan,** C. H. The crystal and molecular structure of bis-α-hydroxy-α-phenylbutyramidine-copper(II), 52.
Ibekwe, S. D., and **Newlands,** M. J. Reactions of dialkynyl compounds of Group IVB elements with metal carbonyls, 1783.
Inglis, F. See **Harris,** G. S., 497.
Irving, R. J. See **Hales,** L. A. W., 1389, 1932, and **Hill,** J. O., 1413.
Ishaq, M. See **Green,** M. L. H., 1508.
Izatt, R. M., **Eatough,** D., and **Christensen,** J. J. A study of Pd^{2+}(aq) hydrolysis. Hydrolysis constants and the standard potential for the Pd,Pd^{2+} couple, 1301.
Izatt, R. M., **Watt,** G. D., **Eatough,** D., and **Christensen,** J. J. Thermodynamics of metal cyanide co-ordination. Part VII. Log K, ΔH°, and ΔS° values for the interaction of CN^- with Pd^{2+}. ΔH° values for the interaction of Cl^- and Br^- with Pd^{2+}, 1304.

J

Jain, C. M. See **Jain,** D. V. S., 915, 1541.
Jain, D. V. S., and **Jain,** C. M. Studies of polyanions and polycations by Glauber's-salt cryoscopy. Part III. Polyanions of chromium and their equilibrium processes, 1541.
Jain, D. V. S., **Jain,** C. M., and **Vaid,** R. N. Studies of the polyanions and polycations by Glauber's-salt cryoscopy. Part II. Polycations of uranium, 915.
James, J. M. See **Farago,** M. E., 728, 820.
Jardine, F. H., **Osborne,** J. A., and **Wilkinson,** G. Further studies on the homogeneous hydrogenation of olefins using tris(triphenylphosphine)halogenorhodium(I) catalysts, 1574.
Jenkins, C. R. See **Abel,** E. W., 1344.
Jennings, J. R., **Pattison,** I., **Wade,** K., and **Wyatt,** B. K. Azomethine derivatives. Part III. Reactions between diphenylketimine and trimethylgallium, triethylgallium, and triphenylgallium, 1608.
Jennings, J. R., and **Wade,** K. Reactions between organogallium compounds and nitriles, 1222.
Reactions between oximes and organo-derivatives of Group III elements. Part I. Acetoxime, 1333.
Jensen, M. A. See **Ditchfield,** R., 1674.
Jessop, G. N. See **Holliday,** A. K., 889.
Job, B. E. See **Becconsall,** J. K., 423.
Johnson, B. F. G. Transition-metal nitrosyl compounds. Dibromodinitrosylmolybdenum, dibromodinitrosyltungsten, di-iododinitrosylmolybdenum, and some of their derivatives, 475.
Johnson, B. F. G., **Lewis,** J., **Wilson,** J. M., and **Thompson,** D. T. Mass spectra of inorganic molecules. Part IV. Some phosphorus-bridged compounds of chromium, molybdenum, tungsten, manganese, and iron, 1445.
Johnson, B. F. G., **Lewis,** J., **Williams,** I. G., and **Wilson,** J. M. Mass spectra of inorganic molecules. Part I. Some bridged nitrosyl complexes of iron and cobalt. Part II. Some polynuclear transition-metal carbonyls, 338, 341.
Johnson, B. F. G. See also **Edgar,** K., 379.
Johnson, D. W. See **Brown,** M. P., 597.
Johnson, J. R., **Christian,** S. D., and **Affsprung,** H. E. Self-association and hydration of phenol in organic solvents. Part II, 764.
The molecular complexity of water in organic solvents. Part III, 1924.
Johnson, M. D., **Tobe,** M. L., and **Wong,** L.-Y. α-Bonded organotransition-metal ions. Part IV. Kinetics and mechanism of the acid-catalysed decomposition of the 4-pyridiomethylpentacyanocobaltate(III) ion, 491.
Johnson, N. P. See **Chatt,** J., 604.

Jones, D. See **Hyams,** I. J., 1987.
Jones, D. E. H., and **Wood,** J. L. The spectra and structure of aluminium chloride complexes. Part II, 1140.
Jones, J. L. W. See **Henson,** R. C., 116.
Jones, P. J. See **Brown,** D., 243, 247, 719, 1698.
Jones, W. J., and **Ross,** R. A. The sorption of sulphur dioxide on silica gel, 1021.
Jović, Z. See **Hendra,** P. J., 735.

K

Kakabadse, G. J., **Riddoch,** J., and **Bunbury,** D. St. P. The effect of magnesia on the formation of magnetite from aqueous solution, 576.
Kamenar, B., **Prout,** C. K., **Waters,** T. N., and **Waters,** J. M. The molecular structure of the perchlorate of Eschenmoser's ' pseudo-corrin,' 2081.
Kane-Maguire, L. A. P. See **Broomhead,** J. A., 546.
Kapoor, R. N. See **Bhandari,** A. M., 1618.
Katritzky, A. R. See **Harris,** R. K., 37.
Keat, R., **Miller,** M. C., and **Shaw,** R. A. Phosphorus–nitrogen compounds. Part XXV. The reactions of aminocyclotriphosphazatrienes with dihalogenotriphenyl- and trihalogenodiphenyl-phosphoranes. Phosphazen-1′-ylcylotriphosphazatrienes, 1404.
Kemball, C. See **Burnett,** M. G., 800.
Kemmitt, R. D. W. See **Cook,** D. J., 1547.
Kerr, J. A., **O'Grady,** B. V., and **Trotman-Dickenson,** A. F. The reaction of methylene with hydroxyl groups, 897.
Kerr, J. A., **Slater,** D. H., and **Young,** J. C. Hydrogen-abstraction reactions from silanes. Part II. The reactions of methyl radicals with trifluorosilane, trimethylsilane, dimethyldichlorosilane and trimethylchlorosilane, 134.
Kerr, J. A. See also **Baker,** R. T. K., 1641, **Dijkstra,** A. J., 105, 864, and **Getty,** R. R., 979, 1360.
Kerridge, D. H., and **Mosley,** M. Molten potassium thiocyanate: reactions with compounds of manganese, 352.
Molten potassium thiocyanate: reactions with compounds of chromium, 1874.
Kerridge, D. H., and **Tariq,** S. A. The solution of zinc in fused zinc chloride, 1122.
Kesavadas, T., and **Payne,** D. S. Mixed halides of phosphorus(v). Part IV. Addition of fluorine to phosphorus trichloride, 1001.
Kettle, S. F. A. The electronic structure of metal carbonyls and related compounds. Part II. The electronic structure of $Rh_6(CO)_{16}$, 314.
Kettle, S. F. A., and **Smith,** A. J. The stereochemistry of metal complexes as an indication of *f*-orbital participation in the metal–ligand bonding, 688.
Kettle, S. F. A. See also **Brown,** D., 1429.
Khan, M. S. See **Evans,** D. F., 1643, 1648.
Khedekar, A. V., **Lewis,** J., **Mabbs,** F. E., and **Weigold,** H. The composition and magnetic properties of some iron(III) 1,10-phenanthroline and bipyridyl complexes, 1561.
King, M. G., and **McQuillan,** G. P. Metal halide complexes of triphenylphosphine sulphide and some related ligands, 898.
Knox, S. A. R. See **Cotton,** J. D., 264.
Konar, R. S., **Purnell,** J. H., and **Quinn,** C. P. The initiation of chains in the pyrolysis of isobutane, 1543.
Kulasingam, G. C., and **McWhinnie,** W. R. Complexes of tri-(2-pyridyl)amine. Part II. Some complexes with metal halides. The ligand field strength of terdentate tri-(2-pyridyl)-amine, 1253.
Kundu, K. K. See **Banerjee,** S. K., 161, 166.
Kynaston, W. See **Deacon,** G. B., 158.

L

Lane, A. P., **Morton-Blake,** D. A., and **Payne,** D. S. Tervalent phosphorus–nitrogen chemistry. Part IV. Di-(alkylamino)phenylphosphines, 1492.
Langer, H. G., and **Bogucki,** R. F. The oxidation and hydrolysis of tin(II) and tin(IV) chelates of ethylenediaminetetra-acetic acid, 1516.
Langford, V. M. See **Clark,** J. P., 792.
Lappert, M. F., and **Prokai,** B. Boron halides as reagents in inorganic syntheses. Part I. A general method for the preparation of anhydrous bromides and oxybromides, and a comment on reactions with elemental sulphur, 129.
Lappert, M. F., and **Pyszora,** H. Pseudohalides. Part III. Infrared, ultraviolet, and proton magnetic resonance spectra of boron isocyanates and isothiocyanates, 854.
Lappert, M. F., and **Srivastava,** G. Amido-derivatives of metals and metalloids. Part V. Lewis acid behaviour of certain borazines and aminoboranes, 602.
Lappert, M. F. See also **Baldwin,** J. C., 1980, and **Cragg,** R. H., 947.
Larcher, J. F., and **Linnett,** J. W. Electronic structure of *trans*-alkyl nitroso-dimers, 1928.
Lawrence, K. G. See **Feakins,** D., 753, 1909.
Laye, P. G. See **Adams,** G. P., 1832.
Leach, J. B., and **Morris,** J. H. Derivatives of cyclotetrazenoborane. Part III. Solvent effects on the B–H stretching frequency of substituted cyclotetrazenoboranes, 1590.
Lee, J. D. See **Hollyhead,** J., 923.
Lee, R. N. See **Fraser,** R. T. M., 741.
Leh, F. See **Chan,** S. C., 288, 573, 908, 1586, 1730, 2010.
Leigh, G. J. See **Connor,** J. A., 768.
Lepley, A. R., **Chakrabarty,** M. R., and **Hanrahan,** E. S. A theoretical interpretation of protonation and hydration reactions for the quinazolines, 1626.
Leung, P. Y. See **Chan,** S. C., 2089.
Lever, A. B. P., and **Ogden,** D. Haloacetate complexes of cobalt(II), nickel(II), and copper(II), and the question of band assignments in the electronic spectra of six-co-ordinate cobalt(II) complexes, 2041.
Lever, A. B. P. See also **Birchall,** J. M., 747.
Lewis, J., **Mabbs,** F. E., and **Richards,** A. The preparation and magnetic properties of some oxy-bridged binuclear iron(III) Schiff-base complexes, 1014.
Lewis, J., **Mabbs,** F. E., and **Walton,** R. A. The preparation, infrared spectra, and magnetic properties of some ruthenium(II), ruthenium(III), and osmium(III) complexes, 1366.
Lewis, J., and **Parkins,** A. W. The chemistry of co-ordinated ligands. Part I. Some derivatives of the cyclopentadienyl cyclo-octa-1,5-diene complexes of cobalt and rhodium, 1150.
Lewis, J., and **Whyman,** R. The actions of halogens on phosphine-substituted Group VI metal carbonyls. Part IV. The preparation of some triphenylphosphonium halogenocarbonyl molybdenum and tungsten derivatives, 77.

Lewis, J. See also **Bennett,** M. A., 501, **Brier,** P. N., 1889, **Chalmers,** A. A., 1817, **Dance,** I. G., 565, **Edgar,** K., 379, **Figgis,** B. N., 442, **Gibson,** D., 72, **Johnson,** B. F. G., 338, 341, 1446, and **Khedekar,** A. V., 1561.
Liebenberg, D. D. See **Glasser,** L., 295.
Light, J. R. C. See **Glockling,** F., 623.
Linde, H. J. van der. See **Basson,** R. A., 28, 1182.
Lindley, P. F., and **Woodward,** P. The crystal and molecular structure of tetrakis[tetracarbonyliron]tin $Sn[Fe(CO)_4]_4$, 382.
Lindley, P. F. See also **Bush,** M. A., 221.
Lindsell, W. E. See **Green,** M. L. H., 686, 1455.
Linnett, J. W. See **Larcher,** J. F., 1928.
Lions, F. See **Dance,** I. G., 565.
Lippincott, E. R. See **Hyams,** I. J., 1987.
Lister, D. H. See **Frey,** H. M., 26, 509, 1800.
Livingston, C. M. See **Brown,** D. H., 100.
Livingston, K. See **Barrowcliffe,** T., 1810, and **Beattie,** I. R., 712.
Lock, P. J. See **Adams,** D. M., 145, 620.
Logan, N. See **Addison,** C. C., 1449.
Lohar, J. M. See **Dave,** J. S., 1473.
Long, R. F. See **Bennett,** M. A., 501.
Lowe, B. M. See **Gold,** V., 936.
Lucken, E. A. C., and **Mazeline,** C. The electron spin resonance spectrum of the *PPP*-triphenylphosphomethylene radical-cation trapped in a crystalline matrix, 439.
Lucken, E. A. C., **Noack,** K., and **Williams,** D. F. ^{59}Co nuclear magnetic resonance of organo-cobalt compounds, 148.
Lucken, E. A. C. See also **Calderazzo,** F., 154.
Luth, H. See **Einstein,** F. W. B., 89.
Lynden-Bell, R. M., and **Saunders,** V. R. Substituent effects on the rotational strength of the n–π^* carbonyl band, 2061.

M

Mabbs, F. E. See **Figgis,** B. N., 442, **Gerloch,** M., 1598, 1900, **Khedekar,** A. V., 1561, and **Lewis,** J., 1014, 1366.
McAuley, A. See **Gomwalk,** U. D., 1796.
McAuliffe, C. A. The infrared spectra of palladium(II) and platinum(II) complexes of (±)-methionine, 641.
McEwen, R. S., and **Sim,** G. A. Complexes of mercury. Part III. *X*-Ray analysis of dichlorobis-(1,4-thioxan)-mercury(II). Part IV. Crystal and molecular structure of the adduct of mercury dimethoxide and phenyl isothiocyanate, 271, 1552.
McFarlane, W. Heteronuclear double resonance: ^{119}Sn–^{13}C spin–spin coupling in organotin compounds, 528.
Heteronuclear magnetic triple resonance: the sign of the ^{31}P–^{1}H coupling constant, 1148.
Heteronuclear double resonance: the sign of the ^{29}Si–^{1}H coupling constant, 1275.
Heteronuclear magnetic double resonance: spin–spin couplings involving nitrogen-14, 1660.
The signs of spin–spin coupling constants in square planar complexes of platinum(II), 1922.
Machin, D. J., and **Murray,** K. S. The magnetic properties of some vanadium(IV) complexes, 1330.
The magnetism and spectra of some octahedral vanadium(III) complexes, 1498.
Machin, D. J. See also **Brisden,** B. J., 1825.
McKenzie, E. D. See **Gillard,** R. D., 618.
McLellan, A. W., and **Melson,** G. A. Transition-metal complexes of biuret and related ligands. Part I. Biuret complexes of some bivalent metal ions, 137.
McNeil, D. A. C., **Murray,** M., and **Symons,** M. C. R. Unstable intermediates. Part XLIII. Electron spin resonance spectra of sulphur and sulphur nitride radicals in strongly acidic media, 1019.
McPhail, A. T. See **Carter,** O. L., 228, 365, 1619.
McQuillan, G. P. See **King,** M. G., 898.
McRae, J. A. See **Fox,** W. M., 1773.
McWhinnie, W. R., **Poller,** R. C., and **Thevarasa,** M. Vibrational, electronic, and Mössbauer spectra of some complexes of iron(II) with tri- and di-2-pyridylamine, 1671.
McWhinnie, W. R. See slso **Hughes,** M. N., 592, **Kulasingan,** G. C., 1253, and **Osborne,** R. R., 2075.
Maddock, A. G. See **Bancroft,** G. M., 1966.
Magos, L. The effect of halide ions on the $Hg \rightleftharpoons {}^{203}Hg$. exchange reaction between air and aqueous solution, 545.
Mague, J. T. See **Baird,** M. C., 1347.
Mais, R. H. B., **Owston,** P. G., and **Thompson,** D. T. Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part I. Reactions of di-μ-dimethylphosphidobis(tetracarbonylmolybdenum) with phosphines and the molecular structure of one of the products, 1735.
Mais, R. H. B., **Owston,** P. G., **Thompson,** D. T., and **Wood,** A. M. Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part II. The structure of $(OC)_3Ni(PPh_2)_2Ni(CO)_3$, 1744.
Mais, R. H. B. See also **Davies,** G. R., 1750.
Malhotra, K. C. See **Gillespie,** R. J., 1994.
Manning, A. R. The thermal substitution reactions of iodotricarbonyl-π-cyclopentadienylmolybdenum(II), 1984.
Manojlović, L., and **Speakman,** J. C. The crystal structures of the acid salts of some monobasic acids. Part XII. Potassium hydrogen diaspirinate [bisacetylsalicylate], 971.
Mansell, A. L. See **Barrett,** J., 483.
Marks, D. R., **Phillips,** D. J., and **Redfern,** J. P. Arylamine co-ordination complexes. Part I. Nickel(II) complexes containing uni- and bi-dentate *o*-phenylenediamine and 4-methyl-*o*-phenylenediamine, 1464.
Martin, J. F. See **Counsell,** J. F., 560.
Mast, R. D. See **Sykes,** A. G., 784.
Mawby, R. J. See **Porta,** P., 455.
Mays, M. J., and **Simpson,** R. N. F. A mass spectroscopic study of some manganese pentacarbonyl derivatives, 1936.
Mazeline, C. See **Lucken,** E. A. C., 439.
Mehrotra, R. C., and **Agrawal,** M. M. Double alkoxides of some quadrivalent metals, 1026.
Mehrotra, R. C. See also **Tripathi,** U. D., 991.
Melson, G. A. Transition-metal complexes of biuret and related ligands. Part II. Magnetic properties of copper(II)–biuret complexes, 669.
Melson, G. A. See also **McLellan,** A. W., 137.
Mercer, M. See **Fraser,** G. W., 1091.
Milburn, G. H. W., and **Truter,** M. R. The crystal structure of diethyl(salicylaldehydato)thallium(III), 648.

Mile, B. See **Bennett,** J. E., 1393, 1399.
Millen, D. J. See **Burden,** F. R., 1212.
Miller, J. M. Mass spectral studies of some perhalogeno-aromatic derivatives, 828.
Miller, J. M., and **Onyszchuk,** M. Heats of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, 1132.
Miller, M. C. See **Keat,** R., 1404.
Miller, R. G. See **Cope,** V. W., 301.
Molony, B., and **Ridge,** M. J. The sintering of trigonal iron(III) oxide at low temperatures, 1631.
Molony, B. See also **Ridge,** M. J., 594.
Molyneux, P. See **Donbrow,** M., 561.
Mooney, B., and **Stonehill,** H. I. The polarography and coulometry of the electro-oxidation of monohalogenated 9,10-dihydroxyanthracenes, 1
Morgan, C. H. See **Iball,** J., 52.
Morris, D. M. See **Adams,** D. M., 1666, 1669, 2067.
Morris, J. H. See **Leach,** J. B., 1590.
Mortimer, C. T. See **Ashcroft,** S. J., 930, and **Beech,** G., 925, 929, 1111, 1115.
Morton-Blake, D. A. See **Lane,** A. P., 1492.
Mosley, M. See **Kerridge,** D. H., 352, 1874.
Mountford, G. A., and **Wyatt,** P. A. H. A limitation to the diagnostic use of thermodynamic measurements for the detection of dissociative equilibria, 80.
Mouty, M. A. See **Edwards,** A. J., 557.
Munro, J. D. See **Hashmi,** M. A., 240.
Murray, J. D., **Nickless,** G., and **Pollard,** F. H. Thiophosphite. Isolation and characterisation, 1726.
Murray, K. S. See **Brisden,** B. J., 1825, and **Machin,** D. J., 1330, 1498.
Murray, M. See **McNeil,** D. A. C., 1019.
Murrell, J. N. See **Ditchfield,** R., 1674.
Musierowicz, S. See **Harris,** R. K., 37.

N

Neri, C. See **Ercolani,** C., 1715.
Neter, P. See **Anbar,** M., 834, 837, 841.
Newlands, M. J. See **Cooper,** D., 2098, and **Ibekwe,** S. D., 1783.
Nickless, G., **Pollard,** F. H., and **Rogers,** D. E. Hydrolysis of the phosphorus sulphides: tetraphosphorus decasulphide and tetraphosphorus tetrasulphide hexaoxide, 1721.
Nickless, G. See also **Murray,** J. D., 1726.
Nixon, J. F. The chemistry of phosphorus–fluorine compounds. Part VIII. Synthesis and nuclear magnetic resonance spectra of tetrakisfluorophosphine derivatives of zerovalent nickel, 1136.
Noack, K. See **Lucken,** E. A. C., 148.
Norbury, A. H., **Ryder,** E. A., and **Williams,** R. F. Some nickel(II) complexes containing six molecules of pyridine, 1439.
Norgett, M. J., **Thornley,** J. H. M., and **Venanzi,** L. M. The visible and ultraviolet spectra of trigonal bipyramidal complexes of d^6-, d^7-, and d^8-metal ions, 540.
Nuttall, R. H. See **Brown,** D. H., 100.
Nwankwo, S. I. See **Goddard,** D. R., 1371, 1376.
Nyholm, R. S. See **Bennett,** M. A., 501, 1260, **Bramley,** R., 861, **Clark,** R. J. H., 1802, and **Haines,** R. J., 94.

O

O'Brien, S. See **Becconsall,** J. K., 423.
Ockwell, J. N. See **Atherton,** N. M., 771.
Ogden, D. See **Lever,** A. B. P., 2041.
Ogden, J. S., and **Turner,** J. J. Photolytic fluorine reactions: $F_2 + N_2O$ at 4°K, 1483.
O'Grady, B. V. See **Kerr,** J. A., 897.
Oldham, C. See **Gibson,** D., 72.
Ong, W. K. See **Bancroft,** G. M., 1966.
Onyszchuk, M. See **Miller,** J. M., 1132.
Osborn, J. A. See **Baird,** M. C., 1347, and **Jardine,** F. H., 1574.
Osborne, R. R., and **McWhinnie,** W. R. Co-ordination behaviour of various 2-pyridyl ketones. Part I. Copper(II) halide and perchlorate complexes with di-2-pyridyl ketone and 2-benzoylpyridine, 2075.
O'Sullivan, K., **Thompson,** R. C., and **Trotter,** J. The crystal structure of potassium fluorosulphate, 2024.
Owen, E. D. See **Henson,** R. C., 116.
Owston, P. G. See **Davies,** G. R., 1750, and **Mais,** R. H. B., 1735, 1744.
Ozin, G. A. See **Beattie,** I. R., 712.

P

Padley, J. S. See **Banister,** A. J., 1437.
Palmer, T. F. See **Coxon,** G. E., 1568.
Palmieri, P., and **Zauli,** C. Valence-state energies of excited configurations involving 4*s*, 4*p*, and 3*d* orbitals in later second-row elements, 813.
Papić, M. See **Ašperger,** S., 110.
Parish, R. V., and **Perkins,** P. G. Eight-co-ordination. Part III. Ligand–ligand repulsions and crystal field stabilisation energies, 345.
Park, P. J. D., **Chambers,** G., **Wyn-Jones,** E., and **Hendra,** P. J. The infrared and Raman spectra of tetraethyl diphosphine disulphide in relation to the molecular structure, 646.
Parkins, A. W. See **Lewis,** J., 1150.
Parkyns, N. D. Surface properties of metal oxides. Part I. Infrared studies of the adsorption and oxidation of carbon monoxide on alumina, 1910.
Parris, M. Preparation, aquation, and hydrogen exchange of the chloropentakis(methylamine)cobalt(III) ion, 583.
Patel, S. J., **Sowerby,** D. B., and **Tuck,** D. G. Co-ordination compounds of indium. Part V. Indium thiocyanate and its addition compounds, 1187.
Pattison, I., and **Wade,** K. Azomethine derivatives. Part I. Reactions between diphenylketimine and trimethylborane, triethylborane, and triphenylborane, 1098.
Pattison, I. See also **Jennings,** J. R., 1608.
Paul, I. See **Cotton,** J. D., 264.
Pauson, P. L. See **Hashmi,** M. A., 240.
Payne, D. S. See **Kesavadas,** T., 1001, and **Lane,** A. P., 1492.
Payne, N. C. See **Dunlop,** J. H., 1469.
Peacock, R. D. See **Edwards,** A. J., 557, and **Fraser,** G. W., 1091.
Pedley, J. B. See **Baldwin,** J. C., 1980.
Peloso, A., and **Dolcetti,** G. Reduction of some platinum(IV) complexes by iodide and thiosulphate ions, 1944.
Penfold, B. R. See **Elder,** M., 1423.

XUM

Perkins, P. G. See **Armstrong,** D. R., **123, 790, 1218, Greenwood,** N. N., 2109, and **Parish,** R. V., **345.**
Perrin, D. D., and **Sayce,** I. G. Stability constants of polynuclear mercaptoacetate complexes of nickel and zinc, **82.**
Perrin, D. D., **Sayce,** I. G., and **Sharma,** V. S. Mixed ligand complex formation by copper(II) ion, **1755.**
Perrin, D. D., and **Sharma,** V. S. Histidine complexes with some bivalent cations, **724.**
Perry, P. D. See **Dollimore,** D., **448.**
Phillips, D. J. See **Marks,** D. R., **1464.**
Phillips, G. G. See **Eilbeck,** W. J., **1161.**
Phillips, L. See **East,** R. L., **1939,** and **Hughes,** G. A., **894.**
Pidcock, A., **Smith,** J. D., and **Taylor,** B. W. Ligand displacement reactions. Part I. Kinetics of the reaction between trimethyl phosphite and some tricarbonyl(arene)-molybdenum complexes, **872.**
Pidcock, A., and **Taylor,** B. W. Ligand displacement reactions. Part II. Kintics of the reaction between trimethyl phosphite and the tricarbonyl(cycloheptatriene) complexes of chromium, molybdenum, and tungsten, **877.**
Pletcher, D. See **Headridge,** J. B., **684.**
Poë, A. J. See **Bott,** H. L., **205, Corain,** B., **1318, 1633,** and **Hewkin,** D. J., **1884.**
Pollard, F. H. See **Murray,** J. D., **1726,** and **Nickless,** G., **1721.**
Poller, R. C., and **Toley,** D. L. B. Co-ordination compounds of organotin halides with 4,4′-bipyridyl, **1578.**
Complexes of the *cis* and *trans* forms of dithian disulphoxide and dithian monosulphoxide with phenyltin chlorides and with stannic iodide, **2035.**
Poller, R. C. See also **McWhinnie,** W. R., **1671.**
Poon, C. K., and **Tobe,** M. L. Mechanism and steric course of octahedral aquation. Part IX. The stereoretentive aquation, anation, and base hydrolysis of the *trans*-dichloro(1,4,8,11-tetra-azacyclotetradecane)cobalt(III) cation and its solvento-derivatives, **2069.**
Porta, P., **Powell,** H. M., **Mawby,** R. J., and **Venanzi,** L. M. The crystal structure and some reactions of bis(cycloocta-1,5-diene)iridiumtrichlorotin, **455.**
Powell, H. K. J., and **Curtis,** N. F. Free energy, enthalpy, and entropy of formation for copper(II) complexes with some C(1)-substituted 1,2-diaminoethanes, **1441.**
Powell, H. M. See **Blundell,** T. L., **1650, Porta,** P., **455,** and **Wilford,** J. B., **2092.**
Powell, J., and **Shaw,** B. L. Transition metal–carbon bonds. Part X. Reactions between allylic palladium halides and tertiary phosphines, triphenylarsine, triphenylstibine, or carbon monoxide, **1839.**
Powell, R. E. See **Coard,** L. C., **296.**
Pratt, J. M., and **Silverman,** P. R. Low-spin cobalt(II) complexes. Part I. Isocyanide complexes, **1286.**
Pratt, J. M., and **Williams,** R. J. P. Low-spin cobalt(II) complexes. Part II. Cyanide complexes, **1291.**
Prevedorou-Demas, C. See **Bradley,** D. C., **43.**
Price, D. H. See **Hughes,** S. R. C., **1093.**
Price, R. Metal complexes of azo-dyestuffs. Part I. The cobalt-catalysed cleavage of 2,2′-bis(dialkylamino)azobenzenes. Part II. The reaction of cobalt halides with aminoazo-compounds, **521, 2048.**
Prince, R. H. See **Bancroft,** G. M., **1966,** and **Burgess,** J., **434.**
Prokai, B. See **Lappert,** M. F., **129.**
Prout, C. K., and **Wheeler,** A. G. Molecular complexes. Part VII. The crystal and molecular structure of the 8-hydroxyquinoline chloranil complex, **469.**
Prout, C. K. See also **Forrest,** J. G., **1312,** and **Kamenar,** B., **2081.**
Prue, J. E. See **Fernández-Prini,** R., **1974.**
Purnell, J. H. See **Konar,** R. S., **1543.**
Pyszora, H. See **Lappert,** M. F., **854.**

Q

Quinn, C. P. See **Konar,** R. S., **1543.**

R

Randić, M., and **Borčić,** S. Hybridisation in several small ring olefins calculated by the method of maximum overlap, **586.**
Rao, P. R. See **Einstein,** F. W. B., **478.**
Rasmussen, V., and **Baker,** W. A. jun. Metal complexes of *O*-alkyl-1-amidinoureas. Part I. Nickel(II). Part II. Cobalt(II), **580, 1712.**
Ratajczak, H. See **Hadži,** D., **48.**
Redfern, J. P. See **Marks,** D. R., **1464.**
Renshaw, G. D. See **Thomas,** J. M., **2058.**
Rest, A. J., **Rosevear,** D. T., and **Stone,** F. G. A. Perfluorovinyl complexes of the nickel group, **66.**
Rhodes, C. T. See **Donbrow,** M., **561.**
Richards, A. See **Lewis,** J., **1014.**
Richards, G. W., and **Woolf,** A. A. The heats of formation of fluoro- and chloro-sulphuric acids and their thermodynamic stabilities, **1118.**
Richards, R. L., and **Thompson,** A. A comparative study of some molecular addition compounds of Group IIIB elements. Part I. The metal–oxygen bond in some addition compounds of aluminium and gallium trihalides with ethers. Part II. The metal–sulphur bond in some addition compounds of aluminium and gallium trihalides with organic sulphides, **1244, 1248.**
Rickard, C. E. F. See **Ball,** R. D., **1435.**
Riddiford, A. C. See **Blurton,** K. F., **1076.**
Riddoch, J. See **Kakabadse,** G. J., **576.**
Ridge, M. J., **Molony,** B., and **Boell,** G. R. Transformation of finely divided cubic to trigonal iron(III) oxide, **594.**
Ridge, M. J. See also **Beretka,** J., **2106,** and **Molony,** B., **1631.**
Ridley, D. See **Coates,** G. E., **56.**
Roberts, P. D. See **Coates,** G. E., **1085, 1233.**
Robertson, I., and **Truter,** M. R. The crystal structure of bis-(3-methylpentane-2,4-dionato)copper(II), **309.**
Robinson, B. H. See **Fergusson,** J. E., **486,** and **Greenwood,** N. N., **511.**
Rocktäschel, G. See **Ebsworth,** E. A. V., **362.**
Rodley, G. A., and **Smith,** P. W. Cobalt(II) and nickel(II) bisdiarsine diperchlorates and dinitrates, **1580.**
Rogers, D. E. See **Nickless,** G., **1721.**
Rosevear, D. T. See **Rest,** A. J., **66.**
Ross, R. A. See **Jones,** W. J., **1021.**
Roundhill, D. M. See **Hunt,** R. L., **982.**
Rouschias, G., and **Wilkinson,** G. The preparation and reactions of trihalogeno(alkanonitrile)bis(triphenylphosphine)rhenium(III) complexes, **993.**
Rowe, J. M., and **White,** D. A. π-Allyl complexes prepared from conjugated dienes and palladium halides, **1451.**

Ruddick, J. N. R. See **Greenwood,** N. N., 1679.
Rudra, L., and **Das,** M. N. Salt effects on rates of alkaline fading of sulphonphthalein dye ions, 630.
Russ, B. J. See **Fowles,** G. W. A., 517.
Ryder, E. A. See **Norbury,** A. H., 1439.

S

Salthouse, J. A., and **Waddington,** T. C. The liquid hydrogen chloride solvent system. Part IX. Oxidation of some phosphorus(III) compounds, 1096.
Sanders, N. See **Day,** P., 1530, 1536.
Sartain, D., and **Truter,** M. R. The crystal structure of bis(dithiobenzil)nickel, 1264.
Saunders, V. R. See **Lynden-Bell,** R. M., 2061.
Sayce, I. G. See **Perrin,** D. D., 82, 1755.
Scaife, D. B. See **Heitler,** C., 1409.
Sedgwick, R. D. See **Connor,** J. A., 768.
Senior, B. J. See **Donaldson,** J. D., 1821.
Sharma, V. S. See **Perrin,** D. D., 724, 1755.
Sharp, D. W. A. See **Brown,** D. H., 100.
Shaw, B. L., and **Singleton,** E. Transition metal–carbon bonds. Part IX. Oxidative addition reactions of cyclooctene iridium(I) complexes. Part XI. A crotyl–butadiene complex of iridium(III), 1683, 1972.
Shaw, B. L., and **Smithies,** A. C. Transition metal–carbon bonds. Part VIII. Methyl derivatives of iridium(III) containing dimethylphenylphosphine or dimethylphenylarsine as ligands, 1047.
Shaw, B. L. See also **Brookes,** P. R., 1079, **Chatt,** J., 604, and **Powell,** J., 1839.
Shaw, R. A. See **Fitzsimmons,** B. W., 679, **Gee,** W., 1545, and **Keat,** R., 1404.
Sheriff, R. A. F., and **Galway,** A. K. The thermal decomposition of hexammine nickel perchlorate, 1705.
Siegel, L. A., and **Hende,** J. H. van den. The crystal structure of molecular inclusion compounds of tris(*o*-phenylenedioxy)phosphonitrile trimer, 817.
Silverman, P. R. See **Pratt,** J. M., 1286.
Sim, G. A. See **Carter,** O. L., 228, 365, 1619, and **McEwen,** R. S., 271, 1552.
Simpson, R. N. F. See **Mays,** M. J., 1936.
Singleton, E. See **Shaw,** B. L., 1683, 1972.
Skinner, H. A. See **Howard,** P. B., 269.
Slade, R. C. See **Hathaway,** B. J., 952.
Slater, D. H. See **Kerr,** J. A., 134.
Smeeth, A. G. See **Alner,** D. J., 1205.
Smith, A. J. See **Brown,** D., 1429, and **Kettle,** S. F. A., 688.
Smith, B. C., **Thakur,** L., and **Wassef,** M. A. The heats of hydrolysis of borazole and some derivatives, 1616.
Smith, B. C. See also **Gee,** W., 1545.
Smith, C. A., and **Wallbridge,** M. G. H. Relationships in the co-ordination chemistry of organoaluminium compounds. The reaction of dialkylaluminium halides with donor molecules, 7.
Smith, D. W. See **Day,** P., 1045.
Smith, J. D. See **Pidcock,** A., 872.
Smith, J. G., and **Thompson,** D. T. Reactions of metal carbonyls with diphenylphosphine, 1694.
Smith, P. W. See **Rodley,** G. A., 1580.
Smithies, A. C. See **Shaw,** B. L., 1047.
Smithies, D. See **Dainton,** F. S., 33.
Sneeden, R. P. A. See **Daly,** J. J., 736.
Sobczyk, L. See **Hadži,** D., 48.
Sowerby, D. B. See **Coxon,** G. E., 1566, 1568, and **Patel,** S. J., 1187.
Speakman, J. C. See **Currie,** M., 1862, and **Manojlović,** L., 971.
Speakman, K., **Taylor,** H. F. W., **Bennett,** J. M., and **Gard,** J. A. Hydrothermal reactions of γ-dicalcium silicate, 1052.
Spinnler, M. A., and **Becka,** L. N. The crystal structure of sulphitotriamminepalladium(II), 1194.
Srivastava, G. See **Lappert,** M. F., 602.
Stamper, J. G., and **Trinajstić,** N. Localised orbitals for some simple molecules, 782.
Staples, P. J. The acid-catalysed reactions of transition-metal complexes. Part V. The mechanism of the acid-catalysed aquations of a series of *cis*- and *trans*-diacidobisethylenediaminecobalt(III) salts, 45.
Staveley, L. A. K. See **Goddard,** D. R., 1376.
Stephen, W. I. See **Hutton,** R. C., 1426.
Stewart, D. F. See **Bartlett,** N., 1190.
Stiddard, M. H. B. See **Haines,** R. J., 94.
Stone, A. J. See **Bancroft,** G. M., 1966.
Stone, F. G. A. See **Bruce,** M. I., 1238, **Cotton,** J. D., 264, and **Rest,** A. J., 66.
Stonehill, H. I., and **Weaver,** A. K. Relation of total volume to total surface area for a suspension of particles undergoing dissolution, 1060.
Stonehill, H. I. See also **Mooney,** B., 1.
Surfleet, B., and **Wyatt,** P. A. H. Solvation and salt effects in the reaction of hydrogen peroxide with iodide ion at high iodide concentrations, 1564.
Sutton, D. See **Addison,** C. C., 808, and **Garner,** C. D., 1949.
Sykes, A. G., and **Mast,** R. D. Interconversion reactions of binuclear complexes of cobalt, 784.
Sykes, A. G. See also **Adin,** A., 1504, and **Doyle,** J., 795.
Symons, M. C. R. See **Catterall,** R., 1234, **Fox,** W. M. 1773, **Hunter,** T. F., 1770, and **McNeil,** D. A. C., 1019.

T

Tariq, S. A. See **Kerridge,** D. H., 1122.
Taylor, B. W. See **Pidcock,** A., 872, 877.
Taylor, F. B. See **Clark,** R. J. H., 693, 1802.
Taylor, H. F. W. See **Speakman,** K., 1052.
Taylor, M. J. The Raman spectrum and structure of indium trichloride–bis(diethyl ether), 1462.
Ternai, B. See **Harris,** R. K., 37.
Thakur, L. See **Smith,** B. C., 1616.
Thevarasa, M. See **McWhinnie,** W. R., 1671.
Thomas, A. See **Bennett,** J. E., 1393, 1399.
Thomas, J. M., and **Renshaw,** G. D. Influence of dislocations on the thermal decomposition of calcium carbonate, 2058.
Thompson, A. See **Richards,** R. L., 1244, 1248.
Thompson, B. W. See **Heitler,** C., 1409.
Thompson, D. T. See **Gibb,** T. C., 1663, **Johnson,** B. F. G., 1445, **Mais,** R. H. B., 1735, 1744, and **Smith,** J. G., 1694.
Thompson, J. C. See **Ebsworth,** E. A. V., 69, 362.
Thompson, R. C. See **O'Sullivan,** K., 2024.
Thornley, J. H. M. See **Norgett,** M. J., 540.
Thorp, D. M. See **Green,** M., 731.
Tilley, B. P. See **Cragg,** R. H., 947.
Tipping, J. W. See **Catterall,** R., 1234.

Tobe, M. L. See **Johnson,** M. D., **491**, and **Poon,** C. K., 2069.
Toley, D. L. B. See **Poller,** R. C., 1578, 2035.
Tomkins, R. P. T. See **Feakins,** D., 753, 1458, 1909.
Topping, G. See **Fletcher,** J. M., 1038.
Townsend, R. See **Ambrose,** D., 633.
Tranah, M. See **Coates,** G. E., 236, 615.
Travers, N. F. See **Greenwood,** N. N., 880.
Treverton, J. A. See **Baldwin,** J. C., 1980.
Trew, V. C. G. See **Farago,** M. E., 728, 820.
Trinajstić, N. See **Stamper,** J. G., 782.
Tripathi, U. D., **Batwara,** J. M., and **Mehrotra,** R. C. Alcoholates and alkoxides of ytterbium, 991.
Trombetti, A., and **Zauli,** C. Molecular spectra and structure of selenophen, 1106.
Trotman-Dickenson, A. F. See **Baker,** R. T. K., 1641, **Dijkestra,** A. J., 105, 864, **Getty,** R. R., 979, 1360, and **Kerr,** J. A., 897.
Trotter, J., and **Whitlow,** S. H. The structures of cæsium and rubidium difluorophosphates, 1383.
Trotter, J., and **Williston,** C. The structure of 2-biphenylylferrocene, 1379.
Trotter, J. See also **Bartlett,** N., 1190, **Charbonneau,** G.-P., 2032, **Einstein,** F., 2018, **Einstein,** F. W. B., 89, 478, 824, **Gibbons,** C. S., 2027, and **O'Sullivan,** K., 2024.
Truter, M. R., and **Watling,** R. C. The crystal structure of trimethyl(salicylaldehydato)platinum(IV), 1955.
Truter, M. R. See also **Milburn,** G. H. W., 648, **Robertson,** I., 309, and **Sartain,** D., 1264.
Tuck, D. G. See **Patel,** S. J., 1187.
Turner, J. J. See **Campbell,** C., 1241, and **Ogden,** J. S., 1483.
Twentyman, M. E. See **Greenwood,** N. N., 2109.
Tyfield, S. P. See **Abel,** E. W., 554.
Tyler, E. G. See **Beech,** G., 925, 1111.

U

Ugo, R., and **Gillard,** R. D. Adducts of co-ordination compounds. Part V. An intermediate in acid-catalysed aquation of a nitro-complex, 2078.
Ugo, R. See also **Bonati,** F., 932.
Ummat, P. K. See **Hall,** D., 1612.
Underhill, A. E. See **Eilbeck,** W. J., 757, 1161.

V

Vaid, R. N. See **Jain,** D. V. S., 915.
Venanzi, L. M. See **Cannon,** R. D., 1277, **Denning,** R. G., 324, 328, 336, 1322, **Goodfellow,** R. J., 1897, **Halfpenny,** M. T., 627, **Hartley,** F. R., 330, 333, **Howell,** I. V., 395, 1007, **Norgett,** M. J., 540, and **Porta,** P., 455.

W

Waddington, T. C. See **Salthouse,** J. A., 1096.
Wade, K., and **Wyatt,** B. K. Azomethine derivatives. Part II. Reactions between diphenylketimine and trimethylaluminium, triethylaluminium, and triphenylaluminium, 1339.
Wade, K. See also **Hall,** D., 1612, **Jennings,** J. R., 1222, 1333, 1608, and **Pattison,** I., 1098.
Walker, J. See **Greenwood,** N. N., 959.
Wallbridge, M. G. H., **Williams,** J., and **Williams,** R. L. Boron hydride derivatives. Part XI. Iodination of decaborane, 132.
Wallbridge, M. G. H. See also **Bird,** P. H., 664, and **Smith,** C. A., 7.
Wallwork, S. C. See **Garner,** C. D., 1949.
Walton, R. A. Complexes of indium(III) chloride with bidentate and terdentate nitrogen donors, 1485.
Donor properties of sulphides. Part II. Complexes of rhodium(III) chloride with 1,4-thioxan and ligands of the type $RSCH_2CH_2SR$, 1852.
Walton, R. A. See also **Brisden,** B. J., 1825, and **Lewis,** J., 1366.
Wasif, S. Solutions in selenic acid. Part III. Correlation of acidities (H_0) of aqueous selenic and sulphuric acids, 142.
Wassef, M. A. See **Smith,** B. C., 1616.
Waters, J. M. See **Kamenar,** B., 2081.
Waters, T. N. See **Baker,** E. N., 251, **Ball,** R. D., 1435, and **Kamenar,** B., 2081.
Watling, R. C. See **Truter,** M. R., 1955.
Watt, G. D. See **Izatt,** R. M., 1304.
Watts, B. E. See **Dalziel,** J. A. W., 358.
Weaver, A. K. See **Stonehill,** H. I., 1060.
Webb, G. A. See **Figgis,** B. N., 442.
Weber, H. P., and **Bryan,** R. F. Metal–metal bonding in co-ordination complexes. Part II. The crystal structure of $\mu\mu'$ (*cis*-stilbene-α,β-dithiolato)-bis(tricarbonyliron), 182
Weber, H. P. See also **Bryan,** R. F., 843.
Weeks, M. J. See **Goodgame,** D. M. L., 1125, 1676.
Weigold, H., and **West,** B. O. The structures of cobalt(II) complexes with quadridentate Schiff bases, 1310.
Weigold, H. See also **Diamantis,** A. A., 1281, and **Khedekar,** A. V., 1561.
Wells, C. F., and **Davies,** G. A spectrophotometric investigation of the aquomanganese(III) ion in perchlorate media, 1858.
Wengelin, R. F. See **Grimvall,** S., 968.
West, B. O. See **Diamantis,** A. A., 1281, and **Weigold,** H., 1310.
Weston, M. See **Chambers,** D. B., 1759.
Wetter, W. P. See **Friedman,** L., 36.
Wheatley, P. J. See **Daly,** J. J., 212, and **Fink,** W., 1517.
Wheeler, A. G. See **Prout,** C. K., 469.
White, D. A. See **Rowe,** J. M., 1451.
Whiteley, R. N. See **Green,** M. L. H., 1508.
Whiteman, J. L. See **Barrier,** R. M., 13, 19.
Whitfield, H. J. See **Boorman,** P. M., 2017, and **Hudson,** A., 376.
Whitlow, S. H. See **Trotter,** J., 1383.
Whyman, R. See **Chalmers,** A. A., 1817, and **Lewis,** J., 77.
Wickins, T. D. See **Griffith,** W. P., 590, 675.
Wild, S. B. See **Brier,** P. N., 1889.
Wilford, J. B., and **Powell,** H. M. The crystal and molecular structure of the pentaco-ordinate complex tricarbonyl-(triphenylphosphine)-σ-tetrafluoroethylcobalt(I), 2092.
Wilkins, C. J. See **Clark,** J. P., 792, **Couch,** D. A., 1813, and **Fergusson,** J. E., 486.
Wilkinson, G. See **Baird,** M. C., 865, 1347, 2037, **Hunt,** R. L., 982, **Jardine,** F. H., 1574, and **Rouschias,** G., 993.
Wilkinson, J. See **Bradley,** D., 531.

Williams, D. F. See **Calderazzo,** F., 154, and **Lucken,** E. A. C., 148.
Williams, D. R. See **Holmes,** F., 729, 1256, 1702.
Williams, I. G. See **Edgar,** K., 379, and **Johnson,** B. F. G., 338, 341.
Williams, J. See **Wallbridge,** M. G. H., 132.
Williams, R. F. See **Norbury,** A. H., 1439.
Williams, R. J. P. See **Pratt,** J. M., 1291.
Williams, R. L. See **Wallbridge,** M. G. H., 132.
Williamson, J. M. See **Hashmi,** M. A., 240.
Williston, C. See **Einstein,** F., 2018, and **Trotter,** J., 1379.
Wilson, J., and **Worrall,** I. J. Phase studies and thermochemistry of the aluminium bromide–pyridine system, 392.
Wilson, J. M. See **Edgar,** K., 379, and **Johnson,** B. F. G., 338, 341, 1445.
Wong, L.-Y. See **Johnson,** M. D., 491.
Wood, A. M. See **Mais,** R. H. B., 1744.
Wood, J. L. See **Jones,** D. E. H., 1140.
Woodward, L. A. See **Cradock,** S., 1229.
Woodward, P. See **Bush,** M. A., 221, 1833, and **Lindley,** P. F., 382.
Woolf, A. A. Fluorosulphuric acid. Part IV. Preparation of fluorosulphates of the first transition series by displacement reactions, 355.
Woolf, A. A. The liquid range of fluorosulphates, 401.
Woolf, A. A. See also **Brazier,** J. N., 99, and **Richards,** G. W., 1118.
Worrall, I. J. See **Wilson,** J., 392.
Wright, M. R. See **Allen,** C. R., 892.
Wright, P. G. See **Allen,** C. R., 892.
Wyatt, B. K. See **Jennings,** J. R., 1608, and **Wade,** K., 1339.
Wyatt, P. A. H. See **Mountford,** G. A., 80, and **Surfleet,** B., 1564.
Wyn-Jones, E. See **Park,** P. J. D., 646.

Y

Young, J. C. See **Kerr,** J. A., 134.

Z

Zauli, C. See **Palmieri,** P., 813, and **Trombetti,** A., 1106.

INDEX OF SUBJECTS, 1967

A

Acetonitrile, liquid, radiolysis of, 531.

Acetylene. Infrared intensities of the ν_3 bands of methane, nitrous oxide, and acetylene, 374.

Acid, nitrous, kinetics of the reaction with sulphamic acid, 902.

selenic, solutions in. Part III, correlation of acidities (H_0) of aqueous selenic and sulphuric acids, 142.

Acids, amino-. Crystal structure of bis(histidino)cadmium dihydrate, 421.

Crystal and molecular structure of bis(histidino)nickel(II) monohydrate, 415.

Histidine complexes with some bivalent cations, 724.

Infrared spectra of palladium(II) and platinum(II) complexes of (±)-methionine, 641.

ethylenediaminetetra-acetic and diethylenetriaminepenta-acetic, heats of formation of, 1832.

fluoro- and chloro-sulphuric, heats of formation and thermodynamic stabilities of, 1118.

halogenoaliphatic, reactions with free radicals in aqueous solution. Part I, reactions with hydrogen atoms, 834. Part II, reactions with aliphatic free radicals, 837. Part III, reactions with inorganic free radicals, 841.

monobasic. Crystal structure of the acid salts of some monobasic acids. Part XI, rubidium hydrogen diaspirinate (bisacetylsalicylate), 968. Part XII, potassium hydrogen diaspirinate (bisacetylsalicylate), 971.

Activity coefficients of vinyl acetate in aqueous solution, 201.

Adsorption. Intracrystalline sorption of sulphur and phosphorus by some porous crystals, 13.

Mercury uptake in various cationic forms of several zeolites, 19.

Selectivity of carboxylic ion-exchange resin for lanthanide ions, 306.

Sorption of sulphur dioxide on silica gel, 1021.

Alcohols. Effect of temperature on the yields of the precursors in the radiation of ethanol, 1179.

Oxidation of ethanol by hydrogen peroxide. Part I, catalysis by ferric ion, 1409.

Radiation of n-propanol. Part I, formation of the major products, 1182.

Alkyl radicals, reactions of. Part XIII, additions of methyl, isopropyl, and t-butyl radicals to propyne and the isomerisation of alkenyl radicals, 1360.

Allene. Reactions of alkyl radicals. Part XII, additions of methyl, ethyl, and isopropyl radicals to allene, 979.

Aluminium chloride complexes, spectra and structure of. Part II, 1140.

hydroxides, dehydration products of, 2106.

Azomethine derivatives. Part II, reactions between diphenylketimine and trimethylaluminium and triphenylaluminium, 1339.

Comparative study of some molecular addition compounds of Group IIIB elements. Part I, metal–oxygen bond in some addition compounds of aluminium and gallium trihalides with ethers, 1244. Part II, metal–sulphur bond in some addition compounds of aluminium and gallium trihalides with organic sulphides, 1248.

Crystal structure of aluminosiloxanes: *X*-ray analysis of dibromotrimethylsiloxyaluminium, 1786.

Phase studies and thermochemistry of the aluminium bromide–pyridine system, 392.

Relationships in the co-ordination chemistry of organoaluminium compounds. Reaction of dialkylaluminium halide with donor molecules, 7.

Surface properties of metal oxides. Part I, infrared studies of the adsorption and oxidation of carbon monoxide on alumina, 1910.

Thermal decomposition of oxalates. Part VIII, thermogravimetric and *X*-ray analysis study of the decomposition of aluminium oxalate, 448. Part IX, thermal decomposition of the oxalate complexes of iron, 451.

Amines. Ethylenediamine and propylenediamine complexes of titanium(III), vanadium(III), and chromium(III), 409.

Reactions of some silylamines with carbon dioxide and related molecules, 362.

Analysis. Organic reagents for the precipitation of nitrate ion. Part II, di(naphthylmethyl)amines and some derivatives of 2-naphthylmethylamine, 1426.

Anthracenes, monohalogenated 9,10-dihydroxy-, polarography and coulometry of the electro-oxidation of, 1.

Antimony. Vibration spectra of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, 712.

Apparatus. Simple Gouy–Rankine balance for measuring magnetic susceptibilities of solid paramagnetic substances, 1670.

Aromatic compounds. Co-ordination of salicylideneimines with transition-metal ions. Charge-transfer spectra of cobalt(II) complexes, 1281.

Crystal structure of 1-(*p*-chlorophenyl)-5-isopropylbiguamide hydrochloride (" Paludrine "), 60.

α,4-dibromo-α-(4-methyl-2-nitrophenylazo)acetanilide, 405.

1,2,4-trichloro-3,5,6-trimethylbenzene, 2032.

Electron spin resonance studies of γ-irradiated single crystals of aromatic compounds. Part II, results for diphenylacetic acid and general problem of interpretation, 1490.

Mass spectral studies of some perhalogenoaromatic compounds, 828.

Mechanisms of photochemical reactions in solution. Part I, ultraviolet photolysis of diphenylacetylene, 116.

Nuclear magnetic resonance coupling constants in *p*-benzoquinones, 1416.

Polyfluoroarenes. Part IX, decafluorotolan: synthesis, properties, and use as an organometallic ligand, 747.

Potentiometric studies on solubilisation in non-ionic micellar solutions. Part II, solubilisation of benzoic acid and the hydroxybenzoic acids and location of the solubilisates, 561.

structure of 1,5-diphenyltricyclo[2,1,0,$0^{2,5}$]pent-3-yl *p*-bromobenzoate, 2027.

XUM

Aromatic compounds (*contd.*)
Vapour pressures above the normal boiling point and the critical pressures of some aromatic hydrocarbons, **633**.
Arsenic. Convenient and efficient preparation of trifluoromethyl-phosphorus and -arsenic hydrides, **1308**.
Crystal structure of
$Me_2AsC{=}C(AsMe_2){\cdot}CF_2{\cdot}CF_2[Fe(CO)_3]_2$, **824**.
Halogenocarbonyl complexes of iridium(I) containing tertiary phosphines and tertiary arsines, **604**.
Metal complexes of unsaturated tertiary phosphines and arsines. Part II, reactivity of co-ordinated ligands, **501**.
Triphenylarsine hydroxyhalides and their derivatives, **497**.
Vibration spectra of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, **712**.
Association, self, and hydration of phenol in organic solvents. Part II, **764**.
Azomethine derivatives. Part I, reactions between diphenylketimine and trimethylborane, triethylborane, and triphenylborane, **1098**. Part II, reactions between diphenylketimine and trimethylaluminium, and triethylaluminium, and triphenylaluminium, **1339**. Part III, reactions between diphenylketimine and trimethylgallium, triethylgallium, and triphenylgallium, **1608**.

B

Basicity. Indications of the relative base strengths of certain organometallic bases from the proton magnetic resonance dilution shift in chloroform, **554**.
Beryllium, phenyl, complexes, **236**.
Aminoberyllium alkyls, $RBeNR'_2$: their association and reactions with pyridine and with 2,2′-bipyridyl, **1199**.
Phenylberyllium hydride–trimethylamine: some observations on alkylberyllium hydrides, **615**.
Bond energy, metal–oxygen, and standard heat of formation of tris(acetylacetonato)chromium(III) at 25°, **1413**.
metal–oxygen, in some addition compounds of aluminium and gallium trihalides with ethers. Comparative study of some molecular addition compounds of Group IIIB elements. Part I, **1244**. Part II, metal–sulphur bond in some addition compounds of aluminium and gallium trihalides with organic sulphides, **1248**.
Boron halides as reagents in inorganic syntheses. Part I, general method for the preparation of anhydrous bromides and oxybromides, and a comment on reactions with elemental sulphur, **129**.
hydride derivatives. Part XI, iodination of decaborane, **132**.
–phosphorus compounds. Part IV, partial bromination and iodination of 1,1,3,3,5,5-hexaphenylcyclotriphosphinoborine, **1545**.
trichloride adducts of *N*-substituted benzimidoyl chlorides: nitrilium tetrachloroborates, **1612**.
Addition of amine–boranes to isocyanates to form urea–borane complexes, **961**.
Amido-derivatives of metals and metalloids. Part V, Lewis acid behaviour of certain borazines and aminoboranes, **602**.
Azomethine derivatives. Part I, reactions between diphenylketimine and trimethylborane, triethylborane, and triphenylborane, **1098**.
Cadmium derivatives of decaborane, **880**
Chloroboration and allied reactions of unsaturated compounds. Part VI, thiaboration, and other aspects of boron–sulphur chemistry, **947**.
Derivatives of cyclotetrazenoborane. Part III, solvent effects on the B–H stretching frequency of substituted cyclotetrazenoboranes, **1590**.
π-Electronic structures of some compounds containing boron–oxygen bonds. Part I, compounds where boron is not in a ring, **123**. Part II, cyclic compounds, **790**.
Heats of hydrolysis of borazole and some derivatives, **1616**.
Methylation of reactive boron–halogen compounds with tetramethyl-lead, **889**.
Physical properties and structure of diethylaminodifluoroborane, **959**.
Pseudohalides. Part III, infrared, ultraviolet, and proton magnetic resonance spectra of boron isocyanates and isothiocyanates, **854**.
Site of co-ordination in boron trihalide adducts of ureas and thioureas, **511**.
Studies of aminoboranes. Part I, reactions involving transfer of hydrogen from *N*-monoalkyl-substituted aminoboranes and amine–boranes to dimethylaminoborane, **597**.
Bromine oxides. Surface reactions: infrared spectra of $Br^{16}O_3^-$, $Br^{16}O_2{}^{18}O^-$, $Br^{16}O^{18}O_2^-$, and $Br^{18}O_3^-$, **1241**.
Butane, iso-, initiation of chains in the pyrolysis of, **1543**.

C

Cadmium derivatives of decaborane, **880**.
Crystal structure of bis(histidino)cadmium dihydrate, **421**.
Calcium carbonate, influence of dislocations on the thermal decomposition of, **2058**.
ferrites, Mössbauer effect studies on. Part I, temperatures above the Néel point, **376**.
Hydrothermal reactions of γ-dicalcium silicate, **1053**.
Cæsium. *X*-Ray single-crystal and powder diffraction results for cæsium heptafluoroprotactinate(V), **1979**.
Structures of cæsium and rubidium difluorophosphates, **1383**.
Catalysts. Further studies on the homogeneous hydrogenation of olefins using tris(triphenylphosphine)halogenorhodium(I) catalysts, **1574**.
Chromium. Chromium(II)-catalysed dissociation of monohalogenochromium(III) complexes and the effect of non-bridging ligands on electron-transfer reactions, **1504**.
Chromium(III) complexes with multidentate ligands, **395**.
Crystal and molecular structure of dichlorotris(tetrahydrofuran)-*p*-tolylchromium(III), **736**.
Ethylenediamine and propylenediamine complexes of titanium(III), vanadium(III), and chromium(III), **409**.
Hexahalogenometallates(III) of titanium, vanadium, and chromium, **517**.
Infrared study of some chromium(III) bis(ethylenediamine) complexes, **592**.
Ligand displacement reactions. Part II, kinetics of the reaction between trimethyl phosphite and the tricarbonyl(cycloheptatriene) complexes of chromium, molybdenum, and tungsten, **877**.
Metal–carbonyl and metal–nitrosyl complexes. Part IV, crystal and molecular structure of tricarbonylchromium-*o*-toluidine, **228**. Part V, crystal and molecular

Chromium (*contd.*)
structure of the tricarbonylchromium derivative of methyl benzoate, **1619**.
Oxidation of some phosphine-substituted chromium carbonyls, **1007**.
Standard heat of formation of tris(acetylacetonato)-chromium(III) at 25° and the metal–oxygen bond energy, **1413**.
Studies of polyanions and polycations by Glauber's-salt cryoscopy. Part III, polyanions of chromium and their equilibrium processes, **1541**.
Cobalt-catalysed cleavage of 2,2′-bis(dialkylamino)azobenzenes. Metal complexes of azo-dyestuffs. Part I, **521**.
halides, reaction with *N*-arylsalicylideneimines, **804**.
Acid-catalysed reactions of transition-metal complexes. Part V, mechanism of the acid-catalysed aquations of a series of *cis*- and *trans*-diacidobisethylenediamine-cobalt(III) salts, **45**.
σ-Bonded organotransition-metal ions. Part IV, kinetics and mechanism of the acid-catalysed decomposition of the 4-pyridiomethylpentacyanocobaltate(III) ion, **491**.
Chemistry of co-ordinated ligands. Part I, some derivatives of the cyclopentadienyl cyclo-octa-1,5-diene complexes of cobalt and rhodium, **1150**.
Cobalt(III) complexes, reactions of. Part I, a possible mechanism for base hydrolysis and other reactions of cobalt(III) complexes, **917**.
Cobalt(II) and nickel(II) bisdiarsine diperchlorates and dinitrates, **1580**.
nickel(II), and copper(II) complexes of imidazole and thiazole, **757**.
rhodium(III), and iridium(III) complexes of 1,2-dithiocyanatoethane, **203**.
^{59}Co nuclear magnetic resonance of organo-cobalt compounds, **148**.
Complexes of cobalt(II), nickel(II), and palladium(II), with multidentate ligands and the ligand field strength of co-ordinated ethers and sulphides, **1277**.
Co-ordination of salicylideneimines with transition-metal ions. Charge-transfer spectra of cobalt(II) complexes, **1281**.
Deuterium isotope effect in octahedral substitutions. Part III, liberation of chloride ions from some *cis*-chloro(amine)bis(ethylenediamine)cobalt(III) cations in neutral, acidic, and basic solutions, **2010**.
Electromeric effects during the base hydrolysis of cobalt(III)–ammine complexes, **762**.
Europium(II) ion reduction of nitrite and nitropentaamminecobalt(III) ions, **741**.
Halogenoacetate complexes of cobalt(II), nickel(II), and copper(II), and the question of band assignments in the electronic spectra of six-co-ordinate cobalt(II) complexes, **2041**.
Hydrolysis of some nitroamminecobalt(III) complexes in aqueous solution, **2089**.
Interaction of perfluorobutadiene with iron and cobalt carbonyls, **983**.
Interconversion reactions of binuclear complexes of cobalt, **784**.
Isomerisation of *cis*- and *trans*-aquonitrobis(ethylenediamine)cobalt(III) cations in aqueous solution, **1284**.
Ligand reactions. Part I, release of covalent halogen from some *cis*-aquo- and *cis*-hydroxo-(halogenoalkylamine)bis(ethylenediamine)cobalt(III) cations, **908**.
Low-spin cobalt(II) complexes. Part I, isocyanide complexes, **1286**. Part II, cyanide complexes, **1291**.
Mass spectra of inorganic molecules. Part I, some bridged nitrosyl complexes of iron and cobalt, **338**.
Mechanism and steric course of octahedral aquation. Part IX, stereoretentive aquation, anation, and base hydrolysis of the *trans*-dichloro-(1,4,8,11-tetra-azacyclotetradecane)cobalt(III) cation and its solvento-derivatives, **2069**.
Mechanism of octahedral substitutions in non-aqueous media. Part IV, rates of replacement reactions in *trans*-chloroammine- and *cis*-chloroaquo-bis(ethylenediamine)cobalt(III) ions in alcoholic solutions, **110**.
Mercury halide–cobalt and –rhodium compounds, **1547**.
Metal complexes of *O*-alkyl-1-amidinourea. Part II, cobalt(II), **1712**.
azo-dyestuffs. Part II, reaction of cobalt halides with aminoazo-compounds, **2048**.
Octahedral cobalt(III) complexes of the chloropentaammine type. Part VII, role of the halogenoalkylamines as influencing ligands in hydrolytic reactions of the bis(ethylenediamine)cobalt(III) system, **288**. Part VIII, temperature-dependence of activation energies in the hydrolysis of chloropentammine-, *cis*-chloroamminebis(ethylenediamine)- and *cis*-chlorotriethylenetetramine-cobalt(III) cations, **291**. Part IX, acid hydrolysis of *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) nitrate, **573**. Part X, effect of replacing chlorine by bromine on the reactivity of some *cis*-chloroaminebis(ethylenediamine)cobalt(III) cations, **1586**. Part XI, preparation, properties, and reactions of some chloroaminebis(ethylenediamine)cobalt(III) salts containing unidentate aminoalkanols as influencing ligands, **1730**.
One-equivalent reactions in the reduction of the decammine-μ-amidodicobalt(III) complex with vanadium, **795**.
Optically active co-ordination compounds. Part IX, complexes of dipeptides with cobalt(III), **618**. Part X, kinetic stereoselectivity and absolute configuration in some complexes of cobalt(III), **1469**. Part XII, some mixed complexes of L-amino-acids and ethylenediamine with cobalt(III), **1657**.
Preparation, aquation, and hydrogen exchange of the chloropentakis(methylamine)cobalt(III) ion, **583**.
Preparation, properties, and reactions of *trans*-chloro- and *trans*-bromo-isothiocyanatobis(±-propylenediamine)-cobalt(III) cations, **607**.
Reaction of nitric oxide with cobalt(II) ammine complexes and other reducing agents, **943**.
potassium pentacyanocobaltate(II) with hydrogen, **800**.
Reactions of metal complexes in solution. Part III, acid-catalysed aquation of *trans*-dinitrobis-(αα-bipyridyl)cobalt(III) nitrate and the *trans–cis*-isomerisation of the nitroaquobis-(αα-bipyridyl)cobalt(III) ion, **1796**.
Some observations concerning trioxalatocobaltate(III), **298**.
Structures of cobalt(II) complexes with quadridentate Schiff bases, **1310**.
Transition-metal complexes of the 1,2-dipyridylethylene isomers. Part I, copper(II), nickel(II), and cobalt(II) derivatives of the symmetrically substituted isomers, **963**.

XUM

Complex formation by molybdenum(II) chloride, **486**.
in dimethyl sulphoxide. Part II, mercuric iodide and potassium iodide, **1964**.
Complexes, π-allyl, prepared from conjugated dienes and palladium halides, **1451**.
aluminium chloride, spectra and structure of. Part II, **1140**.
amino-alkylmagnesium: evidence for three-co-ordinate magnesium, **56**.
anhydrous hexahalogeno- of quadrivalent protactinium, **243**.
arylamine co-ordination. Part I, nickel(II) complexes containing uni- and bi-dentate *o*-phenylenediamine and 4-methyl-*o*-phenylenediamine, **1464**.
bromo-, of quinquevalent protactinium, niobium, and tantalum, **247**.
carbonyl-π-cyclopentadienyl, of molybdenum, **94**.
chromium(III) bis(ethylenediamine), infrared study of, **592**.
with multidentate ligands, **395**.
cobalt(II), charge-transfer spectra of. Co-ordination of salicylideneimines with transition-metal ions, **1281**.
cobalt(III), reactions of. Part I, a possible mechanism for base hydrolysis and other reactions of cobalt(III) complexes, **917**.
co-ordination, metal–metal bonding in. Part I, crystal and molecular structure of triphenyltin tetracarbonyltriphenylphosphinemanganese, **172**. Part II, crystal structure of μμ′ (*cis*-stilbene-α,β-dithiolato)-bis(tricarbonyliron), **182**. Part III, crystal structure of cyclopentadienyldicarbonyliron triphenyltin, **192**.
copper(II), of thiosemicarbazide, **396**.
ethylenediamine and propylenediamine, of titanium(III), vanadium(III), and chromium(III), **409**.
five-co-ordinate, **1592**.
fluoro-, of the Group IVA elements: metal–halogen vibrational frequencies, **258**.
halogenocarbonyl, of iridium(I) containing tertiary phosphines and tertiary arsines, **604**.
halogeno-, relative stabilities of. Part VI, class (*b*) character of Pd(diethylenetriamine)$^{2+}$ and Pd(1,1,7,7-tetraethyldiethylenetriamine)$^{2+}$ and the stability of their thiocyanato- and isothiocyanato-complexes, **1884**.
histidine, with some bivalent cations, **724**.
hydrido-, alkyl-, and acyl-addition reactions of tris(triphenylphosphine)chlororhodium(I): carbon monoxide insertion and decarbonylation reactions, **1347**.
low-spin cobalt(II). Part I, isocyanide complexes, **1286**. Part II, cyanide complexes, **1291**.
metal–carbonyl and metal–nitrosyl. Part IV, crystal and molecular structure of tricarbonylchromium-*o*-toluidine, **228**. Part V, crystal and molecular structure of the tricarbonylchromium derivative of methyl benzoate, **1619**.
metal β-diketone. Part IV, acid derivatives of some platinum–carbon bonded acetylacetone complexes, **72**.
halide, of triphenylphosphine sulphide and some related ligands, **898**.
involving the heavier donor atoms. Part I, stabilities of metallic complexes of semicarbazide diacetic acid and thiosemicarbazide diacetic acid, **1371**. Part II, enthalpy and entropy of formation of metallic complexes of semicarbazidediacetic acid and thiosemicarbazidediacetic acid, **1376**.
of *O*-alkyl-1-amidinoureas. Part I, nickel(II), **580**. Part II, cobalt(II), **1712**.
of azo-dyestuffs. Part I, cobalt-catalysed cleavage of 2,2′-bis(dialkylamino)azobenzenes, **521**. Part II, reaction of cobalt halides with aminoazo-compounds, **2048**.
of 4-2′-pyridylimidazole. Heterocyclic chelating agents. Part I, **1161**.
of unsaturated tertiary phosphines and arsines. Part IV, bromination of chelate complexes of platinum(II) formed by olefinic tertiary arsines, **1260**.
reactions in solution. Part III, acid-catalysed aquation of *trans*-dinitrobis-(αα-bipyridyl)cobalt(III) nitrate and the *trans*–*cis*-isomerisation of the nitroaquobis-(αα-bipyridyl)cobalt(III) ion, **1796**.
molecular. Part VII, crystal and molecular structure of the 8-hydroxyquinoline chloranil complex, **469**.
mono-chelate, of pyridine-2-aldehyde 2′-pyridylhydrazone, **565**.
nickel(II), containing six molecules of pyridine, **1439**.
octahedral, *trans*-effect in. Part II, anation reactions of some *trans*-Rhen$_2$L(OH$_2$)$^{2+}$ complexes, **205**.
octahedral vanadium, magnetism and spectra of, **1498**.
of 1,2-bis(isopropylseleno)ethane with palladium(II) and platinum(II) halides, **1520**.
of cobalt(II), nickel(II), and palladium(II), with multidentate ligands and the ligand field strength of co-ordinated ethers and sulphides, **1277**.
of conjugated ligands, their spectra. Part I, charge-transfer in substituted phenanthroline complexes: energy shifts on substitution, **1530**. Part II, charge-transfer in substituted phenanthroline complexes: intensities, **1536**.
of indium(III) chloride with bidentate and terdentate nitrogen donors, **1485**.
of mercury. Part III, *X*-ray analysis of dichlorobis-(1,4-thioxan)mercury(II), **271**. Part IV, crystal and molecular structure of the adduct of mercury dimethoxide and phenyl isothiocyanate, **1552**.
of nickel(II) with ethylenediamine and perchlorate or tetraphenylborate, **820**.
of rhodium(III) chloride with 1,4-thioxan and ligands of the type RSCH$_2$CH$_2$SR. Donor properties of sulphides. Part II, **1852**.
of the *cis*- and *trans*-forms of dithian disulphoxide and dithian monosulphoxide with phenyltin chlorides and with stannic iodide, **2035**.
of tri-(2-pyridyl)amine. Part II, some complexes with metal halides: ligand field strength of terdentate tri-(2-pyridyl)amine, **1253**.
of tungsten(VI) oxyhalides with neutral donor ligands, **671**.
of vanadium(III) chloride and bromide with pyridine, 2,2′-bipyridyl, and 1,10-phenanthroline, **1869**.
organotin(carbonyl)iron. Chemistry of the metal carbonyls. Part XXXIX. **264**.
palladium hydride, **1030**.
perfluorovinyl, of the nickel group, **66**.
phenylberyllium, **236**.
platinum, with unsaturated amines. Part III, thermodynamics of formation of complexes (CH$_2$:CH·[CH$_2$]$_n$·LR$_2$R′)$^+$PtCl$_3^-$ (L = N, P, and As; n = 1 and 2), **324**. Part IV, thermodynamics of formation of complexes with some *C*-substituted allylammonium cations, **328**. Part V, thermodynamics of

Complexes (*contd.*)
formation of complexes with unsaturated alcohols, **330**. Part VI, comparison with stability constants for some silver–olefin complexes, **333**. Part VII, stability constants for the formation of complexes $(ol^+)PtBr_3^-$, and the thermodynamics of formation of $(H_2C{:}CH{\cdot}CH_2{\cdot}NH_3^+)PtBr_3^-$, **336**. Part VIII, ultraviolet spectra of platinum–olefin complexes of the type $[(ol)PtCl^3]^-$ (ol = olefin), **1322**.
some spiroheterocyclic sulphide, **1387**.
tetrahedral, of nickel(II) with benzimidazole, **1676**.
transition-element, with aliphatic Schiff bases. Part IX, heterocyclic complexes of nickel(II) formed by reaction of mixtures of diaminoethane and 1,2- or 1,3-diaminopropanenickel complexes with acetone, **537**.
transition-metal, acid-catalysed reactions of. Part V, mechanism of the acid-catalysed aquations of a series of *cis*- and *trans*-diacidobisethylenediaminecobalt(III) salts, **45**.
nuclear magnetic resonance in, **861**.
of biuret and related ligands. Part I, biuret complexes of some bivalent metal ions, **137**. Part II, magnetic properties of copper(II)–biuret complexes, **669**.
of the 1,2-dipyridylethylene isomers. Part I, copper(II), nickel(II), and cobalt(II) derivatives of the symmetrically substituted isomers, **963**.
thermochemistry of. Part I, CoL_nX_2 complexes; $n = 4$ or 2; L = pyridine, α-, β-, γ-picoline, quinoline, and aniline; X = Cl, Br, I, **925**. Part II, CoL_2Cl_2 complexes; L = pyridine, α-picoline, and triphenylphosphine, **929**. Part III, ML_nX_2 complexes, where M = Mn, Fe, or Ni; L = pyridine, α-, β-, or γ-picoline, aniline, or quinoline; $n = 2$ or 4; and X = Cl, Br, or I, **1111**. Part IV, $M(pyrazine)_2Cl_2$ complexes, where M = Mn, Fe, Co, or Ni, **1115**.
vanadium(IV), magnetic properties of, **1330**.
Actions of halogens on phosphine-substituted group VI metal carbonyls. Part IV, preparation of some triphenylphosphonium halogenocarbonyl molybdenum and tungsten derivatives, **77**.
Addition compounds of triphenylphosphine sulphide with mercury(II) and copper(I) halides, **358**.
Addition of amine–boranes to isocyanates to form urea–borane complexes, **961**.
Adducts of co-ordination compounds. Part V, an intermediate in acid-catalysed aquation of a nitro-complex, **2078**.
Alcoholates and alkoxides of ytterbium, **991**.
Association of hydroxide ion with tris(ethylenediamine)-cobalt(III) and tris(ethylenediamine)chromium(III) cations in dioxan–water and dioxan–deuterium oxide mixtures, **2103**.
σ-Bonded organotransition-metal ions. Part IV, kinetics and mechanism of the acid-catalysed decomposition of the 4-pyridiomethylpentacyanocobaltate(III) ion, **491**.
Carbon disulphide, carbonyl sulphide, and alkyl and aryl isothiocyanate and perfluorothioacetone complexes of nickel, palladium, platinum, rhodium, and iridium, **865**.
Carbon disulphide complexes of vanadium, iron, cobalt, ruthenium, and iridium; the preparation of *trans*-bis-(triphenylphosphine)thiocarbonylhalogeno-rhodium(I) and -rhodium(III) complexes, **2037**.
Charge-transfer in mixed-valence solids. Part I, crystal spectra of chlorocuprates (I, II), **1045**.
Chemistry of co-ordinated ligands. Part I, some derivatives of the cyclopentadienyl cyclo-octa-1,5-diene complexes of cobalt and rhodium, **1150**.
Chemistry of polynuclear compounds. Part IX, infrared spectra of some mercury–metal carbonyl complexes, **1889**.
Chromium(II)-catalysed dissociation of monohalogenochromium(III) complexes and the effect of non-bridging ligands on electron-transfer reactions, **1504**.
Cobalt(II) and nickel(II) bisdiarsine diperchlorates and dinitrates, **1580**.
nickel(II), and copper(II) complexes of imidazole and thiazole, **757**.
rhodium(III), and iridium(III) complexes of 1,2-dithiocyanatoethane, **203**.
Colour isomerism and structure of some copper co-ordination compounds. Part XIII, crystal structure of bis-(*N*-ethylsalicylaldiminato)copper(II), **251**. Part XIV, crystal structure of chloroaquobis(ethylenediamine)copper(II) chloride, **1435**.
Composition and magnetic properties of some iron(III) 1,10-phenanthroline and bipyridyl complexes, **1561**.
Co-ordination and cleavage reactions of aluminium borohydride with ligands containing elements from Groups V and VI, **664**.
Co-ordination behaviour of various 2-pyridyl ketones. Part I, copper(II) halide and perchlorate complexes with di-2-pyridyl ketone and 2-benzoylpyridine, **2075**.
Co-ordination compounds of indium. Part V, indium thiocyanate and its addition compounds, **1187**.
Co-ordination compounds of organotin halides with 4,4′-bipyridyl, **1578**.
Co-ordination polymers of chelated heterocyclic dienols, **321**.
Crystal and molecular structure of bis(dicarbonyl-π-cyclopentadienyliron)dichlorogermane, $Cl_2Ge[\pi\text{-}C_5H_5Fe(CO)_2]_2$, **1833**.
of bis(histidino)nickel(II) monohydrate, **415**.
of bis-α-hydroxy-α-phenylbutyramidinecopper(II), **52**.
of *trans*-bis(triethylphosphine)di(phenylethynyl)nickel, **1750**.
of chloro-(*NN′*-bis-salicylidene-ethylenediamine)iron-(III) as a hexaco-ordinate dimer, **1900**.
of dichlorotris(tetrahydrofuran)-*p*-tolylchromium(III), **736**.
of *cis*-1,2-difluorovinylpentacarbonylmanganese, **89**.
of dimethyl-π-cyclopentadienyl(methylcyclopentadiene)rheniun **2001**.
of $[Pd(TPAS)Cl]ClO_3,C_6H_6$ [TPAS = *o*-phenylenebis-(*o*-dimethylarsinophenylmethylarsine)]: stereochemistry of a pentaco-ordinate palladium complex ion, **1650**.
of the pentaco-ordinate complex tricarbonyl (triphenylphosphine)-σ-tetrafluoroethylcobalt(I), **2092**.
Crystal structure and some reactions of bis(cyclo-octa-1,5-diene)iridiumtrichlorotin, **455**.
of anhydrous nitrates and their complexes. Part IV, tin(IV) nitrate, **1949**.
of bis(histidino)cadmium dihydrate, **421**.
of bis-(3-methylpentane-2,4-dionato)copper(II), **309**.
of diethyl(salicylaldehydato)thallium(III), **648**.
of potassium heptafluoroprotactinate(V) and bonding in ML_9 complexes, **1429**.
of sulphitotriamminepalladium(II), **1194**.

Complexes (*contd.*)
of trimethyl(salicylaldehydato)platinum(IV), **1955**.
of trisodium nitriloacetate monohydrate, **1708**.
Deuterium isotope effect in octahedral substitutions. Part III, liberation of chloride ions from some *cis*-chloro(amine)bis(ethylenediamine)cobalt(III) cations in neutral, acidic, and basic solutions, **2010**.
Di-2-pyridylamine complexes of iron(II), **694**.
Eight-co-ordination. Part III, ligand–ligand repulsions and crystal field stabilisation energies, **345**.
Electromeric effects during the base hydrolysis of cobalt(III)–ammine complexes, **762**.
Electronic spectra of Cu^{2+} and Fe^{2+} square planar co-ordinated by oxygen in $BaXSi_4O_{10}$, **1034**.
Electron spin resonance in some molybdenum(v) halogeno-complexes, **655**.
Europium(II) ion reduction of nitrite and nitropenta-amminecobalt(III) ions, **741**.
Fluorostannates(II): the non-transition-metal(II) derivatives of the complex tin(II) fluoride ions, **1821**.
Free energy, enthalpy, and entropy of formation for copper(II) complexes with some C(1)-substituted 1,2-diaminoethanes, **1441**.
Halogenoacetate complexes of cobalt(II), nickel(II), and copper(II), and the question of band assignments in the electronic spectra of six-co-ordinate cobalt(II) complexes, **2041**.
Heterocyclic chelating agents. Part II, metal complexes of 2-(2-pyridyl)imidazole, **1777**.
Hexahalogenometallates(III) of titanium, vanadium, and chromium, **517**.
Hydrolysis of hexaiodoplatinate(IV), **1633**.
Hydrolysis of some nitroamminecobalt(III) complexes in aqueous solution, **2089**.
Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part I, reactions of di-μ-dimethylphosphidobis(tetracarbonylmolybdenum) with phosphines and the molecular structure of one of the products, **1735**. Part II, structure of $(OC)_3Ni(PPh_2)_2Ni(CO)_3$, **1744**.
Infrared and Raman spectra of compounds containing bidentate nitrato-groups, **808**.
of some complexes between thiourea and tellurium(I), **735**.
Infrared spectra of hexahalogenometallates(IV), **100**.
of isotopically substituted nitro-, nitrito-, and nitrosyl complexes, **1144**.
palladium(II) and platinum(II) complexes of (±)-methionine, **641**.
Interaction of perfluorobutadiene with iron and cobalt carbonyls, **982**.
Interconversion reactions of binuclear complexes of cobalt, **784**.
Iodoplatinate(II) species in aqueous solution, **1318**.
Isomerisation of *cis*- and *trans*-aquonitrobis(ethylenediamine)cobalt(III) cations in aqueous solution, **1284**.
Isomerism and unusual magnetic behaviour of some benzimidazole complexes of nickel(II), **1125**.
Kinetics of reactions of ferroins [tris-1,10-phenanthroline-iron(II) complexes] having ionisable substituents, **431**.
of Schiff nase complexes of iron(II). Part II, reactions of substituted tris-[*N*-(2-pyridylmethylene)aniline] complexes with bases and with hydrogen peroxide, **955**.
Kinetics of the acid fission of substituted tris-[*N*-2-pyridylidene)aniline]iron(II) complexes, **434**.
Ligand displacement reactions. Part I, kinetics of the reaction between trimethyl phosphite and some tricarbonyl(arene)molybdenum complexes, **872**. Part II, kinetics of the reaction between trimethyl phosphite and the tricarbonyl(cycloheptatriene) complexes of chromium, molybdenum, and tungsten, **877**.
Ligand reactions. Part I, release of covalent halogen from some *cis*-aquo- and *cis*-hydroxo-(halogenoalkylamine)bis(ethylenediamine)cobalt(III) cations, **908**.
Low-frequency infrared spectra of iron(III) halide complexes, **693**.
of some phosphine-substituted Group VI metal carbonyls, **1817**.
Magnetic and spectral studies including metal–ligand vibrations of thiourea complexes of some salts of bivalent metals with oxyanions, **1718**.
on tungsten(v) chloride and bromide and several oxyhalide complexes of molybdenum(v) and tungsten(v), **1825**.
Magnetic moments of some nickel ethylenediamine complexes, **728**.
Magnetic susceptibility of some tetrahedral tetrahalogenoferrate(II) complexes, **1802**.
Mass spectra of inorganic molecules. Part I, some bridged nitrosyl complexes of iron and cobalt, **338**. Part II, some polynuclear-metal carbonyls, **341**. Part IV, some phosphorus-bridged compounds of chromium, molybdenum, tungsten, manganese, and iron, **1445**.
Mechanism and steric course of octahedral aquation. Part IX, stereoretentive aquation, anation, and base hydrolysis of the *trans*-dichloro-(1,4,8,11-tetra-azacyclotetradecane)cobalt(III) cation and its solvento-derivatives, **2069**.
Mechanism of octahedral substitutions in non-aqueous media. Part IV, rates of replacement reactions in *trans*-chloroammine- and *cis*-chloroaquo-bis(ethylenediamine)cobalt(III) ions in alcoholic solutions, **110**.
Metal derivatives of conjugated dienes. Part III, some cyclohexa- and cyclohepta-dienyliron compounds, **240**.
Metal–ligand and frequencies in the spectra of tin complexes with triphenylphosphine oxide and triphenylarsine oxide, **792**.
Metal–ligand vibrations: far-infrared spectra of some *cis*- and *trans*-platinum(IV) complexes, **1009**.
Metal–sulphur vibrations. Part I, far-infrared spectra of some complexes of thiourea and ethylenethiourea (imidazolidine-2-thione), **884**.
Mixed halogeno- and nitrato-chloro-complexes of trinuclear rhenium(III), **113**.
Mixed ligand complex formation by copper(II) ion, **1755**.
Mössbauer spectra of iron(III) diketone complexes, **1966**.
and bonding of some hexaco-ordinate compounds of tin(IV), **1679**.
Molecular-orbital theory of organometallic compounds. Part IX, metal–hydrogen bond in complex hydrides of the transition metals, **1793**.
Nuclear magnetic resonance studies on metal complexes. Part V, dimethylphenylphosphine and dimethylphenylarsine complexes of rhodium(III), **1079**.
Octahedral cobalt(III) complexes of the chloropentammines type. Part VII, role of halogenoalkylamines as influencing ligands in hydrolytic reactions of the bis(ethylenediamine)cobalt(III) system, **288**. Part VIII,

Complexes (*contd.*)
temperature-dependence of activation energies in the hydrolysis of chloropentammine-, *cis*-chloroamminebis-(ethylenediamine)- and *cis*-chlorotriethylenetetramine-cobalt(III) cations, **291**. Part IX, acid hydrolysis of *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) nitrate, **573**. Part X, effect of replacing chlorine by bromine on the reactivity of some *cis*-chloroaminebis-(ethylenediamine)cobalt(III) cations, **1568**. Part XI, preparation, properties, and reactions of some chloro-aminebis(ethylenediamine)cobalt(III) salts containing unidentate aminoalkanols as influencing ligands, **1730**.
One-equivalent reactions in the reduction of the decammine-μ-amidodicobalt(III) complex with vanadium, **795**.
Optically active co-ordination compounds. Part XII, some mixed complexes of L-amino-acids and ethylenediamine with cobalt(III), **1657**.
Orbital splittings for some high-spin tetragonal complexes of iron(II) from Mössbauer and electronic spectra, **349**.
Organometallic intermediates. Part II, preparation and structure of some diphenylcyclopropenone complexes, **1004**.
Organosilyl and organogermyl complexes of platinum(II), **1066**.
Oxidation of some phosphine-substituted chromium carbonyls, **1007**.
Potassium pentachlorohydroxytechnetate(IV), **1423**.
Preparation and magnetic properties of some oxy-bridged binuclear iron(III) Schiff-base complexes, **1014**.
reactions of trihalogeno(alkanonitrile)bis(triphenylphosphine)rhenium(III) complexes, **993**.
spectroscopic studies of some compounds with $M(NO_2)_4^{2-}$ anions, **612**.
aquation, and hydrogen exchange of the chloropentakis(methylamine)cobalt(III) ion, **583**.
infrared spectra, and magnetic properties of some ruthenium(II), ruthenium(III), and osmium(III) complexes, **1366**.
properties, and reactions of *trans*-chloro- and *trans*-bromo-isothiocyanatobis(±-propylenediamine)-cobalt(III) cations, **607**.
Properties of nitritobis(ethylenediamine)nickelate(II) halides, **952**.
Proton magnetic resonance and mass spectra of some isoleptic transition-metal π-allyl complexes, **423**.
Raman spectra of complex anions of formula MX_4^{n-} where M is Au^{III}, Pt^{II}, or Pd^{II}, and X is a halogen atom, **1298**.
Raman spectrum and structure of indium trichloride–bis(diethyl ether), **1462**.
Reaction of cobalt halides with *N*-arylsalicylideneimines, **804**.
nitric oxide with cobalt(II) ammine complexes and other reducing agents, **943**.
potassium pentacyanocobaltate(II) with hydrogen, **800**.
Reduction of some platinum(IV) complexes by iodide and thiosulphate ions, **1944**.
Relationships in the Co-ordination chemistry of organoaluminium compounds. Reaction of dialkylaluminium halides with donor molecules. **7**.
Rhenium trioxide nitrate, **1449**.
Signs of spin–spin coupling constants in square planar complexes of platinum(II), **1922**.
Site of co-ordination in boron trihalide adducts of ureas and thioureas, **511**.
Skeletal stretching frequencies of some bridged platinum and palladium chloro-complexes, **1897**.
Some bis-π-cyclopentadienyl halides of molybdenum, tungsten, and rhenium, **1155**.
Some bis-π-cyclopentadienyl-molybdenum and -tungsten complexes with sulphur or oxygen ligands, **1455**.
Some observations concerning trioxalatocobaltate(III), **298**.
Some penta- and hexa-co-ordinate complexes of iron(II) with a tetratertiary phosphine, **627**.
Spectra of octahedral [iron] *cis–trans*-isomers and related compounds. Mössbauer effect and chemistry. Part I, **525**.
Spectrophotometric investigation of the aquomanganese(III) ion in perchlorate media, **1858**.
Spectroscopic studies of inorganic fluoro-complexes. Part I, ^{19}F nuclear magnetic resonance and vibrational spectra of hexafluorometallates of Groups IVA and IVB, **698**.
Stability constants of polynuclear mercaptoacetate complexes of nickel and zinc, **82**.
Standard heat of formation of tris(acetylacetonato)chromium(III) at 25° and the metal–oxygen bond energy, **1413**.
Stereochemistry of metal complexes as an indication of *f*-orbital participation in the metal–ligand bonding, **688**.
of the reaction of bicyclo[2,2,1]heptadienepalladium chloride with methoxide anions, **2054**.
Strength of the platinum–carbon σ-bond in the complex $(Et_3P)_2PtPh_2$, **930**.
Structures of cobalt(II) complexes with quadridentate Schiff bases, **1310**.
Studies on some π-cyclopentadienyl halides of molybdenum and tungsten, **686**.
some substituted methyl derivatives of iron, molybdenum, and tungsten, **1508**.
transition-metal peroxy-complexes. Part V, peroxyoxalates, **590**.
Synthesis and characterisation of diacidobis(ethylenediamine)ruthenium(III) complexes and related compounds, **546**.
Thermal substitution reactions of iodotricarbonyl-π-cyclopentadienylmolybdenum(II), **1984**.
Thermodynamic considerations in co-ordination. Part I, mathematical approach to stepwise enthalpic titrations, by use of a computer, **729**. Part II, protonations of 1,2-diaminoethane, 1,3-diaminopropane, 4(5)-aminomethylimidazole, 4(5)-2′-aminoethylimidazole, 2-aminomethylpyridine, and 2-2′aminoethylpyridine, **1256**. Part III, copper(II) and nickel(II) complexes of 1,2-diaminoethane, 1,3-diaminopropane, 4(5)-aminomethylimidazole, 4(5)-2′-aminoethylimidazole, 2-aminomethylpyridine, and 2-2′-aminoethylpyridine, **1702**.
Titanium(III) ion as a reductant [for cobalt(III) ammine complexes] in electron-transfer reactions, **301**.
Transition metal–carbon bonds. Part VIII, methyl derivatives of iridium(III) containing dimethylphenylphosphine or dimethylphenylarsine as ligands, **1047**. Part IX, oxidative addition reactions of cyclo-octene-iridium(I) complexes, **1683**. Part X, reactions between allylic palladium halides and tertiary phosphines, triphenylarsine, triphenylstibine, or carbon monoxide,

XUM

Complexes (*contd.*)
1839. Part XI, a crotyl–butadiene complex of iridium(III), **1972.**
Transition-metal nitrosyl compounds: dibromodinitrosylmolybdenum, dibromodinitrosyltungsten, di-iododinitrosylmolybdenum, and some of their derivatives, **475.**
Vibrational, electronic, and Mössbauer spectra of some complexes of iron(II) with tri- and di-2-pyridylamine, **1671.**
Vibrational spectra of co-ordination compounds of formula *trans*-MX_2Y_2. Part III, low-frequency vibrations of Group VIII complexes where X = Cl, Br, and I, and Y = Me_2S, Me_2Se, and Me_2Te, **1325.**
of halides and complex halides. Part I, hexahalogenoplatinates, **1666.** Part II, hexa-chlorostannates and -plumbates, **1669.** Part III, hexahalogenotellurates, **2067.**
metaphosphates, meta-arsenates, and metavanadates, **905.**
of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, **712.**
of some chloro-complexes of sulphur, selenium, and tellurium in the (4+) oxidation state, **984.**
Visible and ultraviolet spectra of trigonal bipyramidal complexes of d^6-, d^7-, and d^8-metal ions, **540.**
X-Ray crystallographic determination of the structure of di-[3-methyl-1(or 5)-phenyl-5(or 1)-*p*-tolylformazyl]-nickel(II), **278.**
Copper, bis-α-hydroxy-α-phenylbutyramidine-, crystal and molecular structure of, **52.**
–halogen stretching frequencies, **620.**
Addition compounds of triphenylphosphine sulphide with mercury(II) and copper(I) halides, **359.**
Charge transfer in mixed-valence solids. Part I, crystal spectra of chlorocuprates(I, II), **1045.**
Colour isomerism and structure of some copper co-ordination compounds. Part XIII, crystal structure of bis-(*N*-ethylsalicylaldiminato)copper(II), **251.** Part XIV, crystal structure of chloroaquobis(ethylenediamine)-copper(II) chloride, **1435.**
Co-ordination behaviour of various 2-pyridyl ketones. Part I, copper(II) halide and perchlorate complexes with di-2-pyridyl ketone and 2-benzoylpyridine, **2075.**
Copper(II) and nickel(II) complexes of 1,2-diaminoethane, 1,3-diaminopropane, 4(5)-aminomethylimidazole, 4(5)-2′-aminoethylimidazole, 2-aminomethylpyridine, and 2-2′-aminoethylpyridine, **1702.**
Copper(II) complexes of thiosemicarbazide, **396.**
nickel(II), and cobalt(II) complexes of imidazole and thiazole, **757.**
nitrate, anhydrous, as an oxidising agent, **296.**
Crystal structure of bis-(3-methylpentane-2,4-dionato)-copper(II), **309.**
Free energy, enthalpy, and entropy of formation for copper(II) complexes with some C(1)-substituted 1,2-diaminoethanes, **1441.**
Mixed ligand complex formation by copper(II) ion, **1755.**
Transition-metal complexes of the 1,2-dipyridylethylene isomers. Part I, copper(II), nickel(II), and cobalt(II) derivatives of the symmetrically substituted isomers, **963.**
Crystallography. Addition compounds of triphenylphosphine sulphide with mercury(II) and copper(I) halides, **358.**
Complexes of mercury. Part III, *X*-ray analysis of dichlorobis-(1,4-thioxan)mercury(II), **271.**
Crystal and molecular structure of ammonium vanadyl-(+)-tartrate monohydrate, **1312.**
of bis(dicarbonyl-π-cyclopentadienyliron)dichlorogermane, $Cl_2G_2[\pi\text{-}C_5H_5Fe(CO)_2]_2$, **1833.**
of bis(histidino)nickel(II) monohydrate, **415.**
of bis-α-hydroxy-α-phenylbutyramidinecopper(II), **52.**
of *NN*′-bis(salicylideneiminato)iron(III) chloride as a five co-ordinate monomer, **1598.**
of *trans*-bis(triethylphosphine)di(phenylethynyl)nickel, **1750.**
of chloro-(*NN*′-bis-salicylidene-ethylenediamine)iron(III) as a hexaco-ordinate dimer, **1900.**
of dichlorotris(tetrahydrofuran)-*p*-tolylchromium(III), **736.**
of *cis*-1,2-difluorovinylpentacarbonylmanganese, **89.**
of dimethyl-π-cyclopentadienyl(methylcyclopentadiene)rhenium, **2001.**
of nitrilotrimethylene triphosphonic acid, **212.**
of $[Pd(TPAS)Cl]ClO_3,C_6H_6$ [TPAS = *o*-phenylenebis-(*o*-dimethylarsinophenylmethylarsine)]: stereochemistry of a pentaco-ordinate palladium complex ion, **1650.**
of tetrakis[tetracarbonyliron]tin $Sn[Fe(CO)_4]_4$, **382.**
of the adduct of mercury dimethoxide and phenyl isothiocyanate, **1552.**
of the 8-hydroxyquinoline chloranil complex. Molecular complexes. Part VII, **469.**
of the tricarbonylchromium derivative of methyl benzoate. Metal–carbonyl and metal–nitrosyl complexes. Part V, **1619.**
of tricarbonylchromium-*o*-toluidine. Metal–carbonyl and metal–nitrosyl complexes. Part IV, **228.**
of the pentaco-ordinate complex of tricarbonyl(triphenylphosphine)-σ-tetrafluoroethylcobalt(I), **2092.**
of triphenylphosphoranylidenethioketen, **1913.**
of triphenyltin tetracarbonyltriphenylphosphinemanganese. Metal–metal bonding in co-ordination complexes. Part I, **172.** Part II, crystal structure of $\mu\mu'$ (*cis*-stilbene-α,β-dithiolato)-bis(tricarbonyliron), **182.** Part III, crystal structure of cyclopentadienyldicarbonyliron triphenyltin, **192.**
Crystals, mixed liquid: additive terminal effect of terminal polar groups in Schiff bases, **1473.**
Crystal structure and some reactions of bis(cyclo-octa-1,5-diene)iridiumtrichlorotin, **455.**
of aluminosiloxanes: *X*-ray analysis of dibromotrimethylsiloxyaluminium, **1786.**
of anhydrous nitrates and their complexes. Part IV, tin(IV) nitrate, **1949.**
of bis-(*N*-ethylsalicylaldiminato)copper(II). Colour isomerism and structure of some copper co-ordination compounds. Part XIII, **251.**
of bis(histidino)cadmium dihydrate, **421.**
of bis-(3-methylpentane-2,4-dionato)copper(II), **309.**
of bis(dithiobenzil)nickel, **1264.**
of chloroaquobis(ethylenediamine)copper(II) chloride. Colour isomerism and structure of some copper co-ordination compounds, **1435.**
of 2-chloro-1,3-dithia-2′-stibacyclopentane, **221.**
of 1-(*p*-chlorophenyl)-5-isopropylbiguanide hydrochloride (" Paludrine "), **60.**
of α,4-dibromo-α-(4-methyl-2-nitrophenylazo)acetanilide, **405.**

Crystallography (*contd.*)
of diethyl(salicylaldehydato)thallium(III), 648.
of β-dimethyltellurium di-iodide, 2018.
of gold trifluoride, 478.
of $Me_2AsC{=}C(AsMe_2)\cdot CF_2\cdot CF_2[Fe(CO)_3]_2$, 824.
of molecular inclusion compounds of tris(*o*-phenylenedioxy)phosphonitrile trimer, 817.
of potassium fluorosulphate, 2024.
of potassium heptafluoroprotactinate(v) and bonding in ML_9 complexes, 1429.
of sulphitotriamminepalladium(II), 1194.
of the acid salts of some dibasic acids. Part I, neutron-diffraction study of ammonium (and potassium) tetroxalate, 1862.
of the acid salts of some monobasic acids. Part XI, rubidium hydrogen diaspirinate(bisacetylsalicylate), 968. Part XII, potassium hydrogen diaspirinate (bisacetylsalicylate), 971.
of 1,2,4-trichloro-3,5,6-trimethylbenzene, 2032.
of trimethyl(salicylaldehydato)platinum(IV), 1955.
of triphenylstannoxytetraphenylcyclopentadienyl tricarbonylmanganese, 843.
of trisodium nitriloacetate monohydrate, 1708.
of $[XeF_5]^+[PtF_6]^-$, 1190.
Eight-co-ordination. Part III, ligand–ligand repulsions and crystal field stabilisation energies, 345.
Intracrystalline sorption of sulphur and phosphorus by some porous crystals, 13.
Optically active organometallic compounds. Part I, absolute configuration of (−)-1,1′-dimethylferrocene-3-carboxylic acid by *X*-ray analysis of its quinidine salt, 365.
Protactinium(IV) halides, 719.
X-Ray crystallographic determination of the structure of di-[3-methyl-1(or 5)-phenyl-5(or 1)-*p*-tolylformazyl]nickel(II), 278.
X-Ray diffraction determination of the structure of *N*-ethyl-2,2,4,4,6,6-hexaphenyl-3-azacyclotrisiloxane, 1517.
X-Ray, infrared, and magnetic studies of α- and β-ruthenium trichloride, 1038.
X-Ray single-crystal and powder diffraction results for cæsium heptafluoroprotactinate(v), 1979.
structure of 2-biphenylferrocene, 1379.
of 1,5-diphenyltricyclo[2,1,0,$0^{2,5}$]pent-3-yl *p*-bromobenzoate, 2027.
of cæsium and rubidium difluorophosphates, 1383.
Cryoscopy. Cryoscopic and conductimetric measurements on the system H_2SO_4–SO_3 and solutions of some metal sulphonates. Disulphuric acid solvent system. Part I, 1994.
salt: the depression of the sodium sulphate decahydrate transition temperature by dissolved solutes, 1974.
Studies of the polyanions and polycations by Glauber's-salt cryoscopy. Part II, polycations of uranium, 915. Part III, polyanions of chromium and their equilibrium processes, 1541.
Cyclic compounds. Thermal unimolecular decomposition of 3-methylcyclohexa-1,4-diene, 1800.

D

Degradation of molecular vibrational energy in wall collisions, 1804.
Dielectric properties of lead iodide, 295.
Diffusion. Interdiffusion of gases in cylindrical mixing vessels, 261.

E

Electrochemistry. Autoprotolysis constants of ethylene glycol–water mixtures at different temperatures and related thermodynamic quantities, 166.
Conductimetric studies in ketonic solvents. Part V, quaternary ammonium salts in ethyl methyl ketone, 1093.
Dielectric studies. Hydrogen bonding in some adducts of oxygen bases with acids. Part III, 48.
Liquid hydrogen chloride solvent system. Part IX, oxidation of some phosphorus(III) compounds, 1096.
Measurement of solvent isotope effects with the glass electrode. Part I, ionic product of D_2O and D_2O–H_2O mixtures, 936.
Modification of the diaphragm cell technique for measurement of the diffusing coefficient of an electroactive species in the presence of supporting electrolyte, 1076.
Polarography and coulometry of the electro-oxidation of monohalogenated 9,10-dihydroxyanthracenes, 1.
Potentiometric studies on solubilisation in non-ionic micellar solutions. Part II, solubilisation of benzoic acid and the hydroxybenzoic acids and location of the solubilisates, 561.
Precise standard pH values from 0 to 60°, 1205.
Salt effects on equilibria involving ions of like charge, 169.
Standard potentials of silver–silver bromide electrode in ethylene glycol–water mixtures at different temperatures and related thermodynamic quantities, 161.
Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part VII, standard e.m.f.s of the cell $H_2|HX|AgX$–Ag (X = Br or I) in 20·22, 33·40, 50·00, 68·33, and 90·00% (w/w) methanol–water mixtures at 25°; the behaviour of hydrogen electrodes in these media, 1458.
Study of Pd^{2+}(aq) hydrolysis: hydrolysis constants and the standard potential for the Pd,Pd^{2+} couple, 1301.
Ethers, imino-. Spectroscopic studies. Part VIII, infrared spectra and structure of methyl acetimidate and methyl acetimidate hydrochloride, 1102.

G

Gallium. Azomethine derivatives. Part III, reactions between diphenylketimine and trimethylgallium, triethylgallium, and triphenylgallium, 1608.
Comparative study of some molecular addition compounds of Group IIIB elements. Part I, metal–oxygen bond in some addition compounds of aluminium and gallium trihalides with ethers, 1244. Part II, metal–sulphur bond in some addition compounds of aluminium and gallium trihalides with organic sulphides, 1248.
Reactions between organogallium compounds and nitriles, 1222.
Vibrational spectrum of Ga_2Cl_6, 702.
Gels. Sorption of sulphur dioxide on silica gel, 1021.
Germanium dioxide, tetragonal, entropy of, 560.
Alkylation of germanium halides by aluminium alkyls, 623.

XUM

Germanium (*contd.*)
Crystal and molecular structure of bis(dicarbonyl-π-cyclopentadienyliron)dichlorogermane, $Cl_2Ge[\pi\text{-}C_5H_5Fe(CO)_2]_2$, **1833**.
Germyl chemistry. Part I, convenient synthesis of germyl iodide and di-iodogermane, **12**.
Heats of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, **1132**.
Organosilyl and organogermyl complexes of platinum(II) **1066**.
Studies in germyl chemistry. Part II, exchange reactions of silyl and germyl halides, **1226**. Part III, trigermylphosphine, **1229**.
Vibration spectra of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, **712**.
Gold, trifluoride, crystal structure of, **478**.

H

Hepta-1,2,6-triene, thermal unimolecular isomerisation of, **26**.
Heterocyclic chelating agents. Part II, metal complexes of 2-(2-pyridyl)imidazole, **1777**.
nitrogen compounds. Theoretical interpretation of protonation and hydration reactions for the quinazolines, **1626**.
Hydrazine. Thermochemistry of some reactions of aqueous hydrazine. Part II, KIO_3 and HIO_3, **269**.
Hydrogen bonding in some adducts of oxygen bases with acids. Part III, dielectric studies, **48**.
Hydrolysis of phosphorus sulphides: tetraphosphorus decasulphide and tetraphosphorus tetrasulphide hexaoxide, **1721**.
study of $Pd^{2+}(aq)$: hydrolysis constants and the standard potential for the Pd,Pd^{2+} couple, **1301**.

I

Indium, co-ordination compounds of. Part V, indium thiocyanate and its addition compounds, **1187**.
trichloride–bis(diethyl ether), Raman spectrum and structure of, **1462**.
Complexes of indium(III) chloride with bidentate and terdentate nitrogen donors, **1485**.
Inorganic compounds, cyclic. Part III, hexameric bromophosphonitrile, **1566**. Part IV, mass spectra of some bromophosphonitriles, **1568**.
Ion-exchange. Selectivity of carboxylic ion-exchange resin for lanthanide ions, **306**.
Iridium. Crystal structures and some reactions of bis(cyclo-octa-1,5-diene)iridiumtrichlorotin, **455**.
Halogenocarbonyl complexes of iridium(I) containing tertiary phosphines and tertiary arsines, **604**.
Iridium(III), rhodium(III), and cobalt(II) complexes of 1,2-dithiocyanatoethane, **203**.
Transition metal–carbon bonds. Part VIII, methyl derivatives of iridium(III) containing dimethylphenylphosphine or dimethylphenylarsine as ligands, **1047**. Part IX, oxidative addition reactions of cyclo-octeneiridium(I) complexes, **1683**. Part XI, a crotyl–butadiene complex of iridium(III), **1972**.
Iron. Chemistry of the metal carbonyls. Part XXXIX, organotin(carbonyl)iron complexes, **264**.
Composition and magnetic properties of some iron(III) 1,10-phenanthroline and bipyridyl complexes, **1561**.
Crystal and molecular structure of bis(dicarbonyl-π-cyclopentadienyliron)dichlorogermane, $Cl_2Ge[\pi\text{-}C_5H_5Fe(CO)_2]_2$, **1833**.
of *NN'*-bis(salicylideneiminato)iron(III) chloride as a five co-ordinate monomer, **1598**.
of chloro-(*NN'*bis-salicylidene-ethylenediamine)iron-(III) as a hexaco-ordinate dimer, **1900**.
of tetrakis[tetracarbonyliron]tin $Sn[Fe(CO_4)]_4$, **382**.
Crystal structure of $Me_2AsC{=}C(AsMe_2)\cdot CF_2\cdot CF_2[Fe(CO)_3]_2$, **824**.
Di-2-pyridylamine complexes of iron(II), **694**.
Effect of magnesia on the formation of magnetite from aqueous solution, **576**.
Influence of ethylene on the radiolytic oxidation of ferrous sulphate, **778**.
Interaction of perfluorobutadiene with iron and cobalt carbonyls, **982**.
kinetics of reactions of ferroins having ionisable substituents, **431**.
of Schiff base complexes of iron(II). Part II, reactions of substituted tris-[*N*-(2-pyridylmethylene)aniline] complexes with bases and with hydrogen peroxide, **955**.
Kinetics of the acid fission of substituted tris-[*N*-(2-pyridylidene)aniline]iron(II) complexes, **434**.
Low-frequency infrared spectra of iron(III) halide complexes, **693**.
Magnetic susceptibility of some tetrahedral tetrahalogenoferrate(II) complexes, **1802**.
Mass spectra of inorganic molecules. Part I, some bridged nitrosyl complexes of iron and cobalt, **338**.
Metal derivatives of conjugated dienes. Part III, some cyclohexa- and cyclohepta-dienyliron compounds, **240**.
Mössbauer spectra of iron(III) diketone complexes, **1966**.
of some phosphorus- and sulphur-bridged derivatives of di-iron enneacarbonyl, **1663**.
Optically active organometallic compounds. Part I, absolute configuration of (−)-1,1'-dimethylferrocene-3-carboxylic acid by *X*-ray analysis of its quinidine salt, **365**.
Orbital splittings for some high-spin tetragonal complexes of iron(II) from Mössbauer and electronic spectra, **349**.
Preparation and magnetic properties of some oxy-bridged binuclear iron(III) Schiff-base complexes, **1014**.
Sintering of trigonal iron(III) oxide at low temperatures, **1631**.
Some penta- and hexa-co-ordinate complexes of iron(II) with a tetratertiary phosphine, **627**.
Structure of 2-biphenylylferrocene, **1379**.
Studies on some substituted derivatives of iron, molybdenum, and tungsten, **1508**.
Transformation of finely divided cubic to trigonal iron(III) oxide, **594**.
Vibrational, electronic, and Mössbauer spectra of some complexes of iron(II) with tri- and di-2-pyridylamine, **1671**.
Isotopes. Mass and abundance data for polyisotopic elements, **40**.
effects. Measurement of solvent isotope effects with the glass electrode. Part I, ionic product of D_2O and D_2O–H_2O mixtures, **936**.

K

Keten, unimolecular photodissociation of, 466.

Kinetics and mechanism of the acid-catalysed decomposition of the 4-pyridiomethylpentacyanocobaltate(III) ion. σ-Bonded organotransition-metal ions. Part IV, 491.

of acid fission of substituted tris-[*N*-(2-pyridylidene)-aniline]iron(II) complexes, 434.

of disproportionation–combination reactions between the isopropoxyl radical and nitric oxide, and of the pyrolysis of the O–O bond in di-isopropyl peroxide, 894.

of reactions of ferroins having ionisable substituents, 431.

of reactions of Schiff base complexes of iron(II). Part II, reactions of substituted tris-[*N*-(2-pyridylmethylene)-aniline] complexes with bases and with hydrogen peroxide, 955.

of the reaction between nitrous acid and sulphamic acid, 902.

of the reaction between trimethyl phosphite and some tricarbonyl(arene)molybdenum complexes. Ligand displacement reactions. Part I, 872. Part II, kinetics of the reaction between trimethyl phosphite and the tricarbonyl(cycloheptatriene) complexes of chromium, molybdenum, and tungsten, 877.

stereoselectivity and absolute configuration in some complexes of cobalt(III). Optically active co-ordination compounds. Part X, 1469.

Acid-catalysed reactions of transition-metal complexes. Part V, mechanism of the acid-catalysed aquations of a series of *cis*- and *trans*-diacidobisethylenediaminecobalt(III) salts, 45.

Adducts of co-ordination compounds. Part V, an intermediate in acid-catalysed aquation of a nitro-complex, 2078.

Association of hydroxide ion with tris(ethylenediamine)-cobalt(III) and tris(ethylenediamine)chromium(III) cations in dioxan–water and dioxan–deuterium oxide mixtures, 2103.

Chromium(III)-catalysed dissociation of monohalogenochromium(III) complexes and the effect of non-bridging ligands on electron-transfer reactions, 1504.

Deuterium isotope effect in octahedral substitutions. Part III, liberation of chloride ions from some *cis*-chloro(amine)bis(ethylenediamine)cobalt(III) cations in neutral, acidic, and basic solutions, 2010.

trans-Effect in octahedral complexes. Part II, anation reactions of some *trans*-Rh $en_2L(OH_2)^{2+}$ complexes, 205.

Effect of halide ions on the $Hg \rightleftharpoons {}^{203}Hg$ exchange reaction between air and aqueous solution, 545.

Electromeric effects during the base hydrolysis of cobalt(III)–ammine complexes, 762.

Europium(II) ion reduction of nitrite and nitropentaamminecobalt(III) ions, 741.

Hydrogen-abstraction reactions from silanes. Part II, reactions of methyl radicals with trifluorosilane, trimethylsilane, dimethyldichlorosilane, and trimethylchlorosilane, 134.

Hydrolysis of hexaiodoplatinate(IV), 1633.

of some nitroamminecobalt(III) complexes in aqueous solution, 2089.

of the phosphorus sulphides: tetraphosphorus decasulphide and tetraphosphorus tetrasulphide hexaoxide, 1721.

Interdiffusion of gases in cylindrical mixing vessels, 261.

Intracrystalline sorption of sulphur and phosphorus by some porous crystals, 13.

Isomerisation of *cis*- and *trans*-aquonitrobis(ethylenediamine)cobalt(III) cations in aqueous solution, 1284.

Ligand reactions. Part I, release of covalent halogen from some *cis*-aquo- and *cis*-hydroxo-(halogenoalkylamine)bis(ethylenediamine)dobalt(III) cations, 908.

Limitation to the diagnostic use of thermodynamic measurements to the detection of dissociative equilibria, 80.

Mechanism and steric course of octahedral aquation. Part IX, stereoretentive aquation, anation, and base hydrolysis of the *trans*-dichloro-(1,4,8,11-tetra-azacyclotetradecane)cobalt(III) cation and its solvento-derivatives, 2069.

Mechanism of octahedral substitutions in non-aqueous media. Part IV, rates of replacement reactions in *trans*-chloroammine- and *cis*-chloroaquo-bis(ethylenediamine)cobalt(III) ions in alcoholic solutions, 110.

Mechanisms of photochemical reactions in solution. Part I, ultraviolet photolysis of diphenylacetylene, 116.

Octahedral cobalt(III) complexes of the chloropentammine type. Part VII, role of halogenoaklylamines as influencing ligands in hydrolytic reactions of the bis-(ethylenediamine)cobalt(III) system, 288. Part VIII, temperature-dependence of activation energies in the hydrolysis of chloropentammine-, *cis*-chloroamminebis-(ethylenediamine)- and *cis*-chlorotriethylenetetraminecobalt(III) cations, 291. Part IX, acid hydrolysis of *cis*-chlorohydroxylaminebis(ethylenediamine)cobalt(III) nitrate, 573. Part X, effect of replacing chlorine by bromine on the reactivity of some *cis*-chloroaminebis-(ethylenediamine)cobalt(III) cations, 1586.

One-equivalent reactions in the reduction of the decammine-μ-amidodicobalt(III) complex with vanadium(II), 795.

Oxidation of ethanol by hydrogen peroxide. Part I, catalysis by ferric ion, 1409.

Polarity effects in the radiolysis of n-alcohols, 28.

Preparation, aquation, and hydrogen exchange of the chloropentakis(methylamine)cobalt(III) ion, 583.

Preparation, properties, and reactions of *trans*-chloro- and *trans*-bromo-isothiocyanatobis(±-propylenediamine)cobalt(III) cations, 607.

Radiation chemistry of 6M-sulphuric acid, 33.

Reaction of methylene with hydroxyl groups, 897.

Reaction of potassium pentacyanocobaltate(II) with hydrogen, 800.

Reactions of alkyl radicals. Part XII, additions of methyl, ethyl, and isopropyl radicals to allene, 979. Part XIII, additions of methyl, isopropyl, and t-butyl radicals to propyne and the isomerisation of alkenyl radicals, 1360.

of cobalt(III) complexes. Part I, a possible mechanism for base hydrolysis and other reactions of cobalt(III) complexes, 917.

of difluoroamino-radicals. Part III, addition to olefins, 105. Part IV, addition to vinyl halides, 864.

of halogenoaliphatic acids with free radicals in aqueous solution. Part I, reactions with hydrogen atoms, 834. Part II, reactions with aliphatic free radicals, 837. Part III, reactions with inorganic free radicals, 841.

Kinetics (*contd.*)
of metal complexes in solution. Part III, acid-catalysed aquation of *trans*-dinitrobis-(αα-bipyridyl)-cobalt(III) nitrate and the *trans–cis*-isomerisation of the nitroaquobis-(αα-bipyridyl)cobalt(III) ion, **1796**.
Relation of total volume to total surface area for a suspension of particles undergoing dissolution, **1060**.
Salt effects on rates of alkaline fading of sulphonphthalein dye ions, **630**.
Solutions of selenic acid. Part III, correlation of acidities (H_0) of aqueous selenic and sulphuric acids, **142**.
Studies in germyl chemistry. Part II, exchange reactions of silyl and germyl halides, **1226**.
Thermal decomposition of hexammine nickel perchlorate, **1705**.
of nickel terephthalate and nickel salts of other carboxylic acids, **1174**.
of oxalates. Part VIII, thermogravimetric and *X*-ray analysis study of the decomposition of aluminium oxalate, **448**. Part IX, thermal decomposition of the oxalate complexes of iron, **451**.
of salts of mellitic acid. Part III, chromic, manganous, cupric, and zinc mellitates, **1167**.
Thermal substitution reactions of iodotricarbonyl-π-cyclopentadienylmolybdenum(II), **1984**.
Thermal unimolecular isomerisation of hepta-1,2,6-triene, **26**.
Thermal unimolecular decomposition of 1-methylcyclohexa-1,4-diene, **509**.
of 3-methylcyclohexa-1,4-diene, **1800**.
Titanium(III) ion as a reductant in electron-transfer reactions, **301**.
Trapped electrons produced by the deposition of alkali-metal atoms on ice and solid alcohols at 77°K. Part II, chemical reactions during thermal and photolytic bleaching, **1399**.
Unimolecular photodissociation of keten, **466**.

L

Lanthanum. Selectivity of carboxylic ion-exchange resin for lanthanide ions, **306**.
Lead iodide, dielectric properties of, **295**.
Mass spectra of organo-stannanes and -plumbanes, **1759**.

M

Magnesium, amino-alkyl-, complexes: evidence for three-co-ordinate magnesium, **56**.
Studies on Grignard reagents. Part I, fluorine nuclear magnetic resonance spectra of fluoroaryl Grignard reagents, **1643**. Part II, *NNN'N'*-tetraethylethylenediamine Grignard adducts, **1648**.
Magnetic and spectral studies including metal–ligand vibrations of thiourea complexes of some salts of bivalent metals with oxyanions, **1718**.
and spectral studies on tungsten(v) chloride and bromide and several oxyhalide and halide complexes of molybdenum(v) and tungsten(v), **1825**.
behaviour of cubic field $^5T_{2g}$ terms in lower symmetry, **442**.
infrared, and *X*-ray studies of α- and β-ruthenium trichloride, **1038**.
moments of some nickel ethylenediamine complexes, **728**.
properties and composition of some iron(III) 1,10-phenanthroline and bipyridyl complexes, **1561**.
and preparation of some oxy-bridged binuclear iron(III) Schiff-base complexes, **1014**.
of copper(II)–biuret complexes. Transition-metal complexes of biuret and related ligands. Part II, **669**.
of some vanadium(IV) complexes, **1330**.
susceptibility of some tetrahedral tetrahalogenoferrate(II) complexes, **1802**.
properties. A simple Gouy–Rankine balance for measuring magnetic susceptibilities of solid paramagnetic substances, **1670**.
Magnetism and spectra of some octahedral vanadium(III) complexes, **1498**.
Manganese, *cis*-1,2-difluorovinylpentacarbonyl-, crystal and molecular structure of, **89**.
Crystal structure of triphenylstannoxytetraphenylcyclopentadienyltricarbonylmanganese, **843**.
Mass spectroscopic study of some manganese pentacarbonyl derivatives, **1936**.
^{55}Mn nuclear magnetic resonance spectra of alkyl- and acyl-manganesepentacarbonyls and related compounds, **154**.
Molten potassium thiocyanate : reactions with compounds of manganese, **352**.
Polynuclear organoselenium derivatives of manganese and rhenium carbonyl, **2014**.
Spectrophotometric investigation of the aquomanganese(III) ion in perchlorate media, **1858**.
Mercury, complexes of. Part III, *X*-ray analysis of dichlorobis-(1,4-thioxan)mercury(II), **271**. Part IV, crystal and molecular structure of the adduct of mercury dimethoxide and phenyl isothiocyanate, **1552**.
halide–cobalt and rhodium compounds, **1547**.
Addition compounds of triphenylphosphine sulphide with mercury(II) and copper(I) halides, **358**.
Chemistry of polynuclear compounds. Part IX, infrared spectra of some mercury–metal carbonyl complexes, **1889**.
Complex formation in dimethyl sulphoxide. Part II, mercuric iodide and potassium iodide, **1964**.
Effect of halide ions on the $Hg \rightleftharpoons {}^{203}Hg$ exchange reaction between air and aqueous solution, **545**.
Interaction of tin(II) halides with compounds having mercury–metal bonds, **932**.
Methane. Infrared intensities of the ν_3 bands of methane, nitrous oxide, and acetylene, **374**.
Methylation of reactive boron–halogen compounds with tetramethyl-lead, **889**.
Minerals, soil, chemistry of. Part IV, synthetic alkylammonium montmorillonites and hectorites, **1523**.
Hydrothermal reaction of γ-dicalcium silicate, **1052**.
Molecular orbitals, localised, for some simple molecules, **782**.
theory of organometallic compounds. Part VIII, comparison of the 4*d* and 5*d* radial wave functions of the second and third order transition series, **316**. Part IX, metal–hydrogen bond in complex hydrides of the transition metals, **1793**.
theory of proton spin-spin coupling constants, **1879**.
Cubic anharmonic potential constants from vibration–rotation interaction constants: application to carbonyl sulphide and hydrogen cyanide molecules, **1212**.
Electronic structure of *trans*-alkyl nitroso-dimers, **1928**.
Electronic structure of metal carbonyls and related com-

Molecular orbitals (*contd.*)
pounds. Part II, electronic structure of $Rh_6(CO)_{16}$, 315.
π-Electronic structures of some compounds containing boron–oxygen bonds. Part I, compounds where boron is not in a ring, 123. Part II, cyclic compounds, 790.
Ground-state properties of the Group III trihalides, 1218.
Hybridisation in several small ring olefins calculated by the method of maximum overlap, 586.
Molecular structure of the perchlorate of Eschenmoser's 'pseudo-corrin,' 2081.
Valence-state energies of excited configurations involving 4*s*, 4*p*, and 3*d* orbitals in later second-row elements, 813.
Molybdenum, carbonyl-π-cyclopentadienyl complexes of, 94.
Actions of halogens on phosphine-substituted Group VI metal carbonyls. Part IV, preparation of some triphenylphosphonium halogenocarbonyl molybdenum and tungsten derivatives, 77.
Electron spin resonance in some molybdenum(V) halogeno-complexes, 655.
Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part I, reactions of di-μ-dimethylphosphidobis(tetracarbonylmolybdenum) with phosphines and the molecular structure of one of the products, 1735.
Ligand displacement reactions. Part I, kinetics of the reaction between trimethyl phosphite and some tricarbonyl(arene)molybdenum complexes, 872. Part II, kinetics of the reaction between trimethyl phosphite and the tricarbonyl(cycloheptatriene) complexes of chromium, molybdenum, and tungsten, 877.
Magnetic and spectral studies on tungsten(V) chloride and bromide and several oxyhalide and halide complexes of molybdenum(V) and tungsten(V), 1825.
Molybdenum(II) chloride, complex formation by, 486.
Some bis-π-cyclopentadienyl halides of molybdenum, tungsten, and rhenium, 1155.
Some bis-π-cyclopentadienyl-molybdenum and -tungsten complexes with sulphur or oxygen ligands, 1455.
Some studies on π-cyclopentadienyl halides of molybdenum and tungsten, 686.
Studies on some substituted methyl derivatives of iron, molybdenum, and tungsten, 1508.
Thermal substitution reactions of iodotricarbonyl-π-cyclopentadienylmolybdenum(II), 1984.
Transition-metal nitrosyl compounds: dibromodinitrosylmolybdenum, dibromodinitrosyltungsten, di-iododinitrosylmolybdenum, and some of their derivatives, 475.

N

Nickel and zinc, stability constants of polynuclear mercaptoacetate complexes of, 82.
group, perfluorovinyl complexes of, 66.
Carbon disulphide, carbonyl sulphide, and alkyl and aryl isothiocyanate and perfluorothioacetone complexes of nickel, palladium, platinum, rhodium, and iridium, 865.
Chemistry of phosphorus–fluorine compounds. Part VIII, synthesis and nuclear magnetic resonance spectra of tetrakisfluorophosphine derivatives of zerovalent nickel, 1136.
Complexes of nickel(II) with ethylenediamine and perchlorate or tetraphenylborate, 820.
Crystal and molecular structure of bis(histidino)nickel(II) monohydrate, 415.
of *trans*-bis(triethylphosphine)di(phenylethynyl)nickel, 1750.
Crystal structure of bis(dithiobenzil)nickel, 1264.
Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part II, structure of $(OC)_3Ni(PPh_2)_2Ni(CO)_3$, 1744.
Isomerism and unusual magnetic behaviour of some benzimidazole complexes of nickel(II), 1125.
Magnetic moments of some nickel ethylenediamine complexes, 728.
Nickel(II) and cobalt(II) bisdiarsine diperchlorates and dinitrates, 1580.
cobalt(II), and copper(II) complexes of imidazole and thiazole, 757.
complexes containing six molecules of pyridine, 1439.
complexes containing uni- and bi-dentate *o*-phenylenediamine and 4-methyl-*o*-phenylenediamine. Arylamine co-ordination complexes. Part I, 1464.
Metal complexes of *O*-alkyl-1-amidinoureas, 580.
Properties of nitritobis(ethylenediamine)nickelate(II) halides, 952.
X-Ray crystallographic determination of the structure of di-[3-methyl-1(or 5)-phenyl-5(or 1)-*p*-tolylformazyl] nickel(II), 278.
Nitrogen. Reactions of nitric oxide with cobalt(II) ammine complexes and other reducing agents, 943.
Some complexes of cobalt(II), nickel(II), and palladium(II), with multidentate ligands and the ligand field strength of co-ordinated ethers and sulphides, 1277.
Tetrahedral complexes of nickel(II) with benzimidazole, 1676.
Thermal decomposition of hexammine nickel perchlorate, 1705.
of nickel terephthalate and nickel salts of other carboxylic acids, 1174.
Transition-element complexes with aliphatic Schiff bases. Part IX, heterocyclic complexes of nickel(II) formed by reaction of mixtures of diaminoethane and 1,2- or 1,3-diaminopropanenickel complexes with acetone, 537.
Transition-metal complexes of the 1,2-dipyridylethylene isomers. Part I, copper(II), nickel(II), and cobalt(II) derivatives of the symmetrically substituted isomers, 963.
Niobium. Bromo-complexes of quinquevalents protactinium, niobium, and tantalum, 247.
Nitrogen–phosphorus compounds. Part XXIV, studies on the alcoholysis and hydrolysis of geminal phenylchlorocyclotriphosphazatrienes: some "cyclotriphosphazadienes" and a "cyclotriphosphazene," 679. Part XXV, reactions of amino-cyclotriphosphazatrienes with dihalogenotriphenyl- and trihalogenodiphenyl-phosphoranes: phosphazen-1′-ylcyclotriphosphazatrienes, 1404.
–tervalent phosphorus chemistry. Part IV, di(alkylamino)phenylphosphines, 1492.
Infrared intensities of the ν_3 bands of methane, nitrous oxide, and acetylene, 374.
Infrared spectra of isotopically substituted nitro-, nitrito-, and nitrosyl complexes, 1144.
Kinetic study of the reaction between nitrous acid and sulphamic acid, 902.

XUM

Nitrogen–phosphorus compounds (*contd.*)
Nitrate ion, organic reagents for the precipitation of. Part II, di(naphthylmethyl)amines and some derivatives of 2-naphthylmethylamine, **1426**.

O

Olefins, addition to. Reactions of difluoroamino-radicals. Part III, **105**.
Further studies on the homogeneous hydrogenation of olefins using tris(triphenylphosphine)halogenorhodium(I) catalysts, **1574**.
Hybridisation in several small ring olefins calculated by the method of maximum overlap, **586**.
Optically active co-ordination compounds. Part IX, complexes of dipeptides with cobalt(III), **618**. Part X, kinetic stereoselectivity and absolute configuration in some complexes of cobalt(III), **1469**. Part XII, some mixed complexes of L-amino-acids and ethylenediamine with cobalt(III), **1657**.
organometallic compounds. Part I, absolute configuration of (−)-1,1′-dimethylferrocene-3-carboxylic acid by *X*-ray analysis of its quinidine salt, **365**.
Organometallic compounds, molecular-orbital theory of. Part VIII, comparison of the 4*d* and 5*d* radial wave functions of the second and third transition series, **316**.
optically active. Part I, absolute configuration of (−)-1,1′-dimethylferrocene-3-carboxylic acid by *X*-ray analysis of its quinidine salt, **365**.
Alkylation of germanium halides by aluminium alkyls, **623**.
Amido-derivatives of metals and metalloids. Part V, Lewis acid behaviour of certain borazines and aminoboranes, **602**.
Aminoberyllium alkyls, $RBeNR'_2$: their association and reactions with pyridine and with 2,2′-bipyridyl, **1199**.
Azomethine derivatives. Part I, reactions between diphenylketimine and trimethylborane, triethylborane, and triphenylborane, **1098**. Part II, reactions between diphenylketimine and trimethylaluminium, and triphenylaluminium, **1339**.
Bonding studies of organometallic compounds of boron and the Group IV elements. Part I, heats of hydrolysis and bond energies for some trimethylsilyl derivatives, **1980**.
Chemistry of organothallium compounds. Part III, far-infrared spectra of halogenobis(pentafluorophenyl)-thallium(III) compounds, **158**.
^{59}Co nuclear magnetic resonance of organo-cobalt compounds, **148**.
Convenient and efficient preparation of trifluoromethylphosphorus and -arsenic hydrides, **1308**.
Crystal and molecular structure of triphenylphosphoranylidenethioketen, **1913**.
1,3-Dithia-2-stannacyclopentenes, **1344**.
Double alkoxides of some quadrivalent metals, **1026**.
Heats of sublimation of the triphenyl derivatives of boron, aluminium, gallium, and indium, **2109**.
Heteronuclear double resonance: ^{119}Sn–^{13}C spin–spin coupling in organotin compounds, **528**.
Indications of the relative base strengths of certain organometallic bases from the proton magnetic resonance dilution shift in chloroform, **554**.
Mass spectra of organo-stannanes and -plumbanes, **1759**.
^{55}Mn nuclear magnetic resonance spectra of alkyl- and acylmanganesepentacarbonyls and related compounds, **154**.
Molecular spectra and structure of selenophen, **1106**.
Organic compounds of uranium. Part III, reactions of uranium penta-alkoxide with acetyl chloride, **1618**.
Organosilicon chemistry. Part II, thermal decomposition of hexamethyldisilane, the Me_3Si–$SiMe_3$ bond dissociation energy, and the ionisation potential of the trimethylsilyl radical, **768**.
Phenylberyllium hydride–trimethylamine: some observations on alkylberyllium hydrides, **615**.
Phthalocyanines of metals of the first transition series. Part I, nitrosyl derivatives: synthesis and properties, **1715**.
Physical properties and structure of diethylaminodifluoroborane, **959**.
Polyfluoroalkyl compounds of silicon. Part VIII, reactions of silanes with vinyl fluoride and with 1-chloro-2-fluoroethylene, **2098**.
Preparation and properties of dimethylamino- and diethylamino-silane, **652**.
of some silyl esters, **69**.
X-Ray diffraction determination of the structure of *N*-ethyl-2,2,4,4,6,6-hexaphenyl-3-azacyclotrisiloxane, **1517**.
Reactions between organogallium compounds and nitriles, **1222**.
Reactions between oximes and organo-derivatives of Group III elements. Part I, acetoxime, **1333**.
Reactions of dialkynyl compounds of Group IVB with metal carbonyls, **1783**.
Reactions of metal carbonyls with diphenylphosphine, **1694**.
N-Silyl derivatives of cyclic secondary amines, **1918**.
Some t-butyl and t-butoxy-derivatives of zinc, **1233**.
Structure of 2-biphenylylferrocene, **1379**.
Studies on aminoboranes. Part I, reactions involving transfer of hydrogen from *N*-monoalkyl-substituted aminoboranes and amine–boranes to dimethylaminoborane, **597**.
Titanium tetramercaptides and dialkylaminotitanium(IV) mercaptides, **1894**.
Triphenylarsine hydroxyhalides and their derivatives, **497**.
Vibrational spectra and molecular structures of di-t-butylberyllium and di-t-butylzinc, **1085**.
Organometallic intermediates. Part II, preparation and structures of some diphenylcyclopropenone complexes, **1004**.
Osmium carbonyl halides and their derivatives. Part I, infrared spectra of osmium tetracarbonyl halides and related compounds, **1389**. Part II, **1932**.
Preparation, infrared spectra, and magnetic properties of some ruthenium(II), ruthenium(III), and osmium(III) complexes, **1366**.
Oxalates, peroxy-. Studies on transition-metal peroxy-complexes. Part V, peroxyoxalates, **590**.
thermal decomposition of. Part VIII, thermogravimetric and *X*-ray analysis study of the decomposition of aluminium oxalate, **448**. Part IX, thermal decomposition of the oxalate complexes of iron, **451**.
Oxidation and hydrolysis of tin(II) and tin(IV) chelates of ethylenediaminetetra-acetic acid, **1516**.

Oxidation (*contd.*)
of ethanol by hydrogen peroxide. Part I, catalysis by ferric ion, **1409**.
of some phosphine-substituted chromium carbonyls, **1007**.
of some phosphorus(III) compounds. Liquid hydrogen chloride solvent system. Part IX, **1096**.
Anhydrous copper(II) nitrate as an oxidising agent, **296**.

P

Palladium hydride complexes, **1030**.
π-Allyl complexes prepared from conjugated dienes and palladium halides, **1451**.
Complexes of 1,2-bis(isopropylseleno)ethane with palladium(II) and platinum(II) halides, **1520**.
Crystal and molecular structure of $[Pd(TPAS)Cl]ClO_3,C_6H_6$ [TPAS = *o*-phenylenebis-(*o*-dimethylarsinophenylmethylarsine)]: the stereochemistry of a pentaco-ordinate palladium complex ion, **1650**.
Crystal structure of sulphitotriamminepalladium(II), **1194**.
Far-infrared spectra of halogen-bridged systems. Part I, $[M_2X_6]^{2-}$ ions of palladium and platinum, **1272**.
Infrared spectra of palladium(II) and platinum(II) complexes of (±)-methionine, **641**.
Relative stabilities of halogeno-complexes. Part VI, class (*b*) character of Pd(diethylenetriamine)$^{2+}$ and Pd(1,1,7,7-tetraethyldiethylenetriamine)$^{2+}$ and the stability of their thiocyanato- and isothiocyanato-complexes, **1884**.
Skeletal stretching frequencies of some bridged platinum and palladium chloro-complexes, **1897**.
Some complexes of cobalt(II), nickel(II), and palladium(II), with multidentate ligands and the ligand field strength of co-ordinated ethers and sulphides, **1277**.
Stereochemistry of the reaction of bicyclo[2,2,1]heptadienepalladium chloride with methoxide anions, **2054**.
Transition metal–carbon bonds. Part X, reactions between allylic palladium halides and tertiary phosphines, triphenylarsine, triphenylstibine, or carbon monoxide, **1839**.
Phase equilibria. Salt effects on equilibria involving ions of like charge, **169**.
Phase studies and thermochemistry of the aluminium bromide–pyridine system, **392**.
Boiling point relation for tallurium at elevated pressures, **1558**.
Liquid range of fluorosulphates, **401**.
Mixed liquid crystals: additive effect of terminal polar groups in Schiff bases, **1473**.
Mössbauer effect studies on calcium ferrites. Part I, temperatures above the Néel point, **376**.
Physical properties and structure of diethylaminodifluoroborane, **959**.
Self-association and hydration of phenol in organic solvents. Part II, **764**.
Solution of zinc in fused zinc chloride, **1122**.
Transformation of finely divided cubic to trigonal iron(III) oxide, **594**.
Vapour pressures above the normal boiling point and the critical pressures of some aromatic hydrocarbons, **633**.
pH. Precise standard pH values from 0 to 60°, **1205**.
Phosphorus and proton magnetic resonance spectra of esters of pyrophosphoric and hypophosphoric acid and some derivatives, **37**.
–boron compounds. Part IV, partial bromination and iodination of 1,1,3,3,5,5-hexaphenylcyclotriphosphinoborine, **1545**.
–fluorine compounds, chemistry of. Part VIII, synthesis and nuclear magnetic resonance spectra of tetrakisfluorophosphine derivatives of zerovalent nickel, **1137**.
–nitrogen compounds. Part XXIV, studies on the alcoholysis and hydrolysis of geminal phenylchlorocyclotriphosphazatrienes: some "cyclotriphosphazadienes" and a "cyclotriphosphazene," **679**. Part XXV, reactions of amino-cyclotriphosphazatrienes with dihalogenotriphenyl- and trihalogenodiphenyl-phosphoranes: phosphazen-1′-ylcyclotriphosphazatrienes, **1404**.
sulphides, hydrolysis of: tetraphosphorus decasulphide and tetraphosphorus tetrasulphide hexaoxide, **1721**.
tervalent, –nitrogen chemistry. Part IV, di(alkylamino)-phenylphosphines, **1492**.
Actions of halogens on phosphine-substituted Group VI metal carbonyls. Part IV, preparation of some triphenylphosphonium halogenocarbonyl molybdenum and tungsten derivatives, **77**.
Addition compounds of triphenylphosphine sulphide with mercury(II) and copper(I) halides, **358**.
Chlorination of quinquevalent phosphorus esters, **731**.
Chromium(III) complexes with [phosphine] multidentate ligands, **395**.
Convenient and efficient preparation of trifluoromethylphosphorus and -arsenic hydrides, **1308**.
Crystal and molecular structure of nitrilotrimethylene trophosphoric acid, **212**.
of triphenylphosphoranylidenethioketen, **1913**.
Crystal structure and molecular inclusion compounds of tris(*o*-phenylenedioxy)phosphonitrile trimer, **817**.
Cyclic inorganic compounds. Part III, hexameric bromophosphonitrile, **1566**. Part IV, mass spectra of some bromophosphonitriles, **1568**.
Electron-spin resonance spectrum of the *PPP*-triphenylphosphomethylene radical-cation trapped in a crystalline matrix, **439**.
Halogenocarbonyl complexes of iridium(I) containing tertiary phosphines and tertiary arsines, **604**.
Heteronuclear magnetic triple resonance: the sign of the ^{31}P–^{1}H coupling constant, **1148**.
Influence of stereochemistry on the formation and reactivity of phosphorus-bridged dinuclear metal carbonyls. Part I, reactions of di-μ-dimethylphosphidobis(tetracarbonylmolyldenum) with phosphines and the molecular structure of one of the products, **1735**. Part II, structure of $(OC)_3Ni(PPh_2)_2Ni(CO)_3$, **1744**.
Infrared and Raman spectra of tetraethyl diphosphine disulphide in relation to the molecular structure, **646**.
Liquid hydrogen chloride solvent system. Part IX, oxidation of some phosphorus(III) compounds, **1096**.
Low-frequency infrared spectra of some phosphine-substituted Group VI metal carbonyls, **1817**.
Metal halide complexes of triphenylphosphine sulphide and some related ligands, **898**.
Mixed halides of phosphorus(V). Part IV, addition of fluorine to phosphorus trichloride, **1001**.
Reactions of metal carbonyls with diphenylphosphine, **1694**.

Phosphorus (*contd.*)
Some penta- and hexa-co-ordinate complexes of iron(II) with a tetratertiary phosphine, **627**.
Thiophosphite. Isolation and characterisation, **1726**.
Vibration spectra of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, **712**.
Photochemistry of aqueous sulphate and bisulphate ions, reactions of the hydrated electron in, **483**.
Mechanisms of photochemical reactions in solution. Part I, ultraviolet photolysis of diphenylacetylene, **116**.
Unimolecular photodissociation of keten, **466**.
Photolysis of carbon suboxide in the presence of fluoroethylenes and alkanes, **1641**.
Photolytic fluorine reactions: $F_2 + N_2O$ at 4°K, **1483**.
Phthalocyanines of metals of the first transition series. Part I, nitrosyl derivatives: synthesis and properties, **1715**.
Platinum–carbon bonded acetylacetone complexes, acid derivatives of. Metal–β-diketone complexes. Part IV, **72**.
complexes with unsaturated amines. Part III, thermodynamics of formation of complexes $(CH_2{:}CH{\cdot}[CH_2]_n{\cdot}LR_2R')^+PtCl_3^-$ (L = N, P, and As; n = 1 and 2), **324**. Part IV, thermodynamics of formation of complexes with some *C*-substituted allylammonium cations, **328**. Part V, thermodynamics of formation of complexes with unsaturated alcohols, **330**. Part VI, comparison with stability constants for some silver–olefin complexes, **333**. Part VII, stability constants for the formation of complexes $(ol^+)PtBr_3^-$, and the thermodynamics of formation of $(H_2C{:}CH{\cdot}CH_2{\cdot}NH_3^+)PtBr_3^-$, **336**. Part VIII, ultraviolet spectra of platinum–olefin complexes of the type $[(ol)PtCl^3]^-$ (ol = olefin), **1322**.
Complexes of 1,2-bis(isopropylseleno)ethane with palladium(II) and platinum(II) halides, **1520**.
Crystal structure of trimethyl(salicylaldehydrato)platinum(IV), **1955**.
of $[XeF_5]^+[PtF_6]^-$, **1190**.
Far-infrared spectra of halogen-bridged systems. Part I, $[M_2X_4]^{2-}$ ions of palladium and platinum, **1272**.
Hydrolysis of hexaiodoplatinate(IV), **1633**.
Infrared spectra of palladium(II) and platinum(II) complexes of (±)-methionine, **641**.
Iodoplatinate(II) species in aqueous solution, **1318**.
Metal complexes of unsaturated tertiary phosphines and arsines. Part IV, bromination of chelate complexes of platinum(II) formed by olefinic tertiary arsines, **1260**.
Metal–ligand vibrations: far-infrared spectra of some *cis*- and *trans*-platinum(IV) complexes, **1009**.
Organosilyl and organogermyl complexes of platinium(II), **1066**.
Reduction of some platinum(IV) complexes by iodide and thiosulphate ions, **1944**.
Signs of spin–spin coupling constants in square planar complexes of platinum(II), **1922**.
Skeletal stretching frequencies of some bridged platinum and palladium chloro-complexes, **1897**.
Strength of the platinum–carbon σ-bond in the complex $(Et_3P)_2PtPh_2$, **930**.
Vibrational spectra of halides and complex halides. Part I, hexahalogenoplatinates, **1666**. Part II, hexachlorostannates and -plumbates, **1669**.
Polarography and coulometry of the electro-oxidation of mono-halogenated 9,10-dihydroxyanthracenes, **1**.
of inorganic substances in anhydrous sulpholan, **684**.
Polymers, co-ordination, of chelated heterocyclic dienols, **321**.
metal oxide trialkylsilyloxide. Part IV, titanium oxide triethylsilyloxide polymers, **43**.
Potassium fluorosulphate, crystal structure of, **2024**.
hydrogen diaspirinate (bisacetylsalicylate). Crystal structures of the acid salts of some monobasic acids. Part XII, **971**.
pentachlorohydroxytechnetate(IV), **1423**.
thiocyanate, molten: reactions with compounds of chromium, **1874**.
thiocyanate, molten: reactions with compounds of manganese, **352**.
Complex formation in dimethyl sulphoxide. Part II, mercuric iodide and potassium iodide, **1964**.
Protactinium, quadrivalent, some anhydrous hexahalogeno-complexes of, **243**.
Absorption spectra of protactinium(IV) and uranium(IV) in aqueous hydrochloric acid, **275**.
Bromo-complexes of quinquevalent protactinium, niobium, and tantalum, **247**.
Crystal structure of potassium heptafluoroprotactinate(V) and bonding in ML_9 complexes, **1429**.
Protactinium(IV) halides, **719**.
Protactinium(V) iodides, **1698**.
Proteins. Complexes of dipeptides with cobalt(III). Optically active co-ordination compounds. Part IX, **618**.
Pyridine-2-aldehyde 2′-pyridylhydrazone, mono-chelate complexes of, **565**.
Pyrolysis. Initiation of chains in the pyrolysis of isobutane, **1543**.
Pressure-dependence of the gas-phase pyrolysis of the s-butoxyl radical at 150—190°, **1939**.

Q

Quinazolines. Theoretical interpretation of protonation and hydration reactions for the quinazolines, **1626**.

R

Radicals, alkyl, reactions of. Part XII, additions of methyl, ethyl, and isopropyl radicals to allene, **979**. Part XIII, additions of methyl, isopropyl, and t-butyl radicals to propyne and the isomerisation of alkenyl radicals, **1360**.
difluoroamino-, reactions of. Part III, addition to olefins, **105**. Part IV, addition to vinyl halides, **864**.
Effect of temperature on the yields of the precursors of hydrogen in the radiolysis of ethanol, **1179**.
Electron-spin resonance spectrum of the *PPP*-triphenylphosphomethylene radical-cation trapped in a crystalline matrix, **439**.
Hydrogen-abstraction reactions from silanes. Part II, reactions of methyl radicals with trifluorosilane, dimethyldichlorosilane, and trimethylchlorosilane, **134**.
Initiation of chains in the pyrolysis of isobutane, **1543**.
Kinetics of the disproportionation–combination reactions between the isopropoxyl radical and nitric oxide, and of the pyrolysis of the O–O bond in di-isopropyl peroxide, **894**.
Organosilicon chemistry. Part II, thermal decomposition of hexamethyldisilane, the $Me_3Si{-}SiMe_3$ bond dissoci-

Radicals (*contd.*)
ation energy, and the ionisation potential of the trimethylsilyl radical, 768.
Photolysis of carbon suboxide in the presence of fluoroethylenes and alkanes, 1641.
Photolytic fluorine reactions: $F_2 + N_2O$ at 4°K, 1483.
Polarity effects in the radiolysis of n-alcohols, 28.
Pressure-dependence of the gas-phase pyrolysis of the s-butoxyl radical at 150—190°, 1939.
Radiation chemistry of n-propanol. Part I, formation of the major products, 1183.
of 6M-sulphuric acid, 33.
Radiolysis of liquid acetonitrile, 531.
Reactions of halogenoaliphatic acids with free radicals in aqueous solution. Part I, reactions with hydrogen atoms, 834. Part II, reactions with aliphatic free radicals, 837. Part III, reactions with inorganic free radicals, 841.
Reactions of the hydrated electron in the photochemistry of aqueous sulphate and bisulphate ions, 483.
Reactivity of fluorosulphuric acid with metals, 99.
Unimolecular photodissociation of keten, 466.
Unstable intermediates. Part XLIII, electron spin resonance spectra of sulphur and sulphur nitride radicals in strongly acidic media, 1019. Part XLIV, solvated electrons: further studies of solutions of the alkali metals, including sodium in amines, by use of electron spin resonance and optical spectroscopy, 1234. Part XLV, hyperfine coupling and spin-polarisation for inorganic and organic radicals, 1770. Part XLVI, electron spin resonance spectra of iminoxy- and nitroxide radicals formed by interaction between nitrogen dioxide and carbonyl compounds, 1773.
Radiolysis of n-alcohols, polarity effects in, 28.
of liquid acetonitrile, 531.
Effect of temperature on the yields of the precursors of hydrogen in the radiolysis of ethanol, 1179.
Influence of ethylene on the radiolytic oxidation of ferrous sulphate, 778.
Radiation chemistry of n-propanol. Part I, formation of the major products, 1182.
Radiation chemistry of 6M-sulphuric acid, 33.
Redox observations concerning trioxalatocobaltate(III), 298.
Rhenium carbonyl and rhenium carbonyl iodide, vibrational spectra of, 1987.
trioxide nitrate, 1449.
Crystal and molecular structure of dimethyl-π-cyclopentadienyl(methylcyclopentadiene)rhenium, 2001.
Electronic structure of metal carbonyls and related compounds. Part II, electronic structure of $Rh_6(CO)_{16}$, 314.
Polynuclear organoselenium derivatives of manganese and rhenium carbonyl, 2014.
Preparation and reactions of trihalogeno(alkanonitrile)-bis(triphenylphosphine)rhenium(III) complexes, 993.
Rhenium(III), trinuclear, mixed halogeno- and nitrato-chloro-complexes of, 113.
Some bis-π-cyclopentadienyl halides of molybdenum, tungsten, and rhenium, 1155.
Rhodium. Addition reactions of tris(triphenylphosphine)-chlororhodium(I): hydrido-, alkyl, and acyl complexes: carbon monoxide insertion and decarbonylation reactions, 1347.
Carbonyl disulphide complexes of vanadium, iron, cobalt, ruthenium, and iridium: the preparation of *trans*-bis-(triphenylphosphine)thiocarbonylhalogeno-rhodium(I) and -rhodium(III) complexes, 2037.
Chemistry of co-ordinated ligands. Part I, some derivatives of the cyclopentadienyl cyclo-octa-1,5-diene complexes of cobalt and rhodium, 1150.
Donor properties of sulphides. Part II, complexes of rhodium(III) chloride with 1,4-thioxan and ligands of the type $RSCH_2CH_2SR$, 1852.
Mercury halide–cobalt and –mercury compounds, 1547.
Nuclear magnetic resonance studies on metal complexes. Part V, dimethylphenylphosphine and dimethylphenylarsine complexes of rhodium(III), 1079.
Rhodium(III), cobalt(II), and iridium(III) complexes of 1,2-dithiocyanatoethane, 203.
Rubidium hydrogen diaspirinate (bisacetylsalicylate). Crystal structures of the acid salts of some monobasic acids, Part XI, 968.
Structures of cæsium and rubidium difluorophosphates, 1383.
Ruthenium trichloride, carbonylation of. Chemistry of the metal carbonyls. Part XL, 1238.
Preparation, infrared spectra, and magnetic properties of some ruthenium(II), and ruthenium(III), and osmium(III) complexes, 1366.
X-Ray, infrared, and magnetic studies of α- and β-ruthenium trichloride, 1038.
Synthesis and characterisation of diacidobis(ethylenediamine)ruthenium(III) complexes and related compounds, 546.

S

Selenium and tallurium halides, chemistry of: ionisation of the chlorides and bromides in solution and the constitution of their adducts, 1813.
Complexes of 1,2-bis(isopropylseleno)ethane with palladium(II) and platinum(II) halides, 1520.
Molecular spectra and structure of selenophen, 1106.
Monofluoroselenates(VI), 557.
Polynuclear organoselenium derivatives of manganese and rhenium carbonyl, 2014.
Raman and far-infrared spectra of some solid selenium and tellurium tetrahalides, 643.
Reaction of tetrasulphur tetranitride with diselenium dichloride in thionyl chloride, 1437.
Solutions in selenic acid. Part III, correlation of acidities (H_0) of aqueous selenic and sulphuric acids, 142.
Vibrational spectra of some chloro-complexes of sulphur, selenium, and tellurium in the (4+) oxidation state, 984.
Silicon, polyfluoroalkyl compounds of. Part VIII, reactions of silanes with vinyl fluoride and with 1-chloro-2-fluoroethylene, 2098.
Adducts of the halogenosilanes. Part II, physical properties and structures, 705.
Crystal structure of aluminosiloxanes: *X*-ray analysis of dibromotrimethylsiloxyaluminium, 1786.
Effect of substituents on methane ^{13}C–H and silane ^{29}Si–H coupling constants, 1674.
Heats of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, 1132.
Heteronuclear double resonance: sign of the ^{29}Si–^{1}H coupling constant, 1275.
Hydrogen-abstraction reactions from silanes. Part II,

Silicon (*contd.*)
reactions of methyl radicals with trifluorosilane, trimethylsilane, dimethyldichlorosilane, and trimethylchlorosilane, **134**.
Hydrothermal reactions of γ-dicalcium silicate, **1052**.
Metal oxide trialkylsilyloxide polymers. Part IV, titanium oxide triethylsilyloxide polymers, **43**.
Organosilyl and organogermyl complexes of platinium(II), **1066**.
Preparation and properties of dimethylamino- and diethylamino-silane, **652**.
of some silyl esters, **69**.
X-Ray diffraction determination of the structure of *N*-ethyl-2,2,4,4,6,6-hexaphenyl-3-azacyclo risiloxane, **1517**.
Reactions of some silylamines with carbon dioxide and related molecules, **362**.
N-Silyl derivatives of cyclic secondary amines, **1918**.
Studies in germyl chemistry. Part II, exchange reactions of silyl and germyl halides, **1226**.
Sodium. Determination of solubility of sodium hypophosphates, and a study of their hydrates, **923**.
Solubility product of silver chloride in 10 and 43·12% methanol–water mixtures, and a comparison of Ag^+ with d^0 cations. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part VI, **753**.
of silver chloride in a 20% (w/w) dioxan–water mixture. Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part VIII, **1909**.
Solubility. Determination of solubility of sodium hypophosphates and a study of their hydrates, **923**.
Molecular complexity of water in organic solvents. Part III, **1924**.
Solution of zinc in fused zinc chloride, **1122**.
Solvation and salt effects in the reaction of hydrogen peroxide with iodide ion at high iodide concentrations, **1564**.
Spectra, absorption, of protactinium(IV) and uranium(IV) in aqueous hydrochloric acid, **275**.
and structure of aluminium chloride complexes. Part II, **1140**.
charge-transfer in phenanthroline complexes: energy shift on substitution. Spectra of complexes of conjugated ligands. Part I, **1530**. Part II, charge-transfer in substituted phenanthroline complexes: intensities, **1536**.
crystal, of chlorocuprates(I, II). Charge transfer in mixed-valence solids. Part I, **1045**.
electronic, of Cu^{2+} and Fe^{2+} square planar co-ordinated by oxygen in $BaXSi_4O_{10}$, **1034**.
electron spin resonance, and optical. Trapped electrons produced by the deposition of alkali-metal atoms on ice and solid alcohols at 77°K. Part I, **1393**. Part II, chemical reactions during thermal and photolytic bleaching, **1399**.
and polarographic studies of the radical-anions of some nitrogen- and sulphur-containing heterocyclic molecules, **771**.
in some molybdenum(V) halogeno-complexes, **655**.
of γ-irradiated single crystals of aromatic compounds. Part II, results for diphenylacetic acid and general problems of interpretation, **1490**.
of iminoxy- and nitroxide radicals formed by interaction between nitrogen dioxide and carbonyl compounds. Unstable intermediates. Part XLVI, **1773**.
of sulphur and sulphur nitride radicals in strongly acidic media. Unstable intermediates. Part XLIII, **1019**.
of the *PPP*-triphenylphosphomethylene radical-cation trapped in a crystalline matrix, **439**.
Unstable intermediates. Part XLIV, solvated electrons: further studies of solutions of the alkali metals, including sodium in amines, by use of electron spin resonance and optical spectroscopy, **1234**.
far-infrared, and the structures of tellurium tetrachloride and tetrabromide, **145**.
of halogen-bridged systems. Part I, $[M_2X_6]^{2-}$ ions of palladium and platinum, **1272**.
of halogenobis(pentafluorophenyl)thallium(III) compounds. Chemistry of organothallium compounds. Part III, **158**.
of some complexes of thiourea and ethylenethiourea (imidazolidine-2-thione). Metal–sulphur vibrations. Part I, **884**.
of some *cis*- and *trans*-platinum(IV) complexes: metal–ligand vibrations, **1009**.
Copper–halogen stretching frequencies, **620**.
infrared and Raman, of compounds containing bidentate nitrato-groups, **808**.
of some complexes between thiourea and tellurium(II), **735**.
of tetraethyl diphosphine disulphide in relation to the molecular structure, **646**.
infrared, and structure of methyl acetimidate and methyl acetimidate hydrochloride. Spectroscopic studies. Part VIII, **1102**.
of $Br^{16}O_3^-$, $Br^{16}O_2^{18}O^-$, $Br^{16}O^{18}O_2^-$, and $Br^{18}O_3^-$, **1241**.
of hexahalogenometallates(IV), **100**.
of isotopically substituted nitro-, nitrito-, and nitrosyl complexes, **1144**.
of osmium tetracarbonyl halides and related compounds. Osmium carbonyl halides and their derivatives. Part I, **1389**.
of palladium(II) and platinum(II) complexes of (±)-methionine, **641**.
of some chromium(III) bis(ethylenediamine) complexes, **592**.
of some mercury–metal carbonyl complexes, **1889**.
X-ray and magnetic studies of α- and β-ruthenium trichloride, **1038**.
ultraviolet, and proton magnetic resonance, of boron isocyanates and isothiocyanates. Pseudohalides, Part III, **854**.
Fluoro-complexes of the Group IVA elements: metal–halogen vinrational frequencies, **258**.
Metal–ligand frequencies in the spectra of tin complexes with triphenylphosphine oxide and triphenylarsine oxide, **792**.
low-frequency infrared, of iron(III) halide complexes, **693**.
of some phosphine-substituted Group VI metal carbonyls, **1817**.
mass, and abundance data for polyisotopic elements, **40**.
of inorganic molecules. Part I, some bridged nitrosyl complexes of iron and cobalt, **338**. Part II, some polynuclear transition-metal carbonyls, **341**. Part III, some transition-metal carbonyl halide and thiol compounds, **379**. Part IV, some phosphorus-bridged compounds of chromium, molybdenum, tungsten, manganese, and iron, **1445**.
of organo-stannanes and -plumbanes, **1759**.

Spectra (*contd.*)
of some bromophosphonitriles. Cyclic inorganic compounds. Part IV, 1568.
of some perhalogenoaromatic derivatives, 828.
Mössbauer, effect and chemistry. Part I, spectra of octahedral *cis–trans*-isomers and related compounds, 525.
effect studies on calcium ferrites. Part I, temperatures above the Néel point, 376.
of iron(III) diketone, 1966.
of some phosphorus- and sulphur-bridged derivatives of di-iron enneacarbonyl, 1663.
structure, and bonding of some hexaco-ordinate compounds of tin(IV), 1679.
Orbital splittings for some high-spin tetragonal complexes of iron(II) from Mössbauer and electronic spectra, 349.
molecular, and structure of selenophen, 1106.
nuclear magnetic resonance, and synthesis of tetrakisfluorophosphine derivatives of zerovalent nickel. Chemistry of phosphorus–fluorine compounds. Part VIII, 1136.
coupling constants in *p*-benzoquinones, 1416.
in transition-metal complexes, 861.
of metal complexes. Part V, dimethylphenylphosphine and dimethylphenylarsine complexes of rhodium(III), 1079.
^{59}Co nuclear magnetic resonance, of organo-cobalt compounds, 148.
^{55}Mn nuclear magnetic resonance, of alkyl- and acylmanganesepentacarbonyls and related compounds, 154.
^{19}F nuclear magnetic resonance and vibrational, of hexafluorometallates of Groups IVA and IVB. Spectroscopic studies of inorganic fluoro-complexes. Part I, 698.
fluorine nuclear magnetic resonance, of fluoroaryl Grignard reagents. Studies on Grignard reagents. Part I, 1643. Part II, NNN′N′-tetraethylethylenediamine Grignard adducts, 1648.
nuclear magnetic resonance: Heteronuclear double resonance: sign of the ^{29}Si–^{1}H coupling constant, 1275.
Heteronuclear double resonance: ^{119}Sn–^{13}C spin–spin coupling in organotin compounds, 528.
Heteronuclear magnetic double resonance: spin–spin couplings involving nitrogen-14, 1660.
Heteronuclear magnetic triple resonance: the sign of the ^{31}P–^{1}H coupling constant, 1148.
nuclear spin resonance, coupling constants between nonbonded ^{13}C and ^{1}H, 1420.
proton magnetic resonance, and mass spectra of some isoleptic transition-metal π-allyl complexes, 423.
and phosphorus magnetic resonance of pyrophosphoric and hypophosphoric acid and some derivatives, 37.
Raman and far-infrared, of some solid selenium and tellurium tetrahalides, 643.
Raman, and structure of indium trichloride–bis(diethyl ether), 1462.
of complex anions of formula MX_4^{n-}, where M is Au^{III}, Pt^{II}, or Pd^{II}, and X is a halogen atom, 1298.
of species in aqueous solutions. Part II, oxy-species of metals of Groups VIA, VB, and IVA, 675.
rotational. Substituent effects on the rotational strength of the n-π^* carbonyl band, 2061.
ultraviolet and visible, of trigonal bipyramidal complexes of d^6-, d^7-, and d^8-metal ions, 540.
of platinum–olefin complexes of the type $[(ol)PtCl^3]^-$ (ol = olefin): platinum complexes with unsaturated amines, 1322.
vibrational, and molecular structure of di-t-butylberyllium and di-t-butylzinc, 1085.
electronic, and Mössbauer, of some complexes of iron(II) with tri- and di-2-pyridylamine, 1671.
of co-ordination compounds of formula *trans*-MX_2Y_2. Part III, low-frequency vibrations of Group VIII complexes, where X = Cl, Br, and I, and Y = Me_2S, Me_2Se, and Me_2Te, 1325.
of Ga_2Cl_6, 702.
of halides and complex halides. Part I, hexahalogenoplatinates, 1666. Part II, hexa-chlorostannates and -plumbates, 1669. Part III, hexahalogenotellurates, 2067.
of metaphosphates, meta-arsenates, and metavanadates, 905.
of rhenium carbonyl and rhenium carbonyl iodide, 1987.
of some chloro-anions, 1810.
of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, 712.
of some chloro-complexes of sulphur, selenium, and tellurium in the (4+) oxidation state, 984.
Spectrophotometric investigation of the aquomanganese(III) ion in perchlorate media, 1858.
Spectroscopy. Infrared intensities of the ν_3 bands of methane, nitrous oxide, and acetylene, 374.
Mass spectroscopic study of some manganese pentacarbonyl derivatives. Part II, 1932.
Numerical estimation of Mössbauer spectra parameters, 1478.
Preparation and spectroscopic studies of some compounds with $M(NO_2)_4^{2-}$ anions, 612.
Spectroscopic studies in germyl chemistry. Part III, trigermylphosphine, 1229.
Stability constants of polynuclear mercaptoacetate complexes of nickel and zinc, 82.
Sulphur–boron chemistry, thiaboration, and other aspects of. Chloroboration and allied reactions of unsaturated compounds. Part VI, 947.
Crystal structure of 2-chloro-1,3-dithia-2-stibacyclopentane, 321.
Fluorosulphuric acid. Part IV, preparation of fluorosulphates of the first transition series by displacement reactions, 355.
Liquid range of fluorosulphates, 401.
Purification of thionyl chloride, 36.
Reactions of the hydrated electron in the photochemistry of aqueous sulphate and bisulphate ions, 483.
Reactivity of fluorosulphuric acid with metals, 99.
Vibrational spectra of some chloro-complexes of sulphur, selenium, and tellurium in the (4+) oxidation state, 984.
Surface-active agents. Potentiometric studies on solubilisation in non-ionic micellar solutions. Part II, solubilisation of benzoic acid and the hydroxybenzoic acids and location of the solubilisates, 561.
Surface properties of metal oxides. Part I, infrared studies of the adsorption and oxidation of carbon monoxide on alumina, 1910.
Surface reactions: infrared spectra of $Br^{16}O_3^-$, $Br^{16}O_2^{18}O^-$, $Br^{16}O^{18}O_2^-$, and $Br^{18}O_3^-$, 1241.

Surface studies. Relation of total volume to total surface area for a suspension of particles undergoing dissolution, 1060.
Transformation of finely divided cubic to trigonal iron(III) oxide, 594.

T

Tantalum. Bromo-complexes of quinquevalent protactinium, niobium, and tentalum, 247.
Technetium. Potassium pentachlorohydroxytechnetate(IV), 1423.
Tellurium and selenium tetrahalides: ionisation of the chlorides and bromides in solution and the constitution of their adducts, 1813.
tetrachloride and tetrabromide, far-infrared spectra and structures of, 145.
Boiling point relation for tellurium at elevated pressures, 1558.
Crystal structure of β-dimethyltellurium di-iodide, 2018.
Infrared and Raman spectra of some complexes between thiourea and tellurium(I), 735.
Raman and far-infrared spectra of some solid selenium and tellurium tetrahalides, 643.
Vibrational spectra of halides and complex halides. Part III, hexahalogenotellurates, 2067.
Vibrational spectra of some chloro-complexes of sulphur, selenium, and tellurium in the (4+) oxidation state, 984.
Thallium. Chemistry of organothallium compounds. Part III, far-infrared spectra of halogenobis(pentafluorophenyl)thallium(III) compounds, 158.
Crystal structure of diethyl(salicylaldehydato)thallium(III), 648.
Thermal decomposition of calcium carbonate, influence of dislocations on, 2058.
of hexamethyldisilane, the Me_3Si–$SiMe_3$ bond dissociation energy, and the ionisation potential of the trimethylsilyl radical. Organosilicon chemistry. Part II, 768.
of hexammine nickel perchlorate, 1705.
of nickel terephthalate and nickel salts of other carboxylic acids, 1174.
of salts of mellitic acid. Part III, chromic, manganous, cupric, and zinc mellitates, 1167.
unimolecular, of 3-methylcyclohexa-1,4-diene, 1800.
Thermochemistry and phase studies of the aluminium bromide–pyridine system, 392.
of some reactions of aqueous hydrazine. Part II, KIO_3 and HIO_3, 269.
of transition-metal complexes. Part I, CoL_nX_2 complexes; $n = 4$ or 2; L = pyridine, α-, β-, γ-picoline, quinoline, and aniline; X = Cl, Br, I, 925. Part II, CoL_2Cl_2 complexes; L = pyridine, α-picoline, and triphenylphosphine, 929. Part III, ML_nX_2 complexes, where M = Mn, Fe, or Ni; L = pyridine, α-, β-, or γ-picoline, aniline, or quinoline; $n = 2$ or 4; and X = Cl, Br, or I, 1111. Part IV, $M(pyrazine)_2Cl_2$ complexes, where M = Mn, Fe, Co, or Ni, 1115.
Bonding studies of organometallic compounds of boron and the Group IV elements. Part I, heats of hydrolysis and bond energies for some trimethylsilyl derivatives, 1980.
Heats of formation of ethylenediaminetetra-acetic acid and diethylenetriaminepenta-acetic acid, 1832.
of fluoro- and chloro-sulphuric acids and their thermodynamic stabilities, 1118.
Heats of hydrolysis of borazole and some derivatives, 1616.
Heats of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, 1132.
Heats of sublimation of the triphenyl derivatives of boron, aluminium, gallium, and indium, 2109.
Standard heat of formation of tris(acetylacetonato)-chromium(III) at 25° and the metal–oxygen bond energy, 1413.
Thermodynamic considerations in co-ordination. Part I, mathematical approach to stepwise enthalpic titrations, by use of a computer, 729. Part II, protonation of 1,2-diaminoethane, 1,3-diaminopropane, 4(5)-aminomethylimidazole, 4(5)-2′-aminoethylimidazole, 2-aminomethylpyridine, and 2-2′-aminoethylpyridine, 1256. Part III, copper(II) and nickel(II) complexes of 1,2-diaminoethane, 1,3-diaminopropane, 4(5)-aminomethylimidazole, 4(5)-2′-aminoethylimidazole, 2-aminomethylpyridine, and 2-2′-aminoethylpyridine, 1702.
measurements, limitation to their diagnostic use for the detection of dissociative equilibria, 80.
Thermodynamics of formation of complexes $(CH_2{:}CH{\cdot}[CH_2]_n{\cdot}LR_2R')^+PtCl_3^-$ (L = N, P, and As; $n = 1$ and 2). Platinum complexes with unsaturated amines. Part III, 324. Part IV, thermodynamics of formation of complexes with some *C*-substituted allylammonium cations, 328. Part V, thermodynamics of formation of complexes with unsaturated alcohols, 330. Part VI, comparison with stability constants for some silver–olefin complexes, 333. Part VII, stability constants for the formation of complexes $(ol^+)PtBr_3^-$, and the thermodynamics of formation of $(H_2C{:}CH{\cdot}CH_2{\cdot}NH_3^+)PtBr_3^-$, 336.
of metal cyanide co-ordination. Part VII, log *K*, $\Delta H°$, and $\Delta S°$ values for the interaction of CN^- with Pd^{2+}: $\Delta H°$ values for the interaction of Cl^- and Br^- with Pd^{2+}, 1304.
Autoprotolysis constants of ethylene glycol–water mixtures at different temperatures and related thermodynamic quantities, 166.
Entropy of tetragonal germanium dioxide, 560.
Free energy, enthalpy, and entropy of formation of copper(II) complexes with some C(1)-substituted 1,2-diaminoethanes, 1441.
Metal complexes involving the heavier donor atoms. Part II, enthalpy and entropy of formation of metallic complexes of semicarbazidediacetic acid and thiosemicarbazidediacetic acid, 1376.
Mercury uptake in various cationic forms of several zeolites, 19.
Partial molal volumes of $MgCl_2$, $CaCl_2$, $SrCl_2$, and $BaCl_2$ in aqueous solution at 200°, 660.
Solvation energies in non-aqueous solvents, 892.
Standard potentials of silver–silver bromide electrode in ethylene glycol–water mixtures at different temperatures and related thermodynamic quantities, 161.
Studies in ion solvation in non-aqueous solvents and their aqueous mixtures. Part VI, solubility product of silver chloride in 10 and 43·12% methanol–water mixtures, and a comparison of Ag^+ with d^0 cations, 753.
Tin. Basic tin(II) sulphates, 1790.
Chemistry of the metal carbonyls. Part XXXIX, organotin(carbonyl)iron complexes, 264.

Tin (*contd.*)
Complexes of the *cis*- and *trans*-forms of dithian disulphoxide and dithian monosulphoxide with phenyltin chlorides and with stannic iodide, **2035**.
Co-ordination complexes of organotin halides with 4,4′-bipyridyl, **1578**.
Crystal and molecular structure of tetrakis[tetra carbonyliron]tin $Sn[Fe(CO)_4]_4$, **382**.
Crystal structure and some reactions of bis(cyclo-octa-1,5-diene)iridiumtrichlorotin, **455**.
of anhydrous nitrates and their complexes. Part IV, tin(IV) nitrate, **1949**.
of triphenylstannoxytetraphenylcyclopentadienyltricarbonylmanganese, **843**.
1,3-Dithia-2-stannacyclopentenes, **1344**.
Fluorostannates(II): non-transition-metal(II) derivatives of the complex tin(II) fluoride ions, **1821**.
Heats of reaction of silicon, germanium, and tin tetrahalides with pyridine and isoquinoline, **1132**.
Heteronuclear double resonance: ^{119}Sn–^{13}C spin–spin coupling in organotin compounds, **528**.
Interaction of tin halides with compounds having mercury–metal bonds, **932**.
Metal–ligand frequencies in the spectra of tin complexes with triphenylphosphine oxide and triphenylarsine oxide, **792**.
Mass spectra of organo-stannanes and -plumbanes, **1759**.
Mössbauer spectra, structure, and bonding of some hexa-co-ordinate compounds of tin(IV), **1679**.
Oxidation and hydrolysis of tin(II) and tin(IV) chelates of ethylenediaminetetra-acetic acid, **1516**.
Some reactions of tin oxide chloride and titanium oxide chloride, **1583**.
Vibration spectra of some chloro-complexes of germanium, tin, phosphorus, arsenic, and antimony, **712**.
Titanium mercaptides and dialkylaminotitanium(IV) mercaptides, **1894**.
oxide triethylsilyloxide polymers. Metal oxide trialkylsilyloxide polymers. Part IV, **43**.
Ethylenediamine and propylenediamine complexes of titanium(III), vanadium(III), and chromium(III), **409**.
Hexahalogenometallates(III) of titanium, vanadium, and chromium, **517**.
Some reactions of tin oxide chloride and titanium oxide chloride, **1583**.
Titanium(III) ion as a reductant in electron-transfer reactions, **301**.
Tungsten chloride fluorides, preparation and properties of, **1091**.
pentachloride, structure of, **2017**.
Actions of halogens on phosphine-substituted Group VI metal carbonyls. Part IV, preparation of some triphenylphosphonium halogenocarbonyl molybdenum and tungsten derivatives, **77**.
Complexes of tungsten(VI) oxyhalides with neutral donor ligands, **671**.
Ligand displacement reactions. Part II, kinetics of the reaction between trimethyl phosphite and the tricarbonyl(cycloheptatriene) complexes of chromium, molybdenum, and tungsten, **877**.
Magnetic and spectral studies on tungsten(V) chloride and bromide and several oxyhalide and halide complexes of molybdenum(V) and tungsten(V), **1825**.
Some bis-π-cyclopentadienyl halides of molybdenum, tungsten, and rhenium, **1155**.
Some bis-π-cyclopentadienyl-molybdenum and -tungsten complexes with sulphur or oxygen ligands, **1455**.
Studies on some π-cyclopentadienyl halides of molybdenum and tungsten, **686**.
Studies on some substituted methyl derivatives of iron, molybdenum, and tungsten, **1508**.
Transition-metal nitrosyl compounds: dibromodinitrosylmolybdenum, dibromodinitrosyltungsten, di-iododinitrosylmolybdenum, and some of their derivatives, **475**.

U

Unstable intermediates. Part XLIII, electron spin resonance spectra of sulphur and sulphur nitride radicals in strongly acidic media, **1019**. Part XLIV, solvated electrons: further studies of solutions of the alkali metals, including sodium in amines, by use of electron spin resonance and optical spectroscopy, **1234**. Part XLV, hyperfine coupling and spin-polarisation for inorganic and organic radicals, **1770**. Part XLVI, electron spin resonance spectra of iminoxy- and nitroxide radicals formed by interaction between nitrogen dioxide and carbonyl compounds, **1773**.
Uranium, organic compounds of. Part III, reactions of uranium penta-alkoxides with acetyl chloride, **1618**.
polycations of. Studies of the polyanions and polycations by Glauber's-salt cryoscopy. Part II, **915**.
Absorption spectra of protactinium(IV) and uranium(IV) in aqueous hydrochloric acid, **275**.
Urea. Site of co-ordination in boron trihalide adducts of ureas and thioureas, **511**.

V

Vanadium. Complexes of vanadium(III) chloride and bromide with pyridine, 2,2′-bipyridyl, and 1,10-phenanthroline, **1869**.
Crystal and molecular structure of ammonium vanadyl (+)-tartrate monohydrate, **1312**.
Ethylenediamine and propylenediamine complexes of titanium(III), vanadium(III), and chromium(III), **409**.
Hexahalogenometallates(III) of titanium, vanadium, and chromium, **517**.
Magnetism and spectra of some octahedral vanadium(III) complexes, **1948**.
Vanadium(IV) complexes, magnetic properties of, **1330**.

X

Xenon. Crystal structure of $[XeF_3]^+[PtF_6]^-$, **1190**.

Y

Ytterbium. Alcoholates and alkoxides of, **991**.

Z

Zinc and nickel, stability constants of polynuclear mercaptoacetate complexes of, **82**.
Solution of zinc in fused zinc chloride, **1122**.
Some t-butyl and t-butoxy-derivatives of zinc, **1233**.

XUM

XUM

PUBLICATIONS BOARD

Chairman

Sir Ewart Jones, M.A., D.Sc., F.R.I.C. F.R.S.

K. W. Bagnall, D.Sc., F.R.I.C.
W. Baker, M.A., Ph.D., D.Sc., F.R.I.C., F.R.S.
J. W. Barrett, Ph.D., A.R.C.S., F.R.I.C.
R. P. Bell, M.A., F.R.S.
C. Eaborn, Ph.D., D.Sc., F.R.I.C.
R. E. Bowman, Ph.D., D.Sc., A.R.I.C.
W. Klyne, M.A., D.Sc., F.R.I.C.
S. F. Mason, M.A., D.Phil.
Sir Harry Melville, K.C.B., Ph.D., D.Sc., F.R.S.
R. S. Nyholm, D.Sc., F.R.I.C., F.R.S.
R. A. Raphael, D.Sc., F.R.I.C., F.R.S.
J. R. Ruck Keene, M.B.E., T.D., M.A.
H. N. Rydon, Ph.D., D.Sc., F.R.I.C.
D. H. Whiffen, M.A., D.Phil., F.R.S.

Editor and Secretary

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

PRIMARY JOURNALS COMMITTEE

Chairman

R. P. Bell, M.A., F.R.S.

G. C. Bond, B.Sc., Ph.D., F.R.I.C.
G. E. Coates, M.A., D.Sc., F.R.I.C.
R. C. Cookson, M.A., Ph.D., F.R.I.C.
L. Crombie, D.Sc., F.R.I.C.
J. Elks, D.Sc., D.I.C., A.R.C.S., F.R.I.C.
V. Gold, D.Sc., Ph.D.
J. Lewis, Ph.D., D.Sc., F.R.I.C.
J. D. Loudon, Ph.D., D.Sc., A.R.I.C.
A. Maccoll, M.Sc., Ph.D.
G. R. Martin, B.Sc., A.R.C.S., F.R.I.C.
M. L. McGlashan, D.Sc., Ph.D.
J. F. W. McOmie, M.A., D.Phil., D.Sc.
G. Porter, M.A., Sc.D., F.R.I.C., F.R.S.
C. W. Rees, Ph.D., D.Sc., F.R.I.C.
L. E. J. Roberts, M.A., D.Phil.
N. Sheppard, M.A., Ph.D.
F. Sondheimer, Ph.D., A.R.C.S., F.R.S.
F. G. A. Stone, M.A., Ph.D., Sc.D.
C. J. Timmons, Ph.D., A.R.C.S., F.R.I.C.
M. R. Truter, Ph.D., D.Sc., A.R.C.S.
T. C. Waddington, M.A., Ph.D.
E. H. P. Young, M.Sc., Ph.D.

Editor and Secretary

L. C. Cross, T.D., Ph.D., A.R.C.S., F.R.I.C.

XUM

We even stock the rare ones

Largest inventory of inorganic and organometallic compounds... all available for immediate delivery. Over 2000 chemicals on the shelf, many in our Reading stocks, including:

ATOMIC ABSORPTION SPECTROMETRY STANDARDS

The following materials have been carefully purified and are offered as the basis for preparing stock solutions for atomic absorption spectrometry. They should prove useful also for any other application requiring a source of a metal ion soluble in heavy organics.

AAS-Ag	Silver cyclohexanebutyrate
AAS-Al	Aluminium cyclohexanebutyrate
AAS-B	Tri-*dl*-menthylborate
AAS-Ba	Barium cyclohexanebutyrate
AAS-Ca	Calcium 2-ethylhexanoate
AAS-Cd	Cadmium cyclohexanebutyrate
AAS-Co	Cobalt cyclohexanebutyrate
AAS-Cr	Tris(2′-hydroxyacetophenono)chromium
AAS-Cu	Copper cyclohexanebutyrate
AAS-Fe	Ferric cyclohexanebutyrate
AAS-Hg	Mercury cyclohexanebutyrate
AAS-K	Potassium cyclohexanebutyrate
AAS-Li	Lithium cyclohexanebutyrate
AAS-Mg	Magnesium cyclohexanebutyrate
AAS-Mn	Manganese cyclohexanebutyrate
AAS-Na	Sodium cyclohexanebutyrate
AAS-Ni	Nickel cyclohexanebutyrate
AAS-P	Triphenylphosphate
AAS-Pb	Lead cyclohexanebutyrate
AAS-Sr	Strontium cyclohexanebutyrate
AAS-V	Bis(1-phenyl-1,3-butanediono)oxovanadium(IV)
AAS-Zn	Zinc cyclohexanebutyrate

All of the above are sold at the following standard price schedule:

5 grams—$15.00 **25 grams—$65.00**

For complete list, write for our free 1967 catalog.

ALFA INORGANICS, INC.

U.K. Distributors: Ralph N. Emanuel, Ltd., 3 Leather Market, Weston Street, London SE 1

Printed in Great Britain by Richard Clay (The Chaucer Press), Ltd., Bungay, Suffolk

XUM

XUM